



BIOLOGY TWO

	AB	Ab	aB	ab
AB	 AABB	 AABb	 AaBB	 AaBb
Ab	 AABb	 AAbb	 AaBb	 Aabb
aB	 AaBB	 AaBb	 aaBB	 aaBb
ab	 AaBb	 Aabb	 aaBb	 aabb

Heredity



Genetics





Evolution


BIOLOGY

	Lesson	Topic	Page(s)
Unit 1 Heredity	1	What is a species?	6-7
	2	Life finds a way	8-9
	3	<i>Activity: Vegetative propagation with potato</i>	10-15
	4	Mendel's famous experiment	16-17
	5	Inheritance explained	18-21
	6	<i>Deep dive: Why aren't Zebras domesticated?</i>	
	7	The laws of heredity 1	22-25
	8	The laws of heredity 2	26-29
	9	<i>Deep dive: Punnett Square Practice</i>	
	10	Pet pedigree puzzle	30-33
	11	Bigger Punnett squares	34-37
	12	Heredity Quiz Show	38-41
Unit 2 Genetics	13	What is a gene?	42-44
	14	Chromosomes	45-47
	15	<i>Deep dive: Fingerprints</i>	
	16	Meiosis and mistakes	48-49
	17	The Genetic Code 1	50-51
	18	<i>Activity: Gummy worm karyotypes</i>	52-55
	19	The Genetic Code 2	56-57
	20	Blood types explained	58-60
	21	<i>Activity: What's your blood type?</i>	61-63
	22	Mutations	64-65
	23	Nature and nurture	66-67
	24	<i>Deep dive: Why Red Delicious are the least delicious apples</i>	68-69
	25	Calico Cats & X-linked traits	70-71
	26	Modifying genes and gene therapy	72-73
	27	Genetics Quiz Show	74-77

The course is structured with at least two videos per week. The third activity of each week is a deep dive activity or a quiz show. Students who complete and submit all activities and assignments will receive a bonus certificate of completion.



	Lesson	Topic	Page(s)
Unit 3 Evolution	28	Endangered vs invasive species	78-79
	29	Darwin and the Galapagos	80
	30	<i>Activity: Journey of the HMS Beagle</i>	81-83
	31	Survival of the fittest	84-86
	32	Selection and Adaptation	87-88
	33	<i>Deep dive: When Sherpas climb Mt. Everest</i>	
	34	Evolution: what it is and what it isn't	89-90
	35	Genetic drift	91-92
	36	<i>Activity: Drifting marbles and population models</i>	93-94
	37	Species and gene pools	95-96
	38	Taxonomy and similar traits	97-99
	39	<i>Deep dive: DNA and Pandas</i>	
	40	The fossil record	100-101
	41	Phylogenies and family trees	102-103
	42	<i>Activity: Build your own phylogeny</i>	104
	43	Australia vs New Zealand	105
	44	Timeline of life on Earth	106-107
45	Evolution Quiz Show	108-111	
		Appendix	112-136



How to use this course:

For younger students (2nd-5th grade) we recommend a “get the basics” approach that focuses on the Mon/Wed classes. For older or more advanced students (6th-8th grade) we recommend completing each of the Friday activities and assignments to reinforce the concepts covered.

Option One: Get the Basics

Ideal for younger students

Participate in Mon-Wed classes only. Friday activities, articles, and other assignments are optional. They can be skipped, saved for later, or completed depending on your preference.

Option Two: The Full Course

Ideal for older students & advanced learners

Participate in Mon-Wed classes and do the Friday activities and reading assignments. Complete all quizzes and assignments to receive a certificate of completion at the end of the course.

Tips for best learning:

- Read the pages that go with each lesson before watching the video. Take 10-15 minutes before class to see if you can fill in the blanks. If you can't fill in everything, that's okay! Listen during class to see if you can complete the page.
- If a lesson moved too fast, rewatch it later to help learn the concepts.
- Download the answer key for the notes, but don't look at the answers until after you give things a try yourself!

Project Supply List:

Lesson 3 - Vegetative Propagation with Potato

- Potato or sweet potato (for quicker results, use one where the eyes have already begun to sprout)
- Knife
- 4 large pots or burlap sacks
- Potting soil

Lesson 18 - Gummy Worm Karyotypes

- Enough gummy worms or other oblong-shaped colorful candy to create 16 pairs of chromosomes
- Chocolate (to melt and cover some of the gummy worms.)
- Knife or scissors

Lesson 21 - What's the Blood Type?

- Home blood typing kit (optional)

Lesson 24 - Apple Variety Taste Test

- Several varieties of apple including Red Delicious, Granny Smith, and three other types.
- Knife

Lesson 30 - Journey of HMS Beagle

- Printable world map
- Paper and scissors
- Crayons, colored pencils, or markers

Lesson 36 - Model a Gene in a Population

- 20 black marbles and 20 white marbles or ANY other items that can be drawn randomly in a sample! For example, beans, candy, coins, or dice marked with tape.

Lesson 42 - Build your own phylogeny

- Paper and art supplies

Lesson 44 - History of Earth Timeline

- Paper, tape, and crayons, markers, or colored pencils

Which science standards are covered in this course?

The standards listed below are the national science standards for K-12 education in the United States. They are commonly referred to as Next Generation Science Standards or NGSS.

MS-LS1-4. Use argument based on empirical evidence and scientific reasoning to support an explanation for how characteristic animal behaviors and specialized plant structures affect the probability of successful reproduction of animals and plants respectively. **Lessons 28, 29, 31, 32**

MS-LS1-5. Construct a scientific explanation based on evidence for how environmental and genetic factors influence the growth of organisms. **Lesson 23**

MS-LS3-1. Develop and use a model to describe why structural changes to genes (mutations) located on chromosomes may affect proteins and may result in harmful, beneficial, or neutral effects to the structure and function of the organism. **Lessons 13, 14, 17, 19, 22, 28**

MS-LS3-2. Develop and use a model to describe why asexual reproduction results in offspring with identical genetic information and sexual reproduction results in offspring with genetic variation. **Lessons 2, 4, 5, 7, 10**

MS-LS4-1. Analyze and interpret data for patterns in the fossil record that document the existence, diversity, extinction, and change of life forms throughout the history of life on Earth under the assumption that natural laws operate today as in the past. **Lessons 38, 40, 41, 43**

MS-LS4-2. Apply scientific ideas to construct an explanation for the anatomical similarities and differences among modern organisms and between modern and fossil organisms to infer evolutionary relationships. **Lessons 38, 41**

MS-LS4-3. Analyze displays of pictorial data to compare patterns of similarities in the embryological development across multiple species to identify relationships not evident in the fully formed anatomy. **Lesson 38**

MS-LS4-4. Construct an explanation based on evidence that describes how genetic variations of traits in a population increase some individuals' probability of surviving and reproducing in a specific environment. **Lessons 31, 32, 34**




MS-LS4-5. Gather and synthesize information about the technologies that have changed the way humans influence the inheritance of desired traits in organisms. **Lesson 26**

MS-LS4-6. Use mathematical representations to support explanations of how natural selection may lead to increases and decreases of specific traits in populations over time. **Lessons 35, 36**

Lesson	Topic	NGSS	Page(s)
2	Life finds a way	MS-LS3-2	8-9
4	Mendel's Famous Experiment	MS-LS3-2	16-17
7	The laws of heredity 1	MS-LS3-2	22-25
8	The laws of heredity 2	MS-LS3-2	26-29
10	Pet Pedigree Puzzle	MS-LS3-2	30-33
13	What is a gene?	MS-LS3-1	42-44
14	Chromosomes	MS-LS3-1	45-47
17	The genetic code 1	MS-LS3-1	50-51
19	The genetic code 2	MS-LS3-1	56-57
22	Mutations	MS-LS3-1	64-65
23	Nature and nurture	MS-LS1-5,	66-67
26	Modifying genes and gene therapy	MS-LS4-5	72-73
28	Endangered vs invasive species	MS-LS1-4, MS-LS3-1	78-79
29	Darwin and the Galapagos	MS-LS1-4	80
31	Survival of the fittest	MS-LS1-4, MS-LS4-4	84-86
32	Selection and adaptations	MS-LS1-4, MS-LS4-4	87-88
36	Drifting marbles and population models	MS-LS4-6	93-94
37	Species and gene pools	MS-LS4-2, MS-LS4-3 MS-LS4-6	95-96
38	Taxonomy and similar traits	MS-LS4-4	97-99
40	The fossil record	MS-LS4-1, MS-LS4-2, MS-LS4-3	100-101
41	Phylogenies and family trees	MS-LS4-1	102-103
44	Timeline of life on Earth	MS-LS4-1	106-107

What makes a species?

The domestic dog includes hundreds of different breeds with diverse personalities, shapes, and sizes. The biggest dog, an English Mastiff named Zorba, weighed more than 143 kg (315 pounds) and measured 94 cm (37 inches) tall from ground to shoulder. The smallest dog, a Chihuahua named Milly, is just under 10 cm (4 inches) tall and weighs just 0.5 kg (about 1 pound). Mastiffs, Chihuahuas, Dachshunds, and Greyhounds are all called dogs, but they are incredibly different animals!


 <p>Zorba</p>	 <p>Milly</p>		
<p>English Mastiff 70-91 cm / 28-36 in 54-104 kg / 120-230 lbs</p>	<p>Chihuahua 15-25 cm / 6-10 in 1.4-3 kg / 3.3-6.6 lbs</p>	<p>Dachshund 20-23 cm / 8-9 in 7-14 kg / 16-32 lbs</p>	<p>Greyhound 68-76 cm / 27-30 in 26-40 kg / 57-88 lbs</p>

1. What makes a dog a dog? Share your opinion:

2. If the characteristics you described above were used as the official definition of a dog, would cats also be called dogs?


3. List three similarities and differences between cats (*Felis*) and dogs (*Canis*):

Similarities between cats and dogs:	Differences between cats and dogs:
<div data-bbox="103 1444 266 1627">  <p>SPHYNX CAT</p> </div> <div data-bbox="103 1644 266 1827">  <p>MAINE COON</p> </div>	<div data-bbox="1354 1444 1523 1627">  <p>PUG</p> </div> <div data-bbox="1354 1644 1523 1827">  <p>BORZI</p> </div>




4. Coyotes, wolves, and dogs can all interbreed, creating hybrids like the wolfdog, coywolf, coydog or dogote. Lions and tigers can also be bred to create hybrids, which are called ligers or tigons. In your opinion, would it be possible to cross a cheetah with a wolf? If so, what would you call this hybrid? A woltah? A cheef?

Selective breeding can cause big changes



Breeders prized the "squished face" appearance of the Pug and chose dogs with shorter and shorter snouts. Because of their face shape, modern Pugs are susceptible to eye trouble and breathing problems.



In 1900, Shetland Sheepdogs were reported to weigh between 7 and 10 pounds and have medium length fur. The modern Shetland Sheepdog has doubled in size and has much longer fur.



5. Suppose that a settlement on Mars uses Great Danes for pulling sleds while a different settlement uses Chihuahuas for hunting cockroaches that hide in small spaces. If the people in the first settlement selectively breed their Great Danes to be larger and stronger while the people in the second settlement breed their Chihuahuas to be smaller and faster, what would you expect Mars dogs to look like after approximately 1,000 years have passed? Would Great Danes and Chihuahuas be different species from each other then?

Martian Great Dane in 3022

Martian Chihuahua in 3022

Life finds a way

The **ability to reproduce** is one of the key characteristics in most definitions of life. There are two main strategies: asexual reproduction, which creates identical clones, and sexual reproduction which creates offspring that are different from each parent.



Record the primary advantages and disadvantages in each category below. Consider the following:

- Speed of reproduction: Is the next generation formed and independently growing within minutes or days? Does it take years to form an independent next generation?
- Genetic diversity: is the diversity high (which provides greater resistance to disease) or low (which makes a population more at risk from disease)?
- Does reproduction require a mate? Could one individual reproduce?

ASEXUAL REPRODUCTION


advantages:	disadvantages:
-------------	----------------

SEXUAL REPRODUCTION

advantages:	disadvantages:
-------------	----------------


Match each reproductive strategy with the correct definition:

FRAGMENTATION




Genetic information from two individuals is combined to create offspring that are genetically different from both parents. This reproductive strategy is common among animals, fungi, and plants.

SEXUAL REPRODUCTION




An organism is split into pieces. Each of those fragments then develops into adult individuals that are clones of the original organism. Molds, lichen, sponges, certain worms, and sea stars all use this reproductive strategy.

BINARY FISSION




The division of one cell into two identical cells. This reproductive strategy is used by many types of single-celled life forms including bacteria and archaea.

VEGETATIVE PROPAGATION



A specialized cell is formed that can withstand harsh environmental conditions such as drought or extreme heat. Once conditions improve, this cell germinates and begins growing. This reproductive strategy can be either sexual or asexual. Commonly used by fungi.

SPORE FORMATION




A form of reproduction occurring in plants where a fragment or cutting is separated from the parent plant and grows as a separate individual. Commonly used with food crops such as bananas, sweet potato, sugarcane, and pineapple.


Hands-on Science Project

PROPAGATE A POTATO


MATERIALS:



Potato or sweet potato



Knife



Rubbing Alcohol



4 identically-sized pots or bags
Use a large pot or bucket with drainage holes, or a large burlap sack.




Potting soil
Enough to fill all 4 containers


For best results, use sprouting potatoes

Most commercially-available potatoes are treated with chlorpropham, a compound that prevents sprouting. For best results, select a tuber where you can see small sprouts or swelling in the "eyes" of the tuber. If you do not see any sprouts or signs of budding, let the potato sit in a dark location at room temperature until sprouts form.


Potatoes are tubers, specialized root structures that store starch. Tubers contain buds that can grow into new plants!




1. Place the potato in a dark and warm area (such as a kitchen cupboard) and let it sit there until sprouts have formed at the eyes. This may take between 1 to 3 weeks.




2. When the potato has sprouts, clean the knife with rubbing alcohol. Use the clean knife to cut the potato into 4 pieces that are roughly equal in size. Make sure that each piece of potato has at least one or two "eyes" with sprouts. If there are many sprouts on the piece of potato, break off some of the sprouts so there will be no more than two sprouts per quadrant.



3. Let the cut pieces sit at room temperature for 24 hours. This drying process helps prevent mold from growing on the potatoes after they are planted.



4. Fill the pots or burlap bags 1/3 full with potting soil. Place one potato piece in each container so that the potato is approximately 5 cm or 2 inches below the surface of the soil.



5. Water the soil in each pot so that it is moist. Place two of the pots in a very sunny location and the other two pots in a shady location.

Place two pots in a bright location, either under lamps or next to a window that receives several hours of full sunlight.

Place two pots in a location with less light (but not dark).

Indoors or Outdoors?



This activity can be done either indoors or outdoors. If you have space and it's winter time, we recommend indoors! If you have cats or dogs, take care that they don't eat the above-ground leaves and stems of the potato plant, which are poisonous. If you would prefer to plant your potatoes outdoors, plant them no earlier than 4 to 6 weeks before the average last frost. They are cold hardy and can handle some freezing or near-freezing temperatures. Whether the plants are indoors or outdoors, they will need at least 10 to 12 weeks of growth to produce a crop of new tubers.

7. After sprouting, continue to add additional layers of potting soil until the pot is full. Record your observations about the size and appearance of the above-ground plants at regular intervals.

8. After 10 to 15 weeks or when the plants begin to die back, pour out the potting soil and sort through it to find the new potato tubers. (See page 13 for more detailed instructions).

How many tubers did you find? Which plants produced the most potatoes?

Fill the pots with more soil as the plants grow.



Observations just after the first sprouts emerge:

Full sun		Partial sun or shade	
A	B	C	D

Noting the date is a vital part of recording research!

DATE:

Draw the soil line and a simple representation of your tubers in these pots!

Write a line or two about what you observe.





Observations 1 week after the first sprouts emerge. Draw the approximate size and shape of the potato plants growing in each container.

DATE:

A	B	C	D
---	---	---	---





Observations 3 weeks after
the first sprouts emerge:

DATE:







Observations 6 weeks after
the first sprouts emerge:

DATE:



Observations 10 weeks after
the first sprouts emerge:

DATE:



DATE: _____

POTATO HARVEST

Before harvesting your potatoes, answer the following questions:

1. Which plants have the most above-ground material? Count the approximate number of leaves on each plant and record their numbers.

The plant with the most above-ground mass: _____



The number of leaves on each plant:

A _____ B _____ C _____ D _____



2. How different were the light conditions between your “full sun” and “partial sun” plants? If possible, study the locations for one day and count the number of hours of direct light each plant experienced.

4. Plants get their energy from photosynthesis, which requires light. Which plants were able to do the most photosynthesis during the experiment? What did the plant do with the energy it gathered from photosynthesis?

 Full sun

A  B 

 Partial sun or shade

C  D 

Draw the above ground portion of your potato plants. Then draw a guess of what you think the root structure will look like. How many tubers do you expect to find?

When to harvest potatoes

Farmers usually wait until the tops of the potato plants have turned yellow and died back before harvesting. This allows the plant to store the most starch in the tubers.

With potatoes grown indoors, you can wait for the plants to go dormant or you can harvest them anytime after 10-12 weeks of growth. The choice is yours. Harvesting before 10 weeks will result in very small (pea and marble size) potatoes.

How to harvest potatoes

If the plants are in containers, take them outside and empty the dirt from the container. Sift through all the dirt and separate the tubers from the roots and potting soil.

If the plants are in the ground, loosen the soil around them with a shovel. Pull up the plants and then thoroughly explore the area with shovel and hands to be sure you found all of the tubers.

Wash and dry the potatoes and store them in the fridge until ready to eat. If the skin of a new potato is scratched or damaged during harvesting, then they won't store for as long and should be eaten sooner rather than later.

POTATO HARVEST

After harvesting your potatoes, answer the following questions:

1. Which plants produced the greatest number of tubers? Count the record the number of tubers from each plant.

A

B

C

D

2. Which plant produced the greatest biomass of tubers? In other words, which plant grew the most food?

If you don't have a scale to weigh the potatoes, that's okay! Compare the size of the potatoes from each plant and draw pictures to represent the potato production of each.

A

B

C

D

3. The main variable studied in this experiment was light. Ideally, everything else would have been the same for each potato plant. But in real life, experiments don't always have ideal conditions! Were there any other variables that impacted your plants, such as disease, an injury, waterlogged roots, or drought stress?


CONCLUSIONS

DATE:

Your potatoes were genetically identical clones. Did they grow into identical plants or did they look different from each other? What impact did light have on the production of your potatoes? Do you have any advice for someone who wants to grow their own potato clones?

Potato Blight and the Irish Potato Famine

From 1845-1852, Ireland experienced a devastating famine when a fungus-like microorganism called *Phytophthora infestans* caused a serious disease known as potato blight. The blight caused the Irish to lose about ¾ of their most important food crop and resulted in over a million people dying of starvation and millions emigrating away from the island in the following years when the potato harvest was poor. Ireland is possibly the only country in the world that has a lower population today (5 million) than in 1840 (about 6.5 million).



How Potatoes are Grown Today

Potatoes can be infected by many different pathogens including viral, fungal, bacterial, and protozoan! Because they are susceptible to so many diseases, many of which are hard to detect, the crops of modern potato farmers actually start out in test tubes!

Tissue Culture

(Also called micropropagation)




Growing cells in an artificial medium like agar or broth.

It's called tissue culture and it all begins with a small piece of plant about the size of a flake of pepper. This flake of green leaf tissue is taken from a parent plant which was grown in a controlled environment free from viruses.

The disease-free bit of the plant (meristem) is placed in a test tube that has all the nutrients that the plant needs in order to grow. The test tube remains in the sterile lab until the cells have grown into a "plantlet," a small plant with distinct roots, stem, and leaves.

When the plantlets are large enough, they are moved to a greenhouse and planted in the ground. Then, just like regular potatoes, they grow for a few months, forming miniature tubers. After harvesting, these small tubers (called seed potatoes) are sorted and stored until it's time to plant the large crop of potatoes in regular fields.

WHAT'S THE DIFFERENCE BETWEEN A COOKED SWEET POTATO AND A FLYING PIG?



ONE IS A HEATED YAM AND THE OTHER IS A YEETED HAM!

Certified seed potatoes have been tested multiple times to be sure they are free from bacterial, fungal, and viral infections.


When the seed potatoes are ready to be planted, a large machine uses sharp spikes or suction cups to grab each seed potato and drop it into the designated furrow of soil.

The buds on the seed potatoes sprout into plants and as the plants grow, so does their network of tubers underground. It is now up to the farmer to care for the potatoes by irrigating and fertilizing them. They'll be ready to harvest between 80 to 115 days after planting. At harvest, they're carefully dug up and stored between 10 and 14 days in cool temperatures (≈15°C) to allow the skins to harden and minor injuries to seal. Then they're sent to a grocery store near you!




IDAHO POTATO MUSEUM
BLACKFOOT, IDAHO

WHY DOES EVERYONE WANT TO EAT US?



WE MUST BE DELICIOUS!



SEED POTATOES



SMALL TUBERS ABOUT 1-2 OUNCES IN SIZE

POTATO SEEDS



PRODUCED FROM FLOWERS THAT GROW INTO GREEN TOMATO-LOOKING BERRIES.

Why is Idaho famous for its potatoes?

The domestic potato originated in the mountains of Peru. Idaho has a similar climate and geology to this area with warm sunny days, cool nights, and fertile volcanic soil that is well-draining and high in nutrients. The high elevation, geologic history, location, and surrounding areas all combine to make Idaho ideal for potato production. The state grows about 13 billion pounds of potatoes every year. Idaho even has a museum dedicated to the potato with an exhibit of the world's largest potato chip!

The question of inheritance

Throughout history people have had different ideas about how traits are inherited. The three ideas described below were common when Mendel was alive. Which of these ideas best explains what you have observed about traits and how they are inherited? Rate them from one star (not accurate, e.g. there are lots of counter examples for this idea) to four stars (this idea explains inheritance very well).


LAMARCKISM



Lamarckism is the belief that acquired traits can be inherited. Giraffes are able to lengthen their necks by constantly stretching, so their offspring will inherit a longer neck.




PANGENESIS



Pangenesis is the idea that every part of the body produces small particles called gemmules which are then passed on to offspring.



BLENDING



Blending inheritance is the idea that each trait will be inherited by the offspring at about the average level of each parent. For example, your hair color falls between your parents' hair colors.



Gregor Mendel

Mathematician, biologist, abbot, and founder of genetics

FILL IN THE BLANKS USING THESE WORDS:

garden inheritance traits pea genetics

Gregor Mendel was a monk at St. Thomas Abbey. During Mendel's lifetime, the question of how _____ were passed from one generation to the next was one of the great mysteries of science. Popular ideas to explain _____ included Lamarckism, the idea that acquired traits could be passed on to offspring.

In the 1850s, Mendel conducted experiments to discover how inheritance worked. He studied the characteristics of _____ plants, such as green and yellow seeds. His experiments were conducted in a small _____ next to the abbey.

His conclusions were incredibly advanced for his time and he is widely considered to be the founder of modern _____.


THE LOCATION OF ST. THOMAS ABBEY



GREGOR MENDEL 1822-1884




A famous experiment




Peas are self-fertile. They do not need pollinators and unless a person intervenes, the pollen on the stamens will fertilize the stigma and produce a pea pod filled with seeds. To cross-pollinate two different pea plants, Mendel used tweezers to remove the stamens from one flower (1) and used a paintbrush to gather pollen from the flower of a different plant (2). The pollen was then applied to the stigma of the first plant to produce hybrid seeds (3).

MEET THE PARENT PEAS!




THE EXPERIMENT



A pea plant with smooth seeds is cross-fertilized with a plant that has wrinkled seeds.

ALL of the seeds in that first generation (called the F_1 generation) are smooth.

When those first generation seeds (F_1) are self-fertilized, the next generation shows a 3 to 1 ratio of smooth to wrinkled seeds.



We see the same result with flower color.

If you were Mendel, how would you explain these results? Why is one trait disappearing in the F_1 generation and then coming back again in the next?

Disappearing and reappearing traits?

FILL IN THE BLANKS USING THESE WORDS:

Mendel's results explained

alleles inherited generation ignored traits dominant

When crossing two true-breeding pea plants with different traits, Mendel found that the F₁ or first _____ of plants looked identical to one of the parent plants. The trait from the other parent had “disappeared.” But when these plants were self-pollinated, they were no longer true-breeding. Both of the _____ appeared with a consistent ratio: ¼ of the plants had the trait that had disappeared while ¾ of the plants had the other trait.

To explain this phenomenon, Mendel said that each plant _____ two factors, one from each parent. Some factors were _____ and others were recessive. Today, we call these factors genes or _____.

He published his research, but it was _____ for more than thirty years. Mendel wasn't recognized for his work until other scientists discovered the same facts in the 1900s.

THE TIME TRAVELING SCIENTIST

TIME TO PAY A VISIT TO THE FATHER OF GENETICS.

TIME MACHINES

PLACE of Brno **DATE 1866**

HI MENDEL! HOW ARE THE PEA PLANTS?

ACTUALLY, I JUST MADE AN AMAZING DISCOVERY.

GENETIC INFORMATION IS PASSED FROM PARENT TO OFFSPRING IN UNITS.

GENETIC INFORMATION

Parent **Seedling**

EACH INDIVIDUAL HAS TWO UNITS OF GENETIC INFORMATION — ONE FROM EACH PARENT!

REVOLUTIONARY! WHAT AN AMAZING DISCOVERY!

RIGHT?! I WROTE A PAPER ALL ABOUT IT.

Versuche über Pflanzenhybriden
Mendel

EXCELLENT. AND WHAT DID YOU CALL THESE UNITS OF GENETIC INFORMATION?

FACTORS.

YOU SHOULD CALL THEM GENES INSTEAD.

WHY GENES?

SO WE CAN MAKE PUNS ABOUT PANTS!


?

Genotype

the genetic information

In this example, we use "P" to represent the _____ for purple flower color and "p" to represent the allele for white flower color.

The gene for flower color.*



There isn't just one gene for flower color! There are different versions of this gene. One has instructions for purple flowers. Another version has instructions for white flowers. Different versions of the same gene are called **alleles**.



purple allele



white allele

*We'll learn more about what genes are (segments of DNA) and where they are located (on chromosomes) in the next unit. For now, we can think of them as little bosses telling the organism what to do.

THE FLOWERS HAVE TO BE PURPLE! YOU HEAR ME?!
PURPLE FLOWERS FOREVER!!!!



IF NO ONE HAS OTHER PLANS, MAY I SUGGEST WHITE FLOWERS?




Phenotype

the observed trait

In this example, there are two phenotypes: purple flowers and white flowers. Write the expected phenotype in each box below. Then color the flowers accordingly.

NOTHING BUT PURPLE!

ALWAYS PURPLE!!!




A plant with two alleles for purple flowers will produce:



WHAT DO YOU THINK ABOUT WHITE?

THAT WOULD BE LOVELY!




A plant with two alleles for white flowers will produce:




PURPLE FLOWERS FOREVER!!

UH, OKAY.



A plant with one allele for purple and one allele for white will produce:



In the example above, the purple allele is **dominant** and the white allele is **recessive**. The traits below also have a dominant allele (represented by a capital letter) and a recessive allele (lower case letter). Use this information to indicate the phenotype that will be produced from each pair of alleles.

FOR PLANT HEIGHT, I HAVE INSTRUCTIONS FOR DWARF PLANTS. WHAT DO YOU THINK ABOUT THAT?

IT'S PERFECT!

TALL PLANTS DWARF PLANTS

For plant height, if the genotype is:

Tt

The phenotype will be:

THE SEEDS MUST BE SMOOTH!! NO WRINKLES!

I WAS HOPING FOR WRINKLES, BUT WHATEVER YOU SAY.

SMOOTH SEEDS WRINKLED SEEDS

For seed texture, if the genotype is:

Ss

The phenotype will be:

ONLY YELLOW SEEDS!!

YES! YELLOW SEEDS FOREVER!!!

YELLOW SEEDS GREEN SEEDS

For seed color, if the genotype is:

yy

The phenotype will be:

The traits Mendel studied follow a **dominance / recessive** pattern. The trait of wool color in sheep does as well, which explains why black sheep are less common than white. Color in the sheep below with the correct phenotype and then label each block below as either "Homozygous dominant," "Homozygous recessive," or "Heterozygous."

Homozygous the alleles are the same!

THE GENOTYPE FOR THIS SHEEP:


Heterozygous different alleles!

THE GENOTYPE FOR THIS SHEEP:


THE GENOTYPE FOR THIS SHEEP:

Mendel's results explained (in more detail)


Write either "heterozygous" or "homozygous" in each of the labels below.



The plants in the parent generation are true-breeding or _____ for their trait, which is plant height. The tall plants always produce seeds that grow into tall plants. The dwarf plants always produce seeds that grow into dwarf plants.




The F₁ generation received one allele from each parent plant and are _____ for plant height. All of the plants in this generation are tall. The plants will be self-fertilized to form the F₂ generation.




In the F₂ generation, a quarter of the plants show the phenotype of dwarfism. These plants are _____ recessive. Two of the three tall plants are _____, which means they are no longer true-breeding for the trait of plant height.

In real life, things are often more complicated...




In cases of incomplete dominance, the heterozygous phenotype is different than either of the homozygous phenotypes!



Most human traits are controlled by multiple genes and have complicated inheritance patterns. We sometimes think of eye color as being a trait that follows Mendelian inheritance patterns with brown eyes being dominant and blue eyes being recessive.

But it's not that simple! With more than 16 different genes playing a role in the process, two blue-eyed parents can indeed have a brown-eyed child. The same is true with many other traits including hair color, earlobes, and more.



* For further reading, see *Genotype-phenotype associations and human eye color* by Desiree White in the *Journal of Human Genetics*. Published Oct 14, 2010.

Draw lines to match each term with the correct description:

Recessive

Dominant


Homozygous

Heterozygous

Genotype

Phenotype


Only one copy (allele) of a gene is needed for the trait to be expressed. For example, if the trait for large feathers is represented by B, then both BB and Bb would result in big feathers.




The copies (alleles) of the gene are both the same. This word comes from the Greek word "homos," which means same, and "zugos," which means yoked.



The genetic information of an organism. The term can also refer to the genetic information of a specific trait.



There are two different versions (alleles) of the gene. This word comes from the Greek words "heteros," which means different, and "zugos," which means yoked.



The trait will only be expressed if there are two identical copies (alleles) of the gene. For example, if small feathers are represented by b, then only the genotype of bb will produce small feathers.




The observable characteristics or traits of an individual, such as having either small or large feathers.



Punnett Squares

Since the probability of getting one allele or another is 50/50, we can use a tool called a Punnett square to see all of the possible combinations AND how likely they are to occur! For example, if a round shape is dominant and pear shape is recessive, a punnet square shows us how likely it is that two heterozygous aliens would produce a pear-shaped alien:



Round body shape (A) is dominant and pear body shape (a) is recessive. How many of the offspring will be pear-shaped (aa) from a heterozygous cross ($Aa \times Aa$)? A Punnett square can tell us the answer!

1 Separate the alleles.

A heterozygous parent (Aa) is shown above a Punnett square. Arrows point from the parent to the top-left and top-right cells of the square, labeled A and a respectively.

2 Move them across the square.

A heterozygous parent (Aa) is shown to the left of the Punnett square. Arrows point from the parent to the left and bottom cells of the square, labeled A and a respectively.

3 Repeat with the other parent.

The Punnett square is now filled with the combinations of alleles from both parents: AA , Aa , aA , and aa .

4 Evaluate your results!

We have the genotypes. Now it's time to translate them into phenotypes! First, note that Aa is the same as aA .

The Punnett square is shown with shaded cells. The top-left, top-right, and bottom-left cells are shaded light gray, representing round phenotypes. The bottom-right cell is shaded a darker gray, representing a pear-shaped phenotype.

5 The phenotype for Aa is round.

The Punnett square is shown with the heterozygous offspring (Aa) in the top-right and bottom-left cells labeled as round.

6 Homozygous for the round allele (AA) also has the round phenotype.

The Punnett square is shown with the homozygous dominant offspring (AA) in the top-left cell labeled as round.

7 The phenotype for aa is pear-shaped.

The Punnett square is shown with the homozygous recessive offspring (aa) in the bottom-right cell labeled as pear-shaped.


8 Because each of the 4 outcomes is equally likely, the chance of any given square is 25% or $\frac{1}{4}$.

The Punnett square is shown with callouts explaining the probabilities of each genotype:

- Round heterozygous aliens have a $\frac{1}{4}$ chance of producing a homozygous round alien.
- Round heterozygous aliens have a $\frac{1}{2}$ chance of producing another heterozygous round alien.
- Round heterozygous aliens have a $\frac{1}{4}$ chance of producing a pear-shaped alien.


Practice some crosses!

Fill in the Punnett squares for each of the following crosses. Two eyes (B) is a dominant trait. One eye (b) is recessive. Write down the chance of producing a one-eyed alien for each cross. If no squares are "bb," then a one-eyed alien can't be produced from that cross (0% chance). If one square is bb, the chance is 25%. If two squares are bb, the chance is 50%. If three squares are bb, the chance is 75%. If all four squares are bb, the chance is 100%.




Bb x Bb

 %
chance of bb




BB x bb

 %
chance of bb




BB x BB

 %
chance of bb




Bb x bb

 %
chance of bb



BB x Bb


 %
chance of bb



bb x bb

 %
chance of bb

With cats, white fur is dominant (W) and black hair (w) is recessive. **Before** you fill out each Punnett squares, check a box to make a prediction about whether the cross will produce black kittens. **After** filling out the Punnett square, mark the percentage of black kittens the cross produced.




Will there be black kittens?
 yes no

$Ww \times ww$

Black kittens produced:

 0% 25% 50% 75% 100%



Will there be black kittens?
 yes no

$WW \times Ww$

Black kittens produced:

 0% 25% 50% 75% 100%




Will there be black kittens?
 yes no

$WW \times ww$

Black kittens produced:

 0% 25% 50% 75% 100%



Will there be black kittens?
 yes no

$Ww \times Ww$

Black kittens produced:

 0% 25% 50% 75% 100%




Will there be black kittens?
 yes no

$WW \times WW$

Black kittens produced:

 0% 25% 50% 75% 100%



Will there be black kittens?
 yes no

$ww \times ww$

Black kittens produced:







 0% 25% 50% 75% 100%

For more on Punnett Squares, check out pages 112-117 in the appendix!

2. INDEPENDENT ASSORTMENT - traits are inherited independently

Mendel's second law of inheritance says that the inheritance of one trait (such as a cat having long hair or short) has no influence on the inheritance of another trait (such as the color of the cat's fur). This is called the principle of independent assortment. It applies to a lot of traits, but not all of them! Some genes are inherited together because they are located close together on the same chromosome.


When talking about hair color, it doesn't matter if the hair is long or short; cats with the **W** allele will be white, while cats with the **ww** genotype will be dark-haired.

Genotype	SS	Ss	ss	WW	Ww	ww
Phenotype	SHORT HAIR	SHORT HAIR	LONG HAIR	WHITE HAIR	WHITE HAIR	DARK HAIR
						

When talking about hair length, it doesn't matter what color the hair is; cats with the genotype of **SS** or **Ss** will have short hair. Long hair is only produced by the genotype **ss**.

Could this pair of cats produce a black long-haired kitten? Check yes or no. Then show why or why not.

YES
 NO




Wwss **wwSs**



Could this pair of cats produce a white long-haired kitten? Check yes or no. Then show why or why not.

YES
 NO




wwSS **wwSS**



Could this pair of cats produce a black short-haired kitten? Check yes or no. Then show why or why not.

YES
 NO




Wwss **WwSs**



Could this pair of cats produce a white long-haired kitten? Check yes or no. Then show why or why not.

YES
 NO



wwSS **WwSs**



The traits of pea height (tall or dwarf) and the trait of flower color (purple or white) are inherited independently.


When talking about flower color, it doesn't matter if the plants are tall or dwarf; peas with the **P** allele will be purple while peas with the **pp** genotype will be white.

Genotype	TT	Tt	tt	PP	Pp	pp
Phenotype	TALL PLANTS	TALL PLANTS	DWARF PLANTS	PURPLE FLOWERS	PURPLE FLOWERS	WHITE FLOWERS

When talking about plant height, it doesn't matter what color the flower is; peas with the genotype of **TT** or **Tt** will be tall. Dwarf pea plants are only produced by the genotype **tt**.


Could this cross produce a dwarf pea plant with purple flowers? Check yes or no. Then show why or why not.

- YES
 NO




Could this cross produce a tall plant with white flowers? Check yes or no. Then show why or why not.

- YES
 NO




Could this cross produce a dwarf plant with white flowers? Check yes or no. Then show why or why not.

- YES
 NO




Could this cross produce a tall plant with white flowers? Check yes or no. Then show why or why not.

- YES
 NO




Could this cross produce a tall plant with purple flowers? Check yes or no. Then show why or why not.

- YES
 NO



Could this cross produce a dwarf plant with white flowers? Check yes or no. Then show why or why not.


- YES
 NO




The Munchkin Mutation

Riley is fostering a pregnant Munchkin cat named Percy for their local animal shelter. The short legs of the Munchkin are caused by a dominant mutation (**M**). The mutation is lethal if homozygous (the **MM** genotype fails to develop in utero). Heterozygous (**Mm**) gives the Munchkin phenotype of short legs, and homozygous recessive (**mm**) results in long legs (**wildtype**).


The animal shelter has a waiting list of people ready to adopt Percy's kittens. They want to know what the probability is of the kittens being Munchkins, but no one knows if Percy's mate was a Munchkin (**Mm**) or not (**mm**). Calculate the probability of Munchkin kittens from each possible cross.



Possibility 1: Munchkin x Munchkin cross



Possibility 2: Munchkin x Wildtype cross



What is the probability of Munchkin kittens if both parents are Munchkins?

- 100% - every kitten will be a Munchkin.
- Approximately 67% - 2 out of every 3 kittens will be a Munchkin.
- 50% - there's a 50/50 chance of the Munchkin trait.
- 25% - there's a 1 in 4 chance of the Munchkin trait.

What is the probability of Munchkin kittens if one parent is a Munchkin and the other is wildtype (has long legs)?

- 100% - every kitten will be a Munchkin.
- Approximately 67% - 2 out of every 3 kittens will be a Munchkin.
- 50% - there's a 50/50 chance of the Munchkin trait.
- 25% - there's a 1 in 4 chance of the Munchkin trait.

If Percy is pregnant with only two kittens, what are the possible outcomes for this litter?


Mark all genotype combinations that are possible.

- Mm and Mm
- Mm and mm
- mm and mm

Ethics and Genetics

The study of genetics is about more than traits and DNA. It often impacts social and ethical questions as well. Read the following paragraphs and then write your opinion about the concerns associated with each example. There are no “right” answers here! These questions are as much about what you value as they are about heredity and genetics.


A group of dog breeders have developed a new dog breed called a Tardal.* In working to establish the Tardal as an officially recognized breed, full health histories are completed for all Tardal dogs. The studies reveal that Tardals are intelligent, loyal, and have the fastest running speed of any dog on Earth, capable of running at 70 mph. But in addition to these desirable traits, Tardals are 11x more likely than other dogs to experience hip and ankle dislocation. They also have a life expectancy that is significantly shorter than other dogs, living for just 4 to 5 years.



Should this new dog breed be accepted, a move that would cause it to become a common breed among dog owners? Or should people stop breeding Tardals because of the health concerns associated with the breed? Write your recommendation:


**The Tardal is an imaginary dog breed invented for this lesson.*

Remy breeds ball pythons and in one of their recent clutch of eggs they discovered a scale-less snake. Rare python morphs are valuable and Remy knows they can earn money by breeding the snake to produce more pythons without scales. But this scale-less snake has incredibly soft skin. It needs special care when shedding to avoid infection. Even with soft bedding, it is easily injured and often experiences minor cuts and scrapes from everyday movements.



Do you think Remy should breed the scale-less snake? Why or why not?

The Governing Council of the Cat Fancy* currently refuses to recognize Munchkins as a breed because of health issues associated with the short legged trait. Some Munchkin owners claim that the cats are healthy and happy with no more health concerns than the average cat. Others claim that the mutation hinders Munchkins ability to move and causes discomfort.





If you were a member of the GCCF, would you be in favor of recognizing Munchkins as a breed, be neutral on the issue, or be in favor of prohibiting further breeding of Munchkins?

**An organization that registers pedigreed cats in the United Kingdom*



How to Read A Pedigree Chart

A pedigree chart is a family tree that tracks how a trait has been passed along. It typically follows the rules below:


- Males are represented by squares, and females are represented by circles.
- A filled shape means the individual exhibits the trait.
- Horizontal lines between two individuals exhibit mating pairs.
- Vertical lines descend from parents to a horizontal line that connects the offspring.






Each individual receives their alleles from their parents. When tracking recessive traits, sometimes it helps to identify the heterozygous individuals that carry the trait. These **carriers** are marked with half-shading.




Color in this pedigree for tracking **pear shape** in the aliens. Remember, round body shape is dominant (RR) and pear shape is recessive (rr). The phenotype is known for all individuals. Can you determine the genotypes of the aliens indicated by the arrows?




Pet Pedigree Puzzle #1




Below is a pedigree chart for the trait of "feathered feet," the long hair that cover the hooves of certain horse breeds like Clydesdales, Shires, Friesians, and Ardennes.* Each shaded shape represents a horse with feathered feet.




Can a dominant trait skip a generation? What about a recessive trait? Explain.



Is the trait mapped in this pedigree chart dominant or recessive? Explain how you know.




When tracking a recessive trait, a half-shaded shape is used to indicate a carrier. Can you identify a horse or horses in this pedigree that must be carriers of the trait? If yes, shade in their shapes.





**While a cross between a feathered horse (such as a Clydesdale) and a non-feathered horse (such as a Thoroughbred) will result in a horse that is non-feathered, the genetics of feathering have not been studied in detail. It's likely to include more than one gene and be more complicated than the hypothetical example used here!*

Pet Pedigree Puzzle #2




At Ella's pet store, albino blood pythons have been the most popular snake breed. Ella has space to breed two snakes and wants to choose a pairing that will produce more albinos. Fortunately, Ella has pedigree charts of the store's four blood pythons: Julius Squeezer, Basil, Medusa, and Naga.

Help Ella make the choice that will give the highest chance of more albino pythons! Remember that albinism is a recessive trait and the pedigrees only show phenotype, not genotype.




Julius Squeezer

Julius Squeezer is the an albino blood python with beautiful cream and orange coloring.




Basil

Basil has standard coloring and a very friendly temperament. He is easy to hold.



Naga

Naga has standard coloring and an aggressive temperament. Gloves are required for handling.



Medusa

Medusa has standard coloring and loves to swim. She takes a plunge anytime she's around water.

What genotype is Julius Squeezer? The standard color allele is represented by **A**. The albinism allele is represented by **a**.

AA or **Aa** **Aa** **aa**

What genotype is Basil?

AA or **Aa** **Aa** **aa**

What genotype is Naga?

AA or **Aa** **Aa** **aa**

What genotype is Medusa?



AA or **Aa** **Aa** **aa**

Which snakes should Ella select for breeding and why?



Mendel's First Law is like flipping a coin...

The probability of an $aa \times Aa$ cross giving albino snakes may be 50/50, but that doesn't mean you'll see that exact ratio in real life! Explore Mendel's first law by using a coin to determine whether these snakes produce albino blood pythons. Color the albinos (**aa**) orange. Use brown to mark the standard coloring (**AA** or **Aa**) which is also called **wildtype**.



Julius Squeezer will always give the albino allele for coloring, but Medusa is heterozygous and can give either the **A** or **a** allele. The first time this pair are bred, they have a clutch of 14 eggs. Flip a coin for each of the 14 snakes to see which allele is given. If it's heads, write **Aa**. If tails, write **aa**. Then color in the shapes to represent the number of blood pythons in the clutch of 14 snakes.





The second time Medusa and Julius Squeezer breed they again have a clutch of 14 eggs. Flip a coin for each of the snakes to see which allele is given. If it's heads, write **Aa**. If tails, write **aa**. Then color in the shapes to represent the number of blood pythons.



Assuming Naga is heterozygous (**Aa**), flip a coin to see what proportion of this clutch of eggs would be expected to be albinos. Then color in the results.





Assuming Naga is homozygous (**AA**), what proportion of this clutch of eggs would be albinos? Do you need to flip a coin here?



Bigger Punnett Squares!


When we consider two traits at once, we concatenate (or join) the genotypes. For example, an alien that is double heterozygous for roundness (**Aa**) and number of eyes (**Bb**) has the genotype **AaBb**. An pear-shaped alien that is heterozygous for eyes would have the genotype **aaBb**.

The double heterozygous alien has an equal chance of passing along each of the 4 allele pairs: **AB**, **Ab**, **aB**, and **ab**. The pear-shaped alien also has an equal chance of passing on each of the 4 possible allele pairs.




Fill in the punnet square below by drawing the correct number of eyes on each alien for the cross $AaBb \times aaBb$. Remember **BB** or **Bb** result in the phenotype of two eyes, and only **bb** gives the phenotype of one eye.

		aB	ab	aB	ab
AB					
	AaBB	AaBb	AaBB	AaBb	
	Ab				
		AabB	Aabb	AabB	Aabb
aB					
		aaBB	aaBb	aaBB	aaBb
	ab				
		aabB	aabb	aabB	aabb




Genotype:	Phenotype:
AA	Round body shape 
Aa	Round body shape 
aa	Pear body shape 

Genotype:	Phenotype:
BB	Two eyes 
Bb	Two eyes 
bb	One eye 





Create a Punnett square for the cross **AaBb** × **AaBb**. Will you see the rare pear-shaped one-eyed alien (**aabb**) from this cross? If so, what is the chance of seeing it? 1/16, 2/8, 1/4 or 1/2?



I'M THE RAREST PHENOTYPE OF ALL!


Create a Punnett square for the cross **aaBb** × **Aabb**. What is the chance of seeing a round two-eyed alien (**AaBb**) from this cross?






Genotype:	Phenotype:
AA	Round body shape 
Aa	Round body shape 
aa	Pear body shape 


Genotype:	Phenotype:
BB	Two eyes 
Bb	Two eyes 
bb	One eye 




Create a Punnett square for the cross **AABb** × **AaBb**. How many of the offspring, on average, will have one eye? 1/16, 2/8, 1/4 or 1/2? Will there be any pear-shaped one-eyed aliens or will they all be round?




Create a Punnett square for the cross **aabb** × **AABB**. What is the chance of seeing a round two-eyed alien that is heterozygous for both traits (**AaBb**)?






Genotype:	Phenotype:
AA	Round body shape 
Aa	Round body shape 
aa	Pear body shape 


Genotype:	Phenotype:
CC	Tentacle arms 
Cc	Tentacle arms 
cc	No arms



A new dominant trait of tentacle arms has been discovered. What will be the results of a cross between a heterozygous tentacled round alien and a pear-shaped no-arms alien? ($aacc \times AaCc$) Fill out the square, then write the ratios for each of the outcomes.



Can two round-eyed tentacle-arm aliens produce a pear-shaped no-arms alien? If yes, what do the genotypes need to be for this cross, and what is the chance of the pear-shaped no-armed offspring?



			← Probability of no-arm pear-shaped
genotype	genotype		

For more on Punnett squares, check out pages 112-117 in the appendix! This bonus section include exercises to sharpen your skills for calculating probabilities, and templates for a tryhybrid and tetrahybrid cross!


Heredity Word Search

There are a lot of new words to learn when studying biology. Repetition is the best way to learn them, and word games can be part of that! Find each of the hidden words in the word-search. The words can run in any direction: horizontal or diagonal, and the letters might go left to right or right to left!


GENE
ALLELE
HOMOZYGOUS
HETEROZYGOUS
PUNNETTSQUARE
DOMINANT

RECESSIVE
PHENOTYPE
GENOTYPE
CODOMINANCE
PEDIGREE
HYBRID

CARRIER
PROBABILITY
HEREDITY
OFFSPRING
TRAIT



Heredity Crossword Puzzle




VERTICAL Words

1. What is the name of the father of genetics?
2. What is the term for an organism's physical appearance or visible traits?
3. The name for a chart of the ancestry or heritage of an individual.
4. A trait that will appear in the offspring if one of the parents contributes an allele for it.
5. A trait that will only appear in the offspring if both parents contribute an allele for it.
6. The scientific study of heredity.
7. The term for the condition where both copies of the allele are the same.

HORIZONTAL Words

8. The passing of traits from parents to offspring.
9. The term for a possible form of the gene.
10. A type of square used to keep track of the possible combination of alleles that can result from a cross.
11. A segment of DNA on a chromosome that codes for a specific trait.
12. A person who has one recessive allele for a trait and one dominant allele, but does not have the trait.
13. The term for the condition where there are two different alleles for a trait.




Quiz Time!

ANSWER THE QUESTIONS TO
SEE WHAT YOU LEARNED
ABOUT HEREDITY!

- 1 Which statement is true?
 - A. Members of the same species must be approximately the same size.
 - B. Members of the same species can breed with each other and produce offspring.
 - C. Scientists always agree on whether animals are in the same species.
 - D. Only animals have species.
- 2 Which type of reproduction will result in the most genetic diversity?
 - A. Fragmentation
 - B. Binary fission
 - C. Vegetative propagation
 - D. Spore formation
 - E. Sexual reproduction
- 3 Every trait is controlled by a single gene, and each gene is determined by two alleles.
 - A. True
 - B. False
- 4 Select each true statement below.
 - A. A dominant trait can skip a generation.
 - B. A recessive trait can skip a generation.
 - C. When two parents share the same genotype, their offspring will share the same genotype.
 - D. When two parents share the same phenotype, their offspring will share the same phenotype.
- 5 What does the notation BB mean to a geneticist?
 - A. Two dominant alleles
 - B. Two recessive alleles
 - C. At least one dominant allele
 - D. One dominant and one recessive allele
- 6 If a homozygous black guinea pig (BB) is crossed with a homozygous white guinea pig (bb), what is the probability that an offspring will have black fur?
 - A. 0%
 - B. 25%
 - C. 50%
 - D. 75%
 - E. 100%
- 7 If an organism is homozygous dominant for a trait that follows Mendelian inheritance patterns, which of the following must be true?
 - A. Its offspring will also have a homozygous genotype.
 - B. Its offspring will also have a heterozygous genotype.
 - C. Its offspring will exhibit the dominant phenotype for the trait.
 - D. The organism's parent(s) also had a homozygous genotype for the trait.
 - E. None of the above
- 8 Select each true statement below.
 - A. If you know an organism's genotype for a trait, then you also know its phenotype.
 - B. If you know an organism's phenotype for a trait, then you also know its genotype.
 - C. A parent always has the same genotype as its offspring.
 - D. A parent always has the same phenotype as its offspring.
- 9 An organism that has two different alleles for a single trait is said to be _____ for that trait.
- 10 An organism has a phenotype for a dominant trait while some of its offspring have the phenotype for the recessive trait. What can we conclude about this organism?
 - A. It is heterozygous for the trait.
 - B. It is homozygous dominant for the trait.
 - C. It is homozygous recessive for the trait.
 - D. There is not enough information to tell.
- 11 True or False: all alleles are either dominant or recessive.
 - A. True
 - B. False
- 12 What is a Mendelian trait?
 - A. A trait that involves alleles
 - B. A trait that is passed down by dominant and recessive alleles of one gene
 - C. A trait where different alleles are equally and independently expressed
 - D. A trait exhibited by pea plants

Below is a pedigree chart for tracking **hornless cattle**, a Mendelian trait. Cattle without horns are called *polled* cattle and are usually viewed as more desirable than cattle with horns. Each of the cattle is numbered for reference.



- 13 Is the hornless trait (polling) a dominant or recessive trait in cattle? Explain how you know.

- 14 We can assign the alleles A and a to the trait “no horns” exhibited in the pedigree chart. In that case, what is the specific meaning of both A and a ?

- 15 Label each member of the pedigree chart whose genotype can be fully identified. Are there any that you can't determine? Explain.

- 16 List the numbers of each individual that has horns in the pedigree above:

- 17 List the numbers of the individuals that are heterozygous in the pedigree above:

- 18 If we cross two cattle with horns, could the offspring have no horns? Explain.

- 19 If we cross two cattle with no horns, could the offspring have horns? Explain.

The Genetic Code

Random words don't communicate ideas.


sand

marmoset

quantifiable

cheese sauce

sparkle




Words in the correct sequence communicate ideas!

fish

u bring me

my dinner

now



FILL IN THE BLANKS USING THESE WORDS:


four thymine garage repeating genome trees

DNA stands for deoxyribonucleic acid. It's a long strand of _____ units which are called nucleotides. The complete sequence of DNA within an organism is called its _____.

There are _____ different nucleotides in DNA: adenine, thymine, guanine, and cytosine. They fit together to form pairs: **adenine** pairs with _____, and **cytosine** pairs with **guanine**.

These pairings are what's being referred to when we read that the human genome contains approximately 3 billion **base pairs**. If you ever forget which base pairs with another, remember, "Apples grow on _____, park your car in a _____."

LABEL THE **BASE PAIR**, **BACKBONE**, AND **NUCLEOTIDE** IN THIS CARTOON REPRESENTATION OF DNA. THEN WRITE **A**, **T**, **C**, OR **G** IN EACH BOX TO FILL IN THE CODE!



What's a gene?


A gene is a specific sequence of DNA that contains information to make a gene product such as a protein. Most organisms have thousands of genes. There are approximately 20,000 genes in the human genome!

To better understand how a gene works, we'll look at two examples with genes that affect a pigment called melanin.

Melanin is a pigment in skin, feathers, and hair.



It provides protection from damaging ultraviolet radiation.


melanin

Melanin is made by proteins!



Albinism

Albino rats have completely white hair and pink eyes because they lack the pigment melanin. Blood vessels behind their transparent eyes are the reason for the pink color. The lack of pigment makes albinos much more sensitive to light. They sunburn easily, and their eyes can be damaged by bright lights.



The cause: a mutation in the DNA causes a protein that makes melanin to stop working.


Why would this result in a recessive trait?

I CAN'T MAKE MELANIN.



Melanism

Black panthers are actually leopards with melanism. The extra pigment turns their coat completely black, which is not a disadvantage when hunting prey at night! Examples of melanism have been found in many different mammals and reptiles. In each case, the skin, feathers, or fur of the animal is completely black due to the extra pigment.



The cause: a mutation in the DNA causes a protein that makes melanin to work overtime!

Why would this result in a dominant trait?

I MAKE LOTS OF MELANIN!



Write the correct phenotype below the cartoon representing each genotype. Possible phenotypes include albino, melanistic, or wild type (average melanin levels).*

I CAN'T MAKE MELANIN. DON'T WORRY. I CAN MAKE ENOUGH FOR BOTH OF US!



I CAN'T MAKE MELANIN. NEITHER CAN I!



THAT'S A LOT OF PIGMENT! I'M JUST GETTING STARTED!



READY TO MAKE SOME MELANIN? I SURE AM!








*This example is over-simplified for educational purposes. While melanism in jaguars is a dominant trait, in other animals melanism is often recessive! There isn't just one type of melanin, and there are multiple enzymes and pigments involved in the process. So in the real world, pigmentation is more complex than displayed here.

Flower Color in Mendel's Peas

Remember the example of flower color that Mendel observed, where purple was dominant and white was recessive? The "bossy" **P** allele is representing a piece of DNA that has instructions for an enzyme. The **P** enzyme makes the purple pigment in the flower. It's efficient and fast, and one copy can do just as good a job at making the flower purple as two copies. The recessive allele is representing a piece of DNA with a mutation that makes a non-functional enzyme. It can't make the purple pigment.

Draw pictures in the boxes below representing the working protein that makes purple pigment and the mutated protein that can't make the pigment:



ARE THESE FACT OR FICTION? Write your verdict below each statement.

The Australian lungfish has the largest genome of any animal.

IT'S HEAVY CARRYING AROUND ALL THIS DNA.


If you type 8 hours a day at 60 words per minute, it would take approximately 2 years to type the human genome!

WHY AM I USING A QWERTY KEYBOARD TO TYPE A, T, C, AND G? MY RIGHT HAND IS SO BORED.

Identical twins have the same DNA!

I'M THE GOOD LOOKING TWIN!

Chromosomes



FILL IN THE BLANKS USING THESE WORDS:

number histones chromosome fly 23 karyotype humans

A _____ is a strand of DNA wrapped around proteins called _____. Each member of the same species will have the same number of chromosomes, but between different species, the _____ and size of chromosomes can be very different. A fruit _____ has 8 chromosomes. The black mulberry tree has more than 300! _____ have _____ pairs of chromosomes for a total of 46 chromosomes. A _____ is a picture of the complete set of chromosomes that have been sorted by length.

Draw lines to match each organism with its karyotype:

 Mulberry Tree	 Wheat	 Fruit Fly	 Human	 Cat	 Dog
-------------------	-----------	---------------	-----------	---------	---------

<p>2 copies of 39 chromosomes Total: 78</p>	<p>6 copies of 7 chromosomes Total: 42</p>	<p>2 copies of 19 chromosomes Total: 38</p>	<p>22 copies of 14 chromosomes Total: 308</p>	<p>2 copies of 23 chromosomes Total: 46</p>	<p>2 copies of 4 chromosomes Total: 8</p>
---	--	---	---	---	---

The human genome

There are 23 pairs of chromosomes in the human genome, but what do they all do? Lots of things! Remember each chromosome contains *hundreds to thousands* of different genes. Having only one chromosome or having three copies of a chromosome (trisomy) is usually fatal. There are only a few chromosomes where an extra copy can be tolerated.


Vocabulary review! Fill in the blanks below with the correct term:

The condition of having three copies of a chromosome is called:

Chromosomes contain both DNA and proteins. The proteins are called:

A sequence of DNA that contains information to make a product such as a protein is called:

Arranging chromosomes in a karyotype helps scientists organize them for further study. In the human karyotype, the chromosomes are arranged from longest to shortest, with the XY pair at the end.



Write the number of the corresponding chromosome next to each statement:

- The longest chromosome in the human genome. It contains thousands of genes.
- This pair of chromosomes determines biological sex.
- Three copies of this chromosome causes Down Syndrome.
- Three copies of this chromosome causes Trisomy 18.
- It was thought to be the shortest human chromosome, but then chromosome 21 was discovered to be shorter!

Sex Determination



FILL IN THE BLANKS USING THESE WORDS:

male 50 eyesight 900 females birds



Most organisms that reproduce sexually have two sexes: male and female. In humans, biological sex is determined by chromosome 23. _____ have two copies of the X chromosome. The X chromosome is long and has about _____ genes, including important alleles for _____, blood clotting, hearing, and nerve and muscle function. The Y chromosome has about _____ genes, and their purpose is to start a cascade of hormone changes that cause the development of the _____ physical traits.

In _____, some fish, and most reptiles, the sex determination is different. Males have two copies of the same chromosome and females have two different sex chromosomes. This system is called the ZW system.

ZW system - birds, some fish, reptiles, and pistachio trees



XY system - mammals, some insects, guppies, and ginkgo trees



Female XX	Male XY	Intersex XX or XY	Klinefelter Syndrome XXY	Turner syndrome X
The individual has ovaries that produce eggs through meiosis.	The individual has testes that produce sperm through meiosis.	Physical characteristics don't match traditional definition of male or female. Observed phenotype is sometimes opposite what would be expected from the genotype.	Physical characteristics are usually male. Individual is often infertile. Occurs in about 1 in 1,000 male births.	Physical characteristics are female. Individual is infertile. Higher risk of heart disease, diabetes, and thyroid disorders.

MEIOSIS

Meiosis is a special type of cell division used to produce **gametes**. Gametes have $\frac{1}{2}$ the number of chromosomes as their parent cell and are called **haploid** cells. Combining gametes from two different individuals increases genetic diversity, which is one of the main advantages in sexual reproduction.

1

Interphase

2 COPIES OF THE CHROMOSOME (DIPLOID)

2

Prophase I

DUPLICATE THE DNA!

3

Metaphase I

LINE UP MATCHING CHROMOSOMES

4

Anaphase I

PULL THEM APART!

THE STORY CONTINUES UP THERE WITH TELOPHASE I AND CYTOKINESIS!

5

Telophase I & Cytokinesis

TIME FOR CYTOKINESIS TO MAKE ONE CELL INTO TWO!

6

Prophase II

READY FOR THIS?

7

Metaphase II

LINE UP THE CHROMOSOMES

8

Anaphase II

PULL THEM APART

5

Telophase II & Cytokinesis


4 HAPLOID CELLS!

WE'RE CALLED GAMETES!


Meiosis Mysteries

Seedless watermelons, bananas, and mules all have something in common. They can't reproduce! Match each organism with the corresponding explanation for why it is sterile or infertile.


**The domestic banana (Cavendish) can reproduce asexually through vegetative propagation but does not have seeds and cannot undergo sexual reproduction. There are hundreds of different varieties of bananas. Most of the wild bananas do produce seeds.*




A mutation stopped meiosis from working. People first noticed this mutation several hundred years ago. They liked the result and have been nurturing similar mutations ever since!



One parent has 64 chromosomes. The other parent has 62. The resulting organism has an odd number of chromosomes (63), which causes problems in meiosis.



One parent is diploid (2 copies of each chromosome) and the other parent is tetraploid (4 copies of each chromosome). The resulting triploid organism is infertile or sterile.



Both of the parents have 60 chromosomes. Female offspring are fertile, but males are sterile because of some interesting and complex epigenetic changes to meiosis.

Proteins!





















The molecules that run things in the cell

FILL IN THE BLANKS USING THESE WORDS:

acids proteins muscles duplicating
traits make amino structural

Almost all of the _____ in animals and plants are ultimately controlled by proteins. _____ can be enzymes that _____ things like pigments or perform tasks like _____ DNA. Proteins can also be _____; they're the main ingredients in the _____, skin, and bones of all animals. All proteins are polymers made of _____.

Below are the 20 amino acids used to make proteins. Each amino acid has a 1-letter abbreviation. The 9 dietary essential amino acids are shaded grey.

<p>PHENYLALANINE</p>  <p>F</p> <p>TTT, TTC</p>	<p>ISOLEUCINE</p>  <p>I</p> <p>ATA, ATC, ATT</p>	<p>LEUCINE</p>  <p>L</p> <p>CTA, CTC, CTG, CTT, TTA, TTG</p>	<p>GLYCINE</p>  <p>G</p> <p>GGA, GGC, GGG, GGT</p>	<p>ALANINE</p>  <p>A</p> <p>GCA, GCC, GCG, GCT</p>	<p>PROLINE</p>  <p>P</p> <p>CCA, CCC, CCG, CCT</p>	<p>GLUTAMINE</p>  <p>Q</p> <p>CAA, CAG</p>
<p>VALINE</p>  <p>V</p> <p>GTT, GTC, GTA, GTG</p>	<p>TRYPTOPHAN</p>  <p>W</p> <p>TGG</p>	<p>METHIONINE</p>  <p>M</p> <p>ATG</p>	<p>ASPARTIC ACID</p>  <p>D</p> <p>GAT, GAC</p>	<p>GLUTAMIC ACID</p>  <p>E</p> <p>GAA, GAG</p>	<p>ARGININE</p>  <p>R</p> <p>AGA, AGG, CGA, CGC, CGG, CGT</p>	<p>ASPARAGINE</p>  <p>N</p> <p>AAC, AAT</p>
<p>HISTIDINE</p>  <p>H</p> <p>CAC, CAT</p>	<p>LYSINE</p>  <p>K</p> <p>AAA, AAG</p>	<p>THREONINE</p>  <p>T</p> <p>ACA, ACC, ACG, ACT</p>	<p>SERINE</p>  <p>S</p> <p>AGC, AGT, TCA, TCC, TCG, TCT</p>	<p>CYSTEINE</p>  <p>C</p> <p>TGC, TGT</p>	<p>TYROSINE</p>  <p>Y</p> <p>TAC, TAT</p>	

Label Hunt: Check some food labels. Can you find amino acids listed in the ingredients?

FOOD ITEM:	AMINO ACID IT CONTAINS:

Hint: check sugar-free products such as chewing gum. You'll find one!

Hands-on Science Project

GUMMY WORM KARYOTYPES


MATERIALS:



knife or scissors



gummy worms



chocolate





Small bowl for melting chocolate

Make a fruit fly karyotype

The common fruit fly is used as a model organism for biological research because it has a quick life cycle and a relatively small genome with just 4 pairs of chromosomes.

The first pair of chromosomes in the fruit fly karyotype is the X/Y pair that determines biological sex or the female/male trait. The other chromosomes are named 2, 3, and 4. But chromosome 4 is so small that it only has a handful of genes compared to the others!

Fruit fly with full-sized wings



Flightless fly with vestigial wings

Instructions:


- Using the picture on the right as a guide, cut the gummy worms to the appropriate relative lengths. Make multiple copies of each chromosome type.
- Carefully melt chocolate in a microwave, and dip about half of chromosomes 2, 3, and X into chocolate. It is not necessary to coat chromosome 4 or the Y chromosome with chocolate since we will not be evaluating genes on those chromosomes. After dipping, let the gummy worms cool.
- Arrange two of each chromosome type on paper to make a fruit fly karyotype. If the chromosome is dipped in chocolate, this indicates that it contains a dominant trait. If the chromosome is not dipped in chocolate, this indicates a recessive trait.
- See if another person can use the key below to decipher the traits that your gummy worm karyotype represents! Then color in the fly correctly.
- Rearrange the gummy worms to create another karyotype. Repeat the exercise again.

SPECIES NAME: *Drosophila melanogaster*

GENOME SIZE: 0.139 billion base pairs
(or 139 million base pairs)

NUMBER OF GENES: 14,000


NUMBER OF CHROMOSOME PAIRS: 4



Karyotype Key

- XX chromosomes = female
- XY chromosome pair = male
- Dominant trait in X = red eyes
- Recessive trait in X = white eyes
- Dominant trait in 2 = functional wings
- Recessive trait in 2 = miniature wings (flightless)
- Dominant trait in 3 = yellow body color
- Recessive trait in 3 = ebony or black body color


FOR EXAMPLE:



This karyotype matches a female red-eyed, flying, yellow fruit fly.


X/Y	2	3	4	

Color and describe the fruit fly that matches this karyotype!
Don't forget to draw in the wings.




X/Y	2	3	4	

Color and describe the fruit fly that matches this karyotype!
Don't forget to draw in the wings.




X/Y	2	3	4	

Color and describe the fruit fly that matches this karyotype!
Don't forget to draw in the wings.



X/Y	2	3	4	

Color and describe the fruit fly that matches this karyotype!
Don't forget to draw in the wings.




Hands-on Science Project

GUMMY WORM MEIOSIS

MATERIALS:




In this activity, the cell inherited **chocolate-covered** gummy worm chromosomes from one parent and **non-chocolate** chromosomes from the other parent.



Meiosis with gummy worms

- 1. Interphase:** Arrange 4 pairs of gummy worms on a plate just as in the karyotype activity. One set of gummy chromosomes should be covered in chocolate. The others should be uncovered. Prepare for duplication by making sure you have an exact match for each gummy worm on the plate.
- 2. Prophase I:** When duplicated, the identical chromosomes are linked together and called sister chromatids. Represent this step by adding an identical gummy worm on the plate.
- 3. Recombination:** During prophase one, the matching chromosomes (homologous pairs) come together to form a tetrad. While they're together, they swap pieces of DNA! With your knife, cut pieces from two matching chromatids and trade them!
- 4. Metaphase I:** Line up all of the tetrads in a straight line and lay out the yarn or noodles and candies to represent the spindle fibers and centrioles!
- 5. Anaphase I:** The spindle fibers pull the homologous chromosomes apart. Each side should have 8 gummy worms in total.
- 6. Telophase I and cytokinesis:** The cell splits to become two cells, each with 8 gummy worm pieces in total. Notice that now there is more variety with the chromosomes due to recombination.




7. Prophase II: A new set of spindle fibers are prepared.

8. Metaphase II: The chromosomes line up in a straight line. Centrioles form and spindle fibers attach.

9. Anaphase II: The spindle fibers pull the sister chromatids apart to opposite sides of the cell.

10. Telophase II and cytokinesis: Each cell splits into two cells, with one copy of each chromosome. Notice how the cells produced (gametes) have half the number of chromosomes as the starting cell.




Why do the gametes have half the number of chromosomes? What is the purpose?

Can any of the 4 daughter cells or gametes produced by meiosis be identical? Why or why not?


What happens if, during anaphase II, a spindle fiber pulls two chromatids to one side instead of pulling the chromatids apart?

The Genetics of PKU


Most people have an enzyme that can change the amino acid phenylalanine into tyrosine. But some people inherit a rare genetic disease called phenylketonuria or PKU. This disease is recessive. It's caused by a mutation that codes for a non-functional copy of an enzyme called phenylalanine hydroxylase. The working enzyme converts the amino acid phenylalanine to tyrosine. If phenylalanine cannot be converted, it can build up to toxic levels in the blood and cause permanent damage to nerve cells.




PKU




GALACTOSEMIA



HYPOTHYROIDISM



MAPLE SYRUP DISEASE








SICKLE CELL ANEMIA

BEFORE NEWBORN SCREENING

A person born with PKU was healthy at birth, but as they grew up they developed permanent damage to brain tissue and experienced intellectual disability, psychiatric disorders, and seizures.

AFTER NEWBORN SCREENING

A person born with PKU is put on a special low-protein diet that restricts the amount of phenylalanine. As long as the diet is followed, they do not experience the negative effects of PKU.



Some people think the mutations responsible for PKU originated in Europe. Does this data support or contradict that idea?

COUNTRY	INCIDENCE OF PKU*
United States	1 in 25,000
Austria	1 in 5,764
Finland	1 in 112,000
France	1 in 9,091
Italy	1 in 4,000
Japan	1 in 125,000
Philippines	1 in 116,006
Thailand	1 in 227,273




supports



contradicts

* From *The Genetic Landscape and Epidemiology of Phenylketonuria* by Alicia Hillert et al. Published in the *American Journal of Human Genetics*. Vol 107, Aug 6, 2020.

If both parents are carriers for PKU, what are the probabilities of their offspring experiencing the following outcomes?




_____ % CHANCE UNAFFECTED (RR)

_____ % CHANCE CARRIER (Rr)

_____ % CHANCE PKU (rr)

ASPARTAME



After eating, the body breaks it down into these 3 things. Do you recognize the largest molecule?



Aspartame is an artificial sweetener that is 200 times sweeter than sucrose. Why are food products with aspartame required to contain a warning label about phenylalanine?

Transcription - from DNA to RNA

FILL IN THE BLANKS USING THESE WORDS:

membrane DNA adenine transported uracil

In human cells, DNA is kept in the nucleus. Because it is surrounded by the nuclear _____, other parts of the cell (like ribosomes) can't access it directly. The information in DNA is _____ between the nucleus and the rest of the cell by a single-stranded molecule called RNA. RNA is very similar to _____, but instead of thymine, it contains a nucleotide called _____. The four units of RNA are _____, uracil, cytosine, and guanine, or A,U,C, and G.



Translation


FILL IN THE BLANKS USING THESE WORDS:

translation RNA ribosomes codons protein

RNA molecules called mRNA are used by _____ to make protein. The ribosome reads every three nucleotides from the strand of _____ and matches them to an amino acid. These three-letter segments of RNA are called _____. For example, if the ribosome reads a codon of three guanines (GGG), it will add the amino acid glycine to the _____ it is making. Since the sequence of nucleotides is being translated into a sequence of amino acids, this process is called _____.

LABEL EACH BOX IN THE DRAWING BELOW USING THESE WORDS:

nucleotide RNA ribosome amino acid protein




Blood Types


FILL IN THE BLANKS USING THESE WORDS:

recessive codominant type proteins antigens AB


Blood Type A+



Blood Type B-



Blood Type O+



Red blood cells have small _____ and carbohydrates on the surface of their cells, which are called antigens. Different _____ result in different blood types.

Blood type is essential to know for performing surgery and other medical procedures. The most well known blood _____ systems are ABO and Rh.

The ABO phenotype is controlled by one of three alleles: A, B, or O. The A and B alleles are _____. Someone with both alleles has blood type _____. The A and B alleles are both dominant over O.


The Rh gene has a dominant allele (+) and a recessive allele (-). The dominant allele produces a small protein on the surface of the blood cells. Someone with this protein is called "Rh positive." Two copies of the _____ allele results in cells with no Rh protein on their surfaces, a condition which is called "Rh negative."


Decipher the blood type!


Use the information in the antigen key to label each blood type.


Antigen Key


- A antigen ♀
- B antigen ♂
- Rh factor Y





























Genotype & Phenotype

HOW DO WE SHOW BLOOD TYPE WHEN THERE ARE THREE ALLELES?

USE CAPITAL "I" FOR THE A AND B ALLELES WITH A SUPERScript TO TELL THEM APART. FOR THE O ALLELE, WE USE A LOWERCASE "i."

UGH! THAT'S CONFUSING. WHY CAN'T WE JUST USE THE LETTER "O" FOR THE TYPE O ALLELE??

WELL, "O" ISN'T A GOOD LETTER TO USE FOR ALLELES BECAUSE IT CAN BE HARD TO TELL THE DIFFERENCE BETWEEN CAPITAL AND LOWERCASE "O."

SO DON'T CAPITALIZE IT! OR MAKE A NEW LETTER! COMBINE A AND B TOGETHER. ANYTHING IS BETTER THAN USING "I" AND SUPERScripts.

ANYTHING IS BETTER?? HAVE YOU EVER TRIED TO WRITE A LOWERCASE "A" AND "B" AT THE SAME TIME?

Blood Alleles
 I^A, I^B, i
 $ii \rightarrow$ Type O
 $I^A I^B \rightarrow$ Type AB
 $I^A i \rightarrow$ Type A
 $I^B i \rightarrow$ Type B

We are using A, B, and O to represent the ABO blood types. Someone with type A blood can either be homozygous (AA) with two alleles that code for enzymes that make the A antigen or they can be heterozygous (AO) with one functional allele. The recessive allele (O) creates a non-functioning enzyme that can't make any antigens.

Phenotype	Genotype
Type A	AA or AO
Type B	BB or BO
Type AB	AB
Type O	OO
Rh +	++ or +-
Rh -	--

The *phenotypes* of a family are displayed below. What are the *genotypes* of the parents?

The genotype of parent with O+ blood is:

OO++
 OO+-
 Something else

The genotype of parent with B- blood is:

BB ++
 BB +-
 BB --
 BO ++
 BO +-
 BO --
 Something else

The *phenotypes* of a family are displayed below. What are the *genotypes* of the parents and the child with A+ blood?

The parents are:

Both homozygous for the Rh factor (both AB++)
 One homozygous, one heterozygous (AB++ and AB+-)
 Both heterozygous for Rh factor (both AB+-)
 We are unable to determine genotype with the given information.

The genotype of the child with A+ blood is:

AA++ AO+-
 AO++ Either AA++ or AA+-
 AA+- Something else

Fill out the Punnett square below for the cross AO+⁻ × BO+⁻. Include both the genotype and the phenotype. Two squares have been completed as examples. Then answer the questions.

	B+	B-	O+	O-
A+				
A-				
O+				
O-			O+ OO+ ⁻	O- OO- ⁻

Phenotype
Genotype

How many different blood types could result from this cross?

Which blood type is most likely from this cross?

What is the chance of heterozygous A+ / B+ parents producing a child with O- blood?


Not all blood types are equally likely! Use the distribution chart for human blood types to fill in the blanks below. As a bonus question, do you know what blood type is called the “universal donor?”

The most common blood type is _____.

The least common blood type is _____.

Rh _____ blood types are more common than Rh _____ blood types.

The universal donor blood type is _____.



ARE THESE FACT OR FICTION? Write your verdict below each statement:

Cows can have more than 800 possible blood types.

HOLY COW!

Mosquitoes prefer type A blood over all other types.

EVERYONE COME AND GET THIS HUMAN RIGHT HERE!

THEIR BLOOD IS A+!

One pint of blood contains 2.4 TRILLION red blood cells!

THERE SURE ARE A LOT OF US!




Hands-on Science Project

WHAT'S YOUR BLOOD TYPE?

SAFETY FIRST!


Using a blood type kit requires the use of a lancet to provide a blood sample, so this should only be done while supervised and with an adult's permission. Be sure to follow the directions of the blood typing kit used. If not using a blood type kit, decipher the results on the following page to determine the mystery blood types.

MATERIALS:



Blood type kit

Kits typically contain a card, antiseptic, lancet, dropper, sticks or swabs for mixing, and instructions.



Glass of water



A clock or timer

INSTRUCTIONS:

Always follow the directions from your blood typing kit! Most likely, they will look something like this:

1. Place a drop of water on each circle located on the card to activate the serum.
2. Prep your finger by sterilizing it with an alcohol wipe.
3. Prick your finger using the lancet. Then gently massage your finger to allow a drop of blood to form.
4. Touch one of the provided sticks to the blood. Then rest it on one of the circles on the card. Stir gently to mix.
5. Using a new stick each time, repeat until all circles are filled.
6. Gently mix the blood sample with the water on each serum circle.
7. Let the card sit for at least 1 minute. The circle(s) that have agglutinates or clumping indicate your blood type. No clumping in the A or B circles means you are type O. The "Anti-D" or "Anti-Rh" space will clump if you are Rh positive.
8. Using the alcohol wipe, clean your finger and apply a bandaid.
9. Write your name and blood type on the card. Then, when the blood has dried, place the protective sheet on top to save your results.









WHY IS THERE A 'CONTROL' CIRCLE?

If a person is careless, they can cross-contaminate their sample. This might give a result of AB+ when in reality, the blood type should be A-, B-, B+, or A+. To help avoid this error, a control spot is added. If agglutination is visible in the control circle, the results are invalid! The test must be run again to determine blood type.


HOW IT WORKS

The serum on the card in the testing kit contains A, B, and Rh antibodies. When blood is mixed with these antibodies, the antigens attempt to find their match.


When you see the agglutination in your sample, you are witnessing the antigens and antibodies bonding together, thus making it visible what the blood type is.



One of the parents in this family does not know their blood type. Is there enough information from the other individuals to determine what their blood type is? Can the genotype be determined as well? Record the blood types indicated by the cards for each offspring in the boxes below.



One of the parents in this family does not know their blood type. Is there enough information from the other individuals to determine what their blood type is? Can the genotype be determined as well? Record the blood types indicated by the cards for each offspring in the boxes below.



Complete a Punnett square of blood genotypes for each cross below. Then write a summary of what blood types you could expect in the offspring. Use language that would be understandable to a non-scientist.


AB+– × OO+–

AO – – × BO+–


AO+– × BB – –

MUTATIONS

IN COMIC BOOKS



IN REAL LIFE





FILL IN THE BLANKS USING THESE WORDS:


growing replicates enzymes sequence


DNA replication is an essential part of living and _____. It is happening right now inside millions of cells in your own body! Every time a cell _____, DNA polymerase and other enzymes are there to duplicate the DNA. If something damages or breaks the DNA, repair enzymes are there to fix it. These _____ are incredibly accurate, but sometimes they make mistakes. When that mistake causes a change to the DNA _____, we call it a **mutation**.

CAUSES OF MUTATIONS









EFFECTS OF MUTATIONS

HARMFUL

THE GENE STARTS HERE!

ON MY WAY!

ENZYME

WHERE'S THE GENE? I CAN'T FIND IT!

ENZYME

DON'T ASK ME! I JUST CODE FOR LEUCINE.

NEUTRAL

OH NO! THERE'S BEEN A MUTATION!

RELAX! THEY BOTH CODE FOR THE SAME AMINO ACID.

BENEFICIAL

NEW DNA SEQUENCE


NEW RNA SEQUENCE

UH, THERE'S BEEN A MUTATION AND IT CHANGED THE PROTEIN!

BUT IT ACTUALLY WORKS BETTER NOW THAN IT DID BEFORE!

NEW ENZYME

Is the mutation that causes lactase persistence harmful, neutral, or beneficial? Support your answer with an example.



Lactose - the sugar in milk!
(galactose + glucose)



Lactase - the enzyme that can cut lactose in half

ARE THESE FACT OR FICTION? Write your verdict below each statement:

Hydrogen peroxide produces molecules called free radicals that damage DNA.

WE'RE FREE!
LET'S REACT WITH EVERYTHING!




YEAH!

Getting a sunburn increases the number of mutations in your DNA.

BUT I WANT TO DEVELOP MUTANT POWERS!



SAMANTHA, PUT ON SOME SUNSCREEN!




Some people have genes that let them smell chemicals in urine after someone has eaten asparagus.

WE LEFT EVIDENCE SO THEY CAN TRACK DOWN THOSE VILLAINS WHO DEVoured US!




Nature & Nurture

Goldfish in a tank



3-5 cm long

Same goldfish species in Lake Tahoe



35 cm

Several years ago, someone dumped a tank of goldfish into Lake Tahoe. They probably thought the goldfish would become food for another fish. But instead, the goldfish became an invasive species!

Goldfish in an average-size fish tank typically grow to be about 3-5 cm long. But the same goldfish in Lake Tahoe grow to be more than 10× bigger. The reason they grow so big is not because their genes have changed – they're still the same species of goldfish. They're big because their environment has changed.

All living organisms are affected by both their genetics and the conditions in their environment. In fact, environmental factors can even influence how genes are expressed!





STANDARD FISH TANK


37 liters
(10 gallons)


LAKE TAHOE

168 trillion liters!
(37 trillion gallons)

Three genetically identical dandelion seeds landed in three different environments. Match each plant to its environment. Then note one or two characteristics that gave clues to the match.








Write each attribute in the Venn diagram below to classify it as being primarily the result of genetics, environmental conditions, or both. There may not be a clear answer for every trait. Be able to justify your classifications.

eye color	dialect	blood type	intelligence
height	hearing	hair color	honesty



List five examples of how the growth of an organism can be influenced by its environment:

- ① _____
- ② _____
- ③ _____
- ④ _____
- ⑤ _____


FILL IN THE BLANKS USING THESE WORDS:

dandelions epigenetics both genetic

The traits plants, animals, and other life forms have are often influenced by _____ their genetics and their environment. Genetic clones such as _____ can be almost unrecognizable when grown in drastically different environments. Some traits, like perfect pitch, need a combination of _____ factors and experience to develop the trait. And sometimes the environment can directly influence how genes are expressed! The study of how environmental conditions impact gene expression is called _____.


ARE THESE FACT OR FICTION? *Write your verdict below each statement:*

Over the last 150 years, the average height of humans in developed countries has increased by 20 cm! (7.8 inches)



Around 8% of your DNA isn't human – it's viral.


OUR TAKEOVER WILL BE COMPLETE BEFORE THE HUMANS EVEN NOTICE A THING!



Some people have two different sets of DNA.

ACCORDING TO THIS DNA TEST, YOU'RE NOT THE MOTHER.

BUT THAT'S IMPOSSIBLE!



Hands-on Science Project

APPLE VARIETY TASTE TEST

MATERIALS:




5 apples of different varieties



knife



marker



5 plates

Prepare the taste test

1. Go to the store and pick out 5 apples that are different varieties, including one Red Delicious. If possible, choose apples that have stickers or mark them in some way to differentiate which variety is which.

2. At home, use a marker or paper to label each plate with a letter: A, B, C, D, E. Place the sticker from each apple or a label with the name of each apple on the bottom of each plate to help keep track of which apple is which. Be sure the label with the apple variety is not visible to the person taste-testing the apples.

3. For the browning test, cut each apple in half. Place one half face-down on the plate for future taste testing. Cut a piece from the other half and leave it face up and exposed to the air. Then set a timer. Rate each apple variety for browning at 1, 5, 15, and 30 minutes. The taste test can proceed while the apples are being tested for browning.

4. For the taste test, locate volunteers to taste the apples. Cut additional slices from each apple and present the samples to each taste tester. Each apple sample should be identified by letter (A, B, C, D, and E) not by variety name. If possible, give each taste tester their own paper and have them rate all apples for tartness, sweetness, crispness, and overall flavor.

6. If multiple taste testers evaluated the apples, average their results and then record them on the next page.

For example, if apple A was very tart, B had no tartness at all, C was barely tart, D a little tart, and E was tart, then you would fill out your chart like this:

	A	B	C	D	E
Very tart					
Tart					
A little tart					
Not tart					



For BEST results

Remove the peel from the apple samples so taste testers don't have peel color as a clue about which variety is which!

The Red Delicious - Beautiful but bland

The Red Delicious apple was created in 1872 at an orchard in Iowa. It debuted as a sweet, round, red and yellow fruit named Hawkeye. When Stark Nurseries bought the rights to the apple in the 1890s, they changed the name to Stark Delicious and then later Red Delicious to match another Stark Nursery apple named Yellow Delicious. As the apple became more popular in grocery stores, growers increasingly selected genes for longer shelf life and appearance over flavor, which resulted in a less appetizing fruit. The selection of redder skin caused deselection of flavor because the genes that produced yellow stripes on the original fruit were on the same chromosomes as those of the flavor-producing compounds. Breeding for uniform appearance and shelf life resulted in a thicker skin. One hundred years later, in the 1980s, demand for the Red Delicious declined as other varieties of more flavorful apples entered the market.

TARTNESS

how sour the apple is

	A	B	C	D	E
Very tart					
Tart					
A little tart					
Not tart					

SUGAR CONTENT

how sweet the apple is

	A	B	C	D	E
Very sweet					
Sweet					
A little sweet					
Not sweet					

CRISPNESS

how crisp the apple is

	A	B	C	D	E
Very crisp					
Crisp					
A little crisp					
Not crisp					

OVERALL FLAVOR

the most subjective rating of all

	A	B	C	D	E
Delicious flavor					
Good flavor					
Okay flavor					
Poor flavor					

BROWNING

how quickly the apple turns brown after being cut

	A	B	C	D	E
Browning visible at 1 min					
Browning visible at 5 mins					
Browning visible at 15 mins					
Little to no browning visible at 30 min					

How did the Red Delicious variety compare to the others? Was it ranked below or above average?

DID YOU KNOW? Apples turn brown after being cut because of a reaction between oxygen in the air and enzymes in the apple called polyphenol oxidases. Applying vitamin C to apple slices (such as with lemon juice) will stop this reaction. But different apple varieties have different amounts of polyphenol enzymes. The Opal variety has such low levels, it's known as a "non-browning" apple.

X-linked traits

FILL IN THE BLANKS USING THESE WORDS:

more inherited chromosomes linked recombination


Genes located on different _____ are inherited independently. Genes that are further apart on the same chromosome are also _____ independently because of _____. But if genes are close together on a chromosome, there's a very good chance they'll be inherited together. We call them linked traits. There's one chromosome pair in particular where _____ traits are rather famous: that's pair 23. Genes on the X chromosome are called X-linked traits, and they are _____ likely to be expressed in men than in women.

Red-green colorblindness


Human vision comes from specialized cells called rods and cones. These photoreceptors work by detecting specific wavelengths of light. The genes with the information to create the color-sensitive red and green cones are located on the X-chromosome.

In people of Northern European ancestry, red-green colorblindness, also called protanopia (no red cones) or deuteranopia (no green cones), is present in about 8% of males and 0.6% of females.


Tritanopia (no blue cones) is not x-linked. It arises from a mutation on chromosome 7 and is much rarer than red-green colorblindness.



Identify the biological sex and color vision status for each of the children below. Write "male" or "female" and either "WT" for wild type (normal vision) or "CB" for colorblind.



What proportion of the offspring will be colorblind from a colorblind mother and trichromat (normal vision) father?



About Calico Cats

In cats, the genes that control orange or black fur color are on the X chromosome. Orange is dominant, and black is recessive. Because it can be difficult to distinguish between upper and lowercase versions of the letter “o,” the alleles are typically represented by X^B (orange) and X^b (black).

In females with an XX genotype, early in development, one of the X chromosomes is inactivated and supercoiled into a dense structure known as a Barr body. None of its genes will ever be expressed!


The random inactivation of half of the X chromosomes early in development is called X-inactivation. As a result of this inactivation, some of the cells in XX females express genes from one chromosome while others express entirely different genes!

With calico cats, you can see where the Barr bodies formed because the black fur is from one X chromosome and the orange fur is from another. Calico cats are always female, except in the rare case of Klinefelter syndrome (XXY).


The white fur in a calico cat is caused by the recessive piebald gene, which is located on a different chromosome. It creates unpigmented (white) patches of fur.




BLACK CAT




ORANGE CAT



TORTOISESHELL CAT



CALICO CAT



What will be the outcomes of the following crosses? Will any of them produce a calico cat?
All cats carry the piebald gene and have patches of white fur.

Black and white “tuxedo” male (X^bY) with an orange and white female (X^BX^b).

Orange and white male (X^BY) with a calico female (X^BX^b).

Black and white male (X^bY) with a calico female (X^BX^b).

Orange and white male (X^BY) with a black and white female (X^bX^b).

Genetically Modified Organisms


WHAT THEY ARE

The genetics of organisms are changing all the time due to natural factors such as mutations and sexual reproduction. But these changes have a high degree of randomness. Genetically modified organisms, or GMOs, have had their genetic code changed in a more deliberate way. They have either had a specific piece of DNA inserted or removed from the genetic code.


Sometimes this piece of new DNA is from the same species. For example, a pumpkin could be genetically engineered to have another trait by taking the gene from a different breed of squash and inserting it into the pumpkin genome. This would be faster than achieving the same result through artificial selection or breeding.

More often, the piece of new DNA is from a different species, such as when human beings engineered bacteria to produce the protein insulin to treat diabetes.

Artificial Selection




Genetic Engineering




EXAMPLE 1: Insulin-producing bacteria

Insulin is a hormone that regulates the amount of glucose in the bloodstream. Someone with diabetes is unable to produce enough insulin. Before 1922, diabetes was a fatal illness. After the discovery of insulin, doctors used insulin from the pancreases of pigs or cattle to treat diabetes. This was an improvement from before, but it would sometimes cause allergic reactions because the insulin in humans is different from the insulin from pigs and cows. In 1978, the bacteria *E. coli* was modified by inserting the human gene for insulin into its DNA. When this bacteria reproduces, it transfers the insulin production gene to its millions of offspring. The insulin protein is then purified and used as medicine.



EXAMPLE 2: Bt corn

Bacillus thuringiensis (Bt) is a common bacteria that has natural insecticidal abilities. It makes a protein known as the **Bt toxin** which is poisonous to most insects. Because of this ability, Bt has been an important pest control tool for nearly a century. In the 1990s, scientists were able to develop bug-resistant plants by moving some of the genes from the bacteria into corn and cotton. Bt crops have been highly effective at combating pests such as European corn borer, rootworm, corn earworm, tobacco budworm, and bollworm. They are the predominant varieties planted in North America. But now the bugs are starting to develop resistance!



Benefits: _____

Drawbacks or concerns: _____

Alternatives: _____

Benefits: _____

Drawbacks or concerns: _____


Alternatives: _____

EXAMPLE 3: GURT or Terminator Seeds

Genetic use restriction technology (GURT), also known as terminator seeds or suicide seeds, involves a genetic switch that will be activated to produce a non-viable seed.



Advocates of GURT technology say it would benefit farmers by reducing volunteer plants that come up from the previous year after crops have been rotated. Opponents of GURT technology say the only benefit is that a seed company would earn more money because farmers could not save seeds to plant again the following year. Higher food prices and the risk of the terminator gene impacting other populations of plants were of strong enough concern that the United Nations recommended a moratorium on the sale of terminator seeds. India and Brazil have both passed laws banning GURT technology.



Benefits: _____

Drawbacks or concerns: _____


Alternatives: _____

EXAMPLE 4: Genetically Modified Mosquitos

The *Aedes aegypti* mosquito spreads diseases such as malaria, dengue fever, Zika, and chikungunya. But only female mosquitoes bite. They need a blood meal in order to produce eggs. Scientists developed genetically modified *A. aegypti* mosquitoes that had a **self-limiting gene**. This gene prevents female mosquitoes from growing to adulthood. The genetically modified mosquitoes also have a fluorescent marker gene that glows under a specific light so that they can be identified in the wild. These mosquitoes have been



successfully used in Brazil and Panama to reduce the number of *A. aegypti* mosquitoes and the diseases they cause.



Benefits: _____

Drawbacks or concerns: _____


Alternatives: _____

If you could design a genetically modified organism, what would you design and why?

THINK ABOUT IT: One of the biggest questions of the upcoming century is whether or not human beings should modify their own genetic code. Using CRISPR and gene therapy, it is possible to alter genes to make a person taller, smarter, or less susceptible to disease.


Should people experiment with this technology, or should genetic modification to human beings be restricted? What do you think?

SALT is not an O!
It has no Gs to M!



Ridiculous label

Genetics Crossword Puzzle



VERTICAL Words


1. A cell organelle where protein synthesis occurs
2. A type of molecule that combines to form proteins
3. A sequence of three nucleotides
4. The complete set of genes or genetic material present in a cell or organism
5. The process of making an RNA copy of a DNA sequence
6. The process of creating haploid cells containing half of the genetic information


HORIZONTAL Words

7. The process of converting messenger RNA to a sequence of amino acids
8. A version of a gene inherited from a parent
9. When the sequence of a gene changes
10. A protein that provides structural support to a chromosome
11. Ribonucleic acid
12. The rearrangement of genetic material by crossing over in chromosomes

DNA MAZE

Collect all the building blocks of DNA to escape the maze. Start at the star and work your way through the maze to escape in the upper right corner. You can only pass through a lock  if you have the corresponding key . Keep an eye out for overpasses and underpasses!





Quiz Time!


ANSWER THE QUESTIONS TO
SEE WHAT YOU LEARNED
ABOUT GENETICS!

- 1 Which individuals will have identical or near-identical genes?
 - A. Siblings
 - B. Identical twins
 - C. Fraternal twins
 - D. Parents and their offspring
- 2 How many pairs of chromosomes does the human genome have?
 - A. 23
 - B. 46
 - C. 15
 - D. 52
- 3 A strand of DNA reads 'GATACTACT'. The complementary (paired) strand reads
 - A. CTATGATGA
 - B. CATAGTAGT
 - C. ADGCTDCT
- 4 How does RNA differ from DNA?
 - A. RNA contains deoxyribose, and DNA contains ribose.
 - B. RNA contains uracil, and DNA contains thymine.
 - C. RNA is double stranded, and DNA is single stranded.
- 5 Is it possible for a man and a woman, each with Type A blood, to have a child that is Type O?
 - A. Yes, if the man is heterozygous
 - B. Yes, if the woman is heterozygous
 - C. Yes, if both parents are heterozygous
 - D. No, it is impossible
- 6 In cells, long pieces of DNA are wrapped up with proteins to form
 - A. microtubules
 - B. RNA
 - C. nuclei
 - D. chromosomes
- 7 DNA is made up of which repeating subunits?
 - A. RNA
 - B. nucleotides
 - C. genes
 - D. bases
- 8 The sequence of DNA in the skin cells of your hand is significantly different in sequence from the DNA in your heart cells.
 - A. True
 - B. False
- 9 Down Syndrome results from
 - A. an extra copy of chromosome 21
 - B. a missing copy of chromosome 21
 - C. a specific gene mutation
 - D. changes to DNA that occur after birth
- 10 Who are more likely to suffer from X-linked diseases and why?
 - A. females, because they have two X-chromosomes and are therefore more likely to inherit one with a disease
 - B. males, because they have only one X-chromosome and it, alone, determines whether they have the disease.
 - C. females, because one of their X-chromosomes is deactivated
 - D. males, because the Y-chromosome already carries the gene for the disease.
- 11 Crossing over or recombination takes place during_____.
 - A. meiosis
 - B. mitosis
 - C. segregation
 - D. linkage
- 12 A sequence of 3 consecutive nucleotides that codes for a specific amino acid or signals the start or termination of gene is called a(n)
 - A. gene
 - B. allele
 - C. codon
 - D. gamete
- 13 Two parents have 8 kids, and all 8 kids have different phenotypes for their blood type. Their blood types are A+, A-, B+, B-, AB+, AB-, O+, and O-.
What genotypes do the parents have for blood type?

14 Can two orange cats produce a calico kitten? Why or why not?


15 If the mother carries the allele for red-green colorblindness and the father has normal vision, what proportion of their offspring will be colorblind?

- A. Half the males, all the females
- B. Half the males, none of the females
- C. All the males, half the females
- D. All the males, none of the females
- E. None of the males, none of the females



16 If the father has red-green colorblindness and the mother has normal vision and is not a carrier, what proportion of the offspring will be colorblind?

- A. Half the males, all the females
- B. Half the males, none of the females
- C. All the males, half the females
- D. All the males, none of the females
- E. None of the males, none of the females



17 True or false: in a living organism, mutations are always occurring.

- A. True
- B. False

18 Lactase persistence is an example of a _____ mutation.

- A. beneficial
- B. neutral
- C. harmful

19 If the parents are A+ and B+ and are both heterozygous for both alleles, what are the chances of their child having the universal donor blood type of O-?


- A. 1/2
- B. 1/4
- C. 1/8
- D. 1/16
- E. 1/32

20 What is the genotype of the shaded individual in the pedigree?

- A. AO+-
- B. AO++
- C. AA++
- D. AA+-

21 What is the genotype of the striped individual in the pedigree?

- A. BO+-
- B. BO--
- C. BB+-
- D. BB--




Invasive vs Endangered

FILL IN THE BLANKS USING THESE WORDS:

fungus adaptable species traits clone seven

New Zealand Mud Snail




PENNY FOR SCALE

SNAIL IS BORN PREGNANT WITH ~320 YOUNG

IN 2 YEARS, ONE NEW ZEALAND MUD SNAIL CAN PRODUCE A POPULATION OF OVER 100,000!

Invasive species like the kudzu vine or the New Zealand mud snail have specific _____ that make them more prolific and adaptable than other _____. These traits are why they are so successful at taking over.

Oahu Tree Snail








SOME SNAILS SPEND THEIR ENTIRE LIFE ON JUST ONE TREE

Endangered species like the white fringeless orchid or Oahu tree snails have traits that make them less _____ or slower to reproduce.

While a kudzu seed can germinate in virtually any soil, orchid seeds can only germinate by bonding with a specific species of _____. The fungus they need often depends on old growth forests.

A single New Zealand mud snail can _____ itself to start a new population, and each of its offspring is born pregnant! The Oahu tree snail, on the other hand, must be almost _____ years old before it is mature enough to mate. When it does reproduce, it needs a partner snail, and the pair will only have one to four offspring.

Draw lines to match each trait with the corresponding invasive or endangered organism:



This animal only eats carrion. It needs to lay its eggs in a dead bird or rodent in order to reproduce.

Each plant produces thousands of seeds per year. Seeds can remain viable for 28 years.

This animal can eat almost anything. Its venom allows it to attack and eat prey 1,000 x larger than itself!

This animal can produce 150,000 eggs a year. It lives underwater but can survive on land for up to 4 days.

This plant flowers once every 2 to 7 years and is pollinated by nocturnal beetles and flies.

This animal only lives in rivers and lakes in the Andes that are 3,800 meters (12,500 feet) above sea level.

What about in YOUR climate?

Research the ecology of where you live to discover if there are any invasive or endangered species near you. If there are none in your area, research one invasive and one endangered species for a similar climate.

TROPICAL	DRY	TEMPERATE	CONTINENTAL	POLAR
				
Every month of the year averages 18°C / 64° F or warmer. Lots of rain.	Low precipitation. At least one month warmer than 10°C / 50°F.	Temps in coldest month do not average below freezing. The warmest is above 10°C / 50°F.	Coldest month is below freezing, warmest is above 10°C / 50°F.	Temperatures for every month of the year average below 10°C / 50°F.

INVASIVE SPECIES

Common name: _____

Scientific name: _____

Average number of offspring produced in one year: _____

Preferred diet or growing conditions: _____

What native species is it competing with? _____

What traits or characteristics contribute to this species being invasive?

ENDANGERED SPECIES

Common name: _____

Scientific name: _____

Average number of offspring produced in one year: _____

Preferred diet or growing conditions: _____


What traits or characteristics contribute to this species being endangered?

Darwin and a journey around the world

In 1831, Charles Darwin secured passage on a ship conducting a mapping expedition that would circle the globe. The captain was interested in science and had more than 400 books onboard.

READ "PRINCIPLES OF GEOLOGY" NEXT, IT'S EXCELLENT!

THANKS!




The H.M.S. Beagle


After visiting South America, the ship sailed to the Galapagos Islands.

In a few days' time, the Beagle will sail for the Galapagos Islands. I look forward with joy and interest to this, both as being somewhat nearer to England and for the sake of having a good look at an active volcano!
- Charles Darwin

Darwin was fascinated by the diversity of life between the different islands. It was possible to tell which island a tortoise came from just by looking at the shape and patterns of the shell!




Santa Cruz was a green island with abundant food for tortoises such as grasses. The tortoises on this island had domed shells.




Española was an arid island. The tortoises on this island had saddle-backed shells and long necks.

SHELL HAS A DIP LIKE A SADDLE




The islands also had iguanas, which Darwin described as "disgusting imps of darkness."


AT LEAST MY MOM THINKS I'M CUTE.




Darwin noticed that the finches on different islands had differently-shaped beaks. Finches that primarily ate seeds had thicker, stronger beaks. Insect-eating finches had narrower, spear-like beaks.



Geospiza magnirostris



Geospiza fortis



Geospiza parvula



Certhidea olivacea

MORE SEEDS

BIRD DIET

MORE INSECTS


Hands-on Science Project

MAP THE JOURNEY OF THE H.M.S. BEAGLE


MATERIALS:




scissors



tape or glue



crayons, colored pencils, or markers



world map and 3-D labels (templates in appendix)

The Beagle had made one previous trip to South America to survey and map the area. A second journey was planned that would circumnavigate the globe. Charles Darwin secured passage as the ship's naturalist. The journey took 5 years and included many extended stops with exploration expeditions. Darwin wrote frequent letters and kept a detailed diary as they traveled. His observations were instrumental in the famous book he published years later: *On the Origin of Species*.

Map the journey


1. Print and color the world map (p. 122 in the appendix). Then draw the 1831-1836 journey of the H.M.S. Beagle on the map. Use the list of stops and example map below to help chart the course.

2. Match each of the clues on the following page to the circled locations on the world map template.

3. Color the 3-D pop up labels. You can use either the pre-drawn cutouts or create your own (instructions in appendix).

4. Cut and fold each cutout, securing the flaps with glue so that they stand upright.


5. Arrange the 3-D cutouts across the top of the map. Glue them in place and write the corresponding letter or place name next to each cutout.



Selected stops along the way

These are just a few of the stops the H.M.S. Beagle made during its 5 year journey. There were many others!

1. Plymouth, England Dec 27, 1831
2. Cape Verde Islands Jan 1832
3. Punta Alta Sep 1832
4. Concepción Mar 1835
5. Galápagos Sep-Oct 1835
6. Wallerawang Jan 1836
7. Keeling Islands Apr 1836
8. Ascension Island, Jul 1836
9. Falmouth, England Oct 2 1836



7 STOPS MADE BY THE H.M.S. BEAGLE

Draw lines between each description to match it with the correct location. Each description matches a stop made by the H.M.S. Beagle. The pictures on the next page provide additional clues.

It was here Darwin found the fossilized skull of an extinct megatherium (giant ground sloth), which was about the size of an elephant! This skull allowed scientists to assemble a full megatherium skeleton for the first time.

*CLIMATE: SUBTROPICAL
CLOSEST OCEAN: ATLANTIC
CLOSEST CONTINENT: SOUTH AMERICA*

Darwin encountered marine iguanas, birds, land tortoises, and many other creatures. While studying finches, he noticed distinct differences in their beaks that correlated with the differences in their available food.

*CLIMATE: HOT AND DRY
CLOSEST OCEAN: PACIFIC
CLOSEST CONTINENT: SOUTH AMERICA*

After a large earthquake, Darwin found mussel beds had been raised above the water level. He also found marine shells in the mountains that proved the land had risen over time.

*CLIMATE: SUBTROPICAL
CLOSEST OCEAN: PACIFIC
CLOSEST CONTINENT: SOUTH AMERICA*

Though the black and red volcanic island had been described as "hell with the fire put out," Darwin saw potential.

He later convinced the British Admiralty to plant trees on the island. A century and a half later, the island is covered in trees and vegetation with a National Park called, "Green Mountain." The forest of planted trees didn't just change the soil on the island, it changed the weather too!

*CLIMATE: HOT AND DRY
CLOSEST OCEAN: ATLANTIC
CLOSEST CONTINENT: AFRICA*

Here Darwin saw a platypus and many other marsupials. Despite how different these marsupials were from the animals in England, he observed that they had similar behaviors and filled the same ecological niche as the mammal species back home.

*CLIMATE: TROPICAL
CLOSEST OCEAN: PACIFIC
CLOSEST CONTINENT: AUSTRALIA*

At these islands, Darwin saw rock made from shells and coral sandwiched between layers of volcanic rock. The sedimentary rock could only form at the beach or underwater, yet here it was high above sea level.

*CLIMATE: TROPICAL
CLOSEST OCEAN: ATLANTIC
CLOSEST CONTINENT: AFRICA*

Darwin created a theory that coral reefs are formed as volcanic islands gradually subside into the ocean. At these islands, he was able to find evidence to support this theory as he collected many geological, plant, and animal specimens.

*CLIMATE: TROPICAL
CLOSEST OCEAN: INDIAN
CLOSEST COUNTRY: INDONESIA*

Concepción

Punta Alta

Galápagos Islands

Ascension Island


Cape Verde Islands

Wallerawang


Keeling-Cocos Islands

7 STOPS MADE BY THE H.M.S. BEAGLE


Circle the two locations you would most like to visit!




The Galapagos are part of the country of Ecuador. 97% of the islands belong to a national park and wildlife preserve.




Wallerawang is located 150 kilometers northwest of Sydney near the Blue Mountains.




Of the world's known earthquakes of over 8.5 magnitude, nearly 1/3 have occurred in Chile.




This British territory is a remote Atlantic island located about 1,600 km (1,000 miles) from the coast of Africa and 2,300 km (1,400 miles) from the coast of Brazil.



The Cape Verde Islands (officially named the Republic of Cabo Verde) is a group of volcanic islands located approximately 580 kilometers (360 miles) west of the westernmost point of Africa.






The Territory of Cocos (Keeling) Islands are an Australian territory located in the Indian Ocean. Only 2 of the 27 islands are inhabited.



The city of Punta Alta is located on the Atlantic coastline of Argentina.

What clues from his visits did Darwin use to develop his theories of natural history and evolution?

Genetic Variation



UNDERLINE THE CORRECT ANSWER TO EACH QUESTION:

Which reproductive strategy is most common among all the species living on Earth?	Asexual	Sexual	
Which reproductive strategy produces individuals that are genetically identical?	Asexual	Sexual	
Which reproductive strategy produces the most genetic variation?	Asexual	Sexual	
Which of the populations above has the highest genetic diversity?	Banana	Mud Snail	Pigeon

Resources are Limited

Water, nutrients, and food are all finite resources. Consequently, not every individual will survive and reproduce. *But what if every member of a population did?* Use the information that follows to calculate the total mass of octopuses, puffballs, opossums, and elephants. Start with 100 individuals. Assume every individual survives to adulthood and reproduces once and only once. Two generations have been completed as examples.

Pacific Octopus - *Enteroctopus dofleini*
 Average mass: 15 kg
 Average number of offspring: 100,000

Generation 1: 100 octopuses
 1/2 are female and 1/2 are male.
 $100/2 = 50$ breeding pairs
 $50 \times 100,000 = 5,000,000$

Generation 2: 5,000,000 octopuses
 $5,000,000/2 = 2,500,000$
 $2,500,000 \times 100,000 = 250,000,000,000$ or 2.5×10^{11}

Generation 3: _____

Generation 4: _____

Generation 5: _____

Total mass: _____

Western Giant Puffball - *Calvatia booniana*
 Average mass: 3 kg
 Average number of offspring: 1,000,000,000,000 or 1×10^{12}

Generation 1: 100 puffballs
 Each puffball reproduces asexually to produce 1 trillion spores. $100 \times 1,000,000,000,000 = 1 \times 10^{14}$

Generation 2: 1×10^{14} puffballs
 $1 \times 10^{14} \times 1 \times 10^{12} = 1 \times 10^{26}$

Generation 3: _____

Generation 4: _____

Generation 5: _____

Total mass: _____

714 MILLION CUBIC KM

Mass of Pacific Ocean
 6.8×10^{20} kg

Mass of Earth
 5.97×10^{24} kg

Mass of Jupiter
 1.89×10^{27} kg

Star Formation Threshold

This much of anything will have strong enough gravity to create a new star!
 1.6×10^{29} kg

Mass of the Sun
 2×10^{30} kg

North American Opossum - *Didelphis virginiana*

Average mass: 4 kg
Average number of offspring: 16

Generation 1: 100 opossums
 $\frac{1}{2}$ are female and $\frac{1}{2}$ are male.
 $100/2 = 50$ breeding pairs
 $50 \times 16 = 800$

Generation 2: 800 opossums
 $800/2 = 400$ pairs
 $400 \times 16 = 6,400$

Generation 3: _____

Generation 4: _____

Generation 5: _____

Total mass: _____

Elephant - *Loxodonta africana*

Average mass = 5,000 kg
Average number of offspring: 1

Generation 1: 100 elephants
 $\frac{1}{2}$ are female and $\frac{1}{2}$ are male.
 $100/2 = 50$ breeding pairs
 $50 \times 1 = 50$

Generation 2: 50 elephants
 $25 \times 1 = 25$

Generation 3: _____

Generation 4: _____

Generation 5: _____

Total mass: _____

Did any of the populations exceed the mass of the Earth? _____

Did any of the hypothetical populations become large enough for the formation of a star? _____

Did any of the populations experience negative growth? _____

What do you think?

In the wild, the survival rate for newly-hatched octopuses is less than 1%. What would happen if a certain species of octopus had a smaller birthrate but a higher survival rate?

Did the model of elephant population growth reflect what we observe in the real world? Why or why not? How could the model be adjusted to better reflect real-world conditions?


Survival of the fittest

FILL IN THE BLANKS USING THESE WORDS:


traits family mutations pressure limited survival

Not all members of a species or a _____ are the same. Some will have inherited different genes and _____ than others, and _____ in DNA can cause further differences. If every individual reproduced, then most traits would be passed on. But because resources are _____, the number of offspring that survive is also limited. Over time, the _____ of limited resources ensures that the traits passed on are those best suited for survival. This idea was first described by Charles Darwin and is called “_____ of the fittest.” The word “fittest” in this phrase does not necessarily mean strongest or most athletic. Instead, “fit” refers to successful reproduction.


The Influenza Virus




The influenza virus contains information for making more influenza viruses. But to reproduce, it needs a host cell.




When it infects a cell, the viral RNA takes over the cell's tools for building proteins and makes more viruses.




Eventually, the cell bursts. The virus particles go infect other cells.



The influenza virus has a high **MUTATION** rate. Small changes to its genetic material occur each time it infects a host.



Technically, any mutation can produce a new **VARIANT**. But most often, the term is used when talking about versions of the virus which appear or behave differently than previously described viruses.




Significantly different versions of a virus are called **STRAINS**. For example, Influenza A infects birds and humans. Influenza D only infects cattle and pigs.

Two new variants of influenza are described: Variant X has mutated to become more transmissible and can survive on surfaces for 36 hours. Variant Y has mutated to become more fragile. It falls apart 5 minutes after leaving a host. Which variant will become more common, and why?


Selection

Selection happens when one item or trait is favored over another. For example, Sara buys a bag of trail mix and puts it in the kitchen pantry. Sara's brother Vance only eats the raisins from the trail mix, and then pretty soon the trail mix doesn't have any more raisins. They'll all have been "selected" out. This same process occurs in nature too.


Consider a mixed population of mice where half are tan colored and half are black. Identical populations of mice arrive on three different islands. Color the islands according to their descriptions. Then match them with the most likely outcome.




Volcanic island has black rock and hawks that hunt by sight.




Sandstone island has tan rock and hawks that hunt by sight.




Green island has moss-covered rock and no predators.



The mouse population is all tan.



The mouse population is all black.




The mouse population is multicolored (both tan and black).

Case Study: The Peppered Moth

The peppered moth comes in both black and light varieties.

In the countryside, the light grey variety was much more numerous due to its superior camouflage. Its coloring matched that of the tree bark of many trees, allowing it to hide from predators.

In the late 1800s and early 1900s, naturalists noticed that the black peppered moth became more numerous than the lighter variety. The change was especially prominent in areas of London with industrial pollution.



Why was the black peppered moth more common in industrial areas?

Adaptation

FILL IN THE BLANKS USING THESE WORDS:

alligators generations learned beaks climates confuse characteristic

An adaptation is a _____ that helps an organism survive in its habitat. It takes many _____ for adaptations to develop. Birds have adapted different kinds of _____ that help them obtain their particular source of food. _____ have eyes and nostrils placed on top of their heads, so they can stay mostly submerged. Spots and stripes can camouflage animals or _____ predators. In nearly all _____, plants and animals have adapted to survive and thrive. _____ behaviors are not considered adaptations.

Name a plant or animal that has the indicated adaptation:

Whiskers to help them feel their way through tight spots

Lives in large herds to protect against predators

Webbed feet for faster swimming

Fur that shifts color with the seasons

A look-a-like of a venomous or poisonous animal

Acute eyesight to see prey at a distance


Hibernation in cold seasons

Camouflage to blend in with surroundings


Toxins excreted through their skin

ARE THESE FACT OR FICTION? Write your verdict below each statement.

Some frogs freeze solid in the winter, then thaw out in the spring.




The chameleon monkey can change its skin to match its surroundings.



Some salamanders have no lungs. They breathe through their skin!

MOUTHS ARE ONLY FOR EATING.







Evolution

Evolution is change over time. More specifically, evolution is *descent with inherited modifications*. Mutations are always occurring, which introduces new variations into genetic material. The mutations that have advantages will be selected, and soon the genetic information of a population will be different than it was before. This change is evolution.

Sometimes the change is on a small-scale, such as changes in how often an allele appears in a population. Other times, the change is on a large-scale, such as when different species descend from a common ancestor.

Match each picture with the correct description. Check the box if it is an example of evolution.



Prehistoric horses were grazing animals that walked on four toes. Over millions of years, the fossil record shows a change in the foot structure of the horse, leading to an animal that walks on one toe.

Farmers grew corn with Bt, a pesticide that killed more than 99.9% of corn borer insects. Years later, the farmers discover that Bt is not killing as many insects. Genetic testing shows that many insects have a gene that makes them resistant to Bt.

A mountain range that was once very rugged becomes eroded over time and eventually becomes smaller and covered in trees. Geological evidence also shows that several ancient landslides changed the shape of the mountain range.

A large oak tree experiences many changes each year. It flowers in the spring and produces acorns and lots of leaves. Then in the fall and winter, all of the leaves and acorns fall to the ground. The next spring, the cycle begins again.

Can a single animal evolve? Why or why not?


Can a population of animals evolve? Why or why not?

Misconceptions about evolution


Here are three common misconceptions about evolution. Can you spot the errors in each idea or think of a counter example? Correct each idea by writing a better explanation in the boxes below.

THE MISCONCEPTIONS

Humans evolved from chimpanzees.




Evolution always results in stronger and better organisms.



Humans can't permanently damage an ecosystem because species will evolve the traits they need to survive.

HELP! THERE'S NO OXYGEN IN THIS WATER!

JUST EVOLVE A SNORKEL!






YOUR CORRECTIONS

Three large rounded rectangular boxes with horizontal lines for writing corrections, each corresponding to one of the misconceptions above.

ONCE A SHARK, ALWAYS A SHARK?

The first spiny sharks evolved during the Silurian Period, nearly 450 million years ago! Their cartilaginous skeleton and streamlined shape are still observed in modern shark species. But does that mean sharks have stopped evolving? Not at all! There have been and continue to be many fascinating variations between sharks. Just consider the following:




Stethacanthus, a Carboniferous shark with an anvil-like fin

Megalodon, a Cenozoic giant more than 65 feet long

Rhincodon or *whale sharks*, a modern filter-feeding shark

Mitsukurina or *goblin shark*, a modern deep-sea shark

Sphyrna or *hammerhead shark*, a modern shark with an elongated head structure called a cephalophoiil




Genetic Drift

About 500,000 years ago, a group of **Canadian geese** (*Branta canadensis*) were blown off course and landed on the islands of Hawaii.

The environment of Hawai'i was different than North America. On Hawaii, the geese enjoyed a more stable temperature, so they didn't have to migrate. They also had fewer predators, making flight less of a priority.


Over time, the coloring changed, and some of the geese lost the ability to fly. Today, the only surviving species of goose on Hawaii is called the **nēnē** (*Branta sandvicensis*). It's smaller than its Canadian goose cousin, and it doesn't migrate.

When humans introduced new species to the Hawaiian islands, the nēnē nearly went extinct because they were not adapted to predators. In the 1700s, there were estimated to be more than 25,000 nēnē living in the Hawaiian islands. In 1952, there were only 30! Fortunately, conservation efforts brought the nēnē back from the brink of extinction. Today, there are approximately 3,000 nēnē living in the islands of Hawaii.




The Founder Effect


In the original population, butterfly wings are approximately 75% spotted and 25% striped. Very rarely, there are solid color butterflies or "eyespot" pattern butterflies.




What happens when a small group of organisms starts or "founds" a large population? Consider three small groups of butterflies from the main population. Each founds a new population on an isolated island. Assuming the proportions of traits remain the same as the populations grow, what percentage of each type would you expect to see 15 years later?



% spotted
 % striped
 % solid
 % eyespot




% spotted
 % striped
 % solid
 % eyespot



% spotted
 % striped
 % solid
 % eyespot

Population bottleneck

A population bottleneck occurs when a substantial portion of a the population is reduced. Famine and disease are common causes of a population bottleneck. When a small group is geographically separated from the main population (the founder effect) this is sometimes considered to be is a type of bottleneck. In the case of the founder effect, other parts of the population exist that did not experience the loss of genetic diversity.



1 The original population of spheres is evenly mixed with solid, dotted, and striped individuals.

2 A bottleneck event drastically reduces the number of individuals. There are no solid spheres in the surviving population.

3 The population rebounds, but the distribution of traits is very different than before.

SOUTHERN ELEPHANT SEAL POPULATION

Year	Population
1700	600,000
1800	450,000
1900	500,000
2000	650,000

NORTHERN ELEPHANT SEAL POPULATION

Year	Population
1700	100,000
1800	50,000
1884	20
1900	100,000
2000	200,000

1884: thought to be extinct. Population may have been as small as 20 individuals.

Why do northern elephant seals have far less genetic diversity than southern elephant seals?

*There are currently estimated to be 200,000 northern elephant seals and nearly 700,000 southern elephant seals. Historical data is missing. The graphs are a rough guess.

The Hawaiian Islands

More than 3,000 of the species living in the Hawaiian islands are endemic, meaning they are found nowhere else in the world.



The island of Vancouver in British Columbia is slightly larger than the the combined area of the Hawaiian islands. But it has less than 20 endemic species.

Why are there more endemic species in Hawai'i?

Drifting Marbles

Read through the instructions for the simulation below. But before trying it out, go to the next page and make some predictions!

This activity simulates genetic drift by considering a population of 20 marbles. To keep things simple, the population is capped at 20, and just a single trait (color) is measured. For the instructions, we chose black and white marbles, but you could use any object. You will want 40 marbles (or peas, beans, pieces of candy, etc.) with half of them being marked or colored so that they can be easily distinguished. Each generation of marbles will pass on their colors to the next generation through random selection as follows.




What do you predict will happen with the marble population? Will it stay half white marbles and half black marbles or will the proportions change over time?

Place a checkmark next to each outcome that will always be true for this simulation:

- There will always be 10 black and 10 white marbles.
- After enough generations, one of the colors will disappear entirely.
- There will always be some black marbles and some white marbles, but the number will vary.
- The number of each color will eventually become stable.

Below are 5 graphs. Which one do you think is the most likely to occur in this simulation of the number of black marbles in each generation?




Now go back and carry out the simulation for 20 generations. Was your prediction correct?

Consider how the situation would change if we didn't cap the marble population at 20. Suppose each new generation added an additional marble. Do you think that one of the colors would be eliminated from the population?

In what type of population in the real world might we see the loss of an allele through genetic drift? Give an example, and explain why genetic drift might occur.

What is a species?

GENE POOL: All the genes and their alleles in an interbreeding population




The biological concept of a species is often defined as follows: living organisms that can produce fertile offspring belong to the same species. But in practice, it's more useful to think of a species as a **gene pool** where genetic information is exchanged.


For example, lions and tigers can interbreed and produce fertile offspring, but in the wild they live in separate populations. There are two separate gene pools, one for each species. As individuals of a species breed and produce offspring, the genetic information in the gene pool changes. Mutations may arise or disappear, and the frequency of certain traits will increase or decrease.

Life doesn't exactly fit into the categories people have made to help them understand the world. No matter how one defines a species, there are multiple examples where scientists have lively debates about whether a group of individuals are participating in the same gene pool or not.


Match the description of each species or group of animals with the corresponding diagram representing the gene flow within the gene pools.





Orcas are all currently classified as being part of the same species, but they live in ten distinct breeding populations. The different populations have different diets and hunting behaviors. Their social behaviors and communication techniques are different enough that they never interbreed, even when they live in the same geographic area.




Polar bears and grizzly bears are classified as two different species: *Ursus maritimus* and *Ursus arctos horribilis*. While they live in different habitats and have different behaviors and diets, they occasionally interbreed when they come in contact with each other, producing a hybrid called a "grolar bear," "grizzlar," or "nanulak." Genetic analysis shows that hybridization has also occurred in the past.




The carrion crow, *Corvus corone*, and the hooded crow, *Corvus cornix*, are classified as separate species but hybridize freely where their geographical ranges overlap.





Species in the Asteraceae, or daisy, family hybridize easily. Members of the *Helianthus* genus (sunflowers) are especially prone to hybridizing. If five wild sunflower species live in the same area, there will likely be hybrids between all of them!



If DNA from a prehistoric dragonfly was recovered and that dragonfly was cloned, would it be the same species as a modern dragonfly? Why or why not?



Explain why a cheetah and a wolf belong to gene pools that will never naturally hybridize.




Consider two populations of dogs, each with 1,000 individuals. The first contains pure-bred miniature poodles, and the second contains dogs from animal shelters, most of mixed or unknown breeding. Which population of dogs will have more diversity in their gene pool and why?


Which population would be more likely to survive if placed in a new location such as an island?

Taxonomy


Grouping living organisms according to shared attributes is called *taxonomy*. This field of study is useful in the study of biodiversity and conservation biology. There have been several different classification systems in the past. Systems change as new information is gathered.



Within each domain there are smaller categories: phylum, class, order, family, genus, and species. Notice how much more similar the animals become in each category in the diagram below. Can you circle the correct animal type from each category to show the classification of the domestic dog? The first two have been filled in as examples.




About Shared Traits




COMMON NIGHTHAWK
Chordeiles minor

MOBILITY: Flying, walking, hopping
 BEHAVIOR: Crepuscular/Nocturnal
 DIET: Insectivore
 ANATOMY: Bones are hollow and porous. Lungs have air sacs.
 REPRODUCTION: Lays eggs



BROWN RAT
Rattus norvegicus

MOBILITY: Walking, running, jumping
 BEHAVIOR: Often nocturnal
 DIET: Omnivore
 ANATOMY: Bones are not hollow. Lungs do not have air sacs.
 REPRODUCTION: Live birth



HOARY BAT
Aeorestes cinereus

MOBILITY: Flying, walking
 BEHAVIOR: Crepuscular/Nocturnal
 DIET: Insectivore
 ANATOMY: Bones are not hollow. Lungs do not have air sacs.
 REPRODUCTION: Live birth


Compare the nighthawk and rat. Which of these animals is more closely related to a bat? Support your opinion by including similar and dissimilar traits.

Homologous Traits

FILL IN THE BLANKS USING THESE WORDS:

similar homologous bone common

A homologous trait is one that is inherited from a _____ ancestor. The bones in the limbs of tetrapods are one example of _____ traits. Dogs, whales, bats, and humans all have front limbs that look and function differently from each other. But the _____ structures of those limbs are remarkably _____. Each limb has a humerus, radius and ulna, carpals, metacarpals, and phalanges.



Convergent Traits

FILL IN THE BLANKS USING THESE WORDS:

environment diets convergent closely streamlined

Sharks and dolphins look a lot alike. They both have _____ bodies with two fins on their sides and a dorsal fin on top of their body. They also have similar _____. But these similarities do not mean that sharks and dolphins are _____ related. They each have a streamlined body shape, dorsal fin, and flippers because they live in the same _____ and these traits help them to swim faster to catch prey. Their shared traits are an example of _____ evolution.

SHARK vs DOLPHIN

Draw lines to match each trait to the correct animal

Skeleton made of cartilage

Breathes air through blowhole

Skeleton made of bone


Uses gills to get oxygen from water

Do not nurse young with milk


Has hair

Nurses young with milk

Does not have hair




DOLPHIN



SHARK


ARE THESE FACT OR FICTION? Write your verdict below each statement.

Bats and birds share a common ancestor.



WE'RE LIKE 138TH COUSINS TWICE REMOVED!


Today's elephants have evolved to be less likely to have tusks.



TAKE THAT POACHERS!

Hippos are the ancestors of whales.

WE BOTH SPEND A LOT OF TIME IN THE WATER.




The Fossil Record

FILL IN THE BLANKS USING THESE WORDS:


pressure survive fossils complete circumstances geological

Very few organisms leave behind _____. Fossils can only form when an organism dies at the right time, in the right place, and under the right _____. Over a long period of time, intense heat and _____ are needed to encase the organism within a sedimentary rock that will eventually become the fossil. Usually, only the hard parts of the body like bones and teeth can _____ this process to become a fossil. Even when a fossil is made, it may not survive _____ changes over time as rocks break or melt. Fortunately, the fossil record is sufficiently _____ for us to learn about how life evolved throughout history.

What can be inferred about the ages of the fossils in this picture? Why do you think one layer doesn't contain any fossils?



What is the best explanation for a fossil being found in an older layer of rock but not any newer layers? Draw a picture of an example.



Draw lines to match the name of each fossil type with its corresponding description:

MOLD or CAST

TRACE FOSSIL

ACTUAL SPECIMEN

PERMINERALIZED

Something left behind by the organism

footprints

The impression of the organism

seashell mold


Tissue that has been replaced with minerals

Bone, claw, petrified wood


The actual animal or plant is preserved.

insect in amber


BONY NOSTRILS MIGRATE TO TOP OF HEAD



Artiocetus - 47 million years



Dorudon - 36 million years



Amazon River Dolphin - living


LEGS EVOLVE TO ASSIST MOVING ON LAND



Panderichthys - 380 million years



Tiktaalik - 375 million years




Pederpes - 348 million years


LEGS DISAPPEAR AND BODY BECOMES LONGER



Megachirella wachtleri - 240 million years



Tetrapodophis amplexus - 120 million years



Snake - living

Transition Fossils

FILL IN THE BLANKS USING THESE WORDS:

snakes transitional tetrapods whales discoveries document


The fossil record has gaps where organisms and characteristics have arisen with little fossil evidence to show how the new attributes came about. Fossils that fill in a perceived gap are called _____ fossils. Darwin didn't expect to be able to fill in these holes, but many surprising _____ have filled in the "missing links" in the fossil record. _____ evolved from lizards with legs. Four-legged creatures (_____) evolved from fish and emerged from the water to live on the land. _____ evolved from land mammals as the nostrils gradually moved to the back of the skull, the front arms were replaced with flippers, and the hind legs diminished as the tail widened. We now have fossils to _____ each of these changes.

ARE THESE FACT OR FICTION? Write your verdict below each statement.


Soft tissue animals cannot form fossils.



Bones can become fossils after being buried for 1,000 years.




Sea creature fossils have been found on Mt. Everest.



Phylogeny


FILL IN THE BLANKS USING THESE WORDS:

higher phylogeny common recent ancestor descendent speciation



A phylogenetic tree or a _____ is a diagram that depicts the lines of evolutionary descent of different species, organisms, or genes from a _____ ancestor. The bottom of a phylogenetic tree represents the past and the _____ branches represent more _____ times. As we travel from the bottom to the top of the tree we are tracing the history from _____ to _____. Each fork or branch represents the splitting of a lineage or _____.









PHYLOGENETIC TREE OF A FICTIONAL GROUP OF RODENTS





Some parts of a phylogeny will be unique while other parts will be shared. Notice the following connections:

- Rodents 3 and 4 have long ears because they both share the long-eared common ancestor.
- Rodent 2 does not have long ears because it is not connected to the long-ear ancestor.
- Rodent 1 is not grey because it is not connected to the grey fur ancestor.
- All the rodents after the "grey fur" trait have grey fur.

Highlight the unique or shared portions of the diagrams below. The first is completed as an example.




Each species on earth has ancestors that are unique to them and ancestors that they share with other species. Study the example of unique and common ancestors on the small phylogenetic tree for species A, B, and C. Then use the key to mark the unique and common ancestors in the larger phylogenetic tree.



- △ Unique ancestor of C
- Common ancestor of B and C
- Common ancestor of A, B, and C

- ① Common ancestor of C - H
- ② Common ancestor of G and H
- ③ Common ancestor of F, G, and H
- ④ Common ancestor of C and D
- ⑤ Unique ancestor of E
- ⑥ Common ancestor of A and B




According to the phylogenetic chart above, is the hyena more closely related to cats or dogs?

Are skunks more closely related to raccoons or mongooses? How can you tell?


Hands-on Science Project

BUILD YOUR OWN PHYLOGENY

MATERIALS:



paper




crayons, colored pencils, or markers

Invent your own phylogeny by considering an organism (it can be real or invented) and the different environmental conditions it could face. Draw out different descendants and evolutionary branches that could result. Your conditions could be realistic and based on actual fossils or living organisms, or you could invent something fanciful like Math Dad did with the example phylogeny for shapes below.

Once you have your idea figured out, draw the complete phylogenetic tree and explain why each branch formed.

Math Dad's Example



2D shapes live in a flat plane and experience gravity. Circles are great for rolling and moving around, but they are not very good at stopping or standing still. In steep regions, rolling is a disadvantage and flat sides are a desirable trait.





In the left branch, we see descendants of the circle that lived in steeper regions where flat edges provided an advantage. Over time, the shapes evolved flat edges which led to the square. Triangles and rectangles had an advantage when minimal motion was desirable because they were unlikely to roll unintentionally, so they could live in extra steep regions. A hexagon and octagon were able to roll much more easily while still having straight edges for resting, so they were able to live in moderately-steep regions. But they could also compete in flatter regions with other more mobile or rounder shapes.

In the middle branch, the terrain was gently sloped with narrow pathways. Roundness was a useful trait but the shapes got longer over time because added length helped them avoid rolling too far. A thinner middle also made the shapes more flexible so they could navigate the narrow pathways.

In the right branch, we see a shape called a Reuleaux triangle that has a constant diameter like a circle. The Reuleaux triangles are able to climb in canyons of constant width just like circles. But they have an advantage over circles in that they have a smaller area, so they don't have to find as much food as a circle to survive.

Australia vs New Zealand

In ecosystems around the world, we find organisms adopting the same roles. There are producers (plants), animals that eat plants (herbivores), animals that eat insects (insectivores), and predators (carnivores). At the top of the food chain is a predator that has no natural predators (an apex predator). Consider these ecological niches in Africa, New Zealand, and Australia. Then answer the following questions:

 <i>Africa</i>	 <i>New Zealand</i>	 <i>Australia</i>
 LION Apex predator  GAZELLE Large herbivore  AFRICAN WILD DOG Small carnivore  GOLDEN MOLE Small insectivore *Now extinct	 HAAST'S EAGLE* Apex predator  MOA* Large herbivore  MOREPORK Small carnivore  KIWI Small insectivore	 THYLACINE* Apex predator  KANGAROO Large herbivore  QUOLL Small carnivore  BANDICOOT Small insectivore

Before humans arrived, bats and seals were the only mammals living in New Zealand. Why didn't New Zealand have other mammal species such as canines, felines, ungulates, or rodents?

Why do you think birds were the dominant animal in New Zealand, while marsupial mammals dominated Australia?

Timeline of Life on Earth

Extinctions occur periodically as a normal part of Earth's natural history. Two billion years ago, cyanobacteria evolved photosynthesis and the ability to produce oxygen. Earth's atmosphere changed from one with virtually no oxygen to one with abundant oxygen, which was toxic to many forms of cellular life. This is called the Great Oxidation Event or the Oxygen Catastrophe. It is not known how many species went extinct because all life on Earth at this point was single celled, and the fossil record is sparse.

In normal conditions, we expect about 10% of species to be lost every million years while new species are arising.

A mass extinction occurs when 75% of the species die in a relatively short period of time. The fossil record shows evidence of five major mass extinction events in Earth's history.




Image adapted from End-Paleozoic Mass Extinction by Yukio Isozaki in the Journal of Astrobiology. Feb 28, 2019

Match each extinction event with the cause

Ordovician-Silurian (**O-S**) extinction - 450 MYA

85% of marine species

After this event, many trilobites, echinoderms, crinoids, bivalves, and brachiopods disappeared from the fossil record.

A massive asteroid collided with Earth.



Late Devonian (**Late D**) extinction - 375 MYA

75% of marine species

Placoderms (armored fish) went extinct as well as many species of coral, trilobites, and brachiopods.

The exact cause is unknown. It could have been a gamma-ray burst from a nearby supernova, glaciation, or volcanic eruptions.



Permian-Triassic (**P-T**) extinction - 250 MYA

96% marine life; 70% terrestrial life

Also known as the Great Dying. Trilobites became entirely extinct. This may be the only mass extinction to significantly affect insect diversity.

This extinction may have been caused by volcanic eruptions, plants colonizing land, an asteroid impact, climate change, or a combination of those factors.

NO MORE ARMORED FISH.




Triassic-Jurassic (**Tr-J**) extinction - 200 MYA

70% of marine/terrestrial life

Large amphibians and crocodiles disappeared, making room for dinosaurs to diversify and fill other ecological niches.

Enormous volcanic eruptions in modern-day Siberia, the release of methane into the atmosphere, and climate change all contributed to this extinction.

YOU KNOW IT'S A BAD EVENT WHEN WE GO EXTINCT.




Cretaceous-Paleogene (**K-Pg**) extinction - 65 MYA

75-80% of marine/terrestrial life

Large dinosaurs and pterosaurs became extinct. No tetrapods weighing more than 25 kg (55 lbs) survived.


Volcanic eruptions caused climate change. An asteroid impact could have also played a role.

I GUESS GIANT AMPHIBIANS WON'T RULE THE EARTH. TOO BAD.



Color the timeline to match each corresponding age or era.


4.6 Billion Years Ago



Precambrian

4.6 billion to 542 Million Years Ago (MYA)

The Precambrian era is the name for the first 4 billion years of Earth's existence. The fossil record is less complete because most life was in the ocean, and few organisms had hard bodies or shells.




Cambrian Explosion

542 MYA


Paleozoic Era

542 Million to 250 Million Years Ago

The Cambrian explosion started a period of incredible growth where the first land animals and vertebrates arose. The Paleozoic Era ended with the Earth's largest mass extinction event.



250 MYA



NOW

Cenozoic Era

65 Million Years Ago to the present

Our current era is the Cenozoic. This era is characterized by alternating ice ages and warmer periods. The first humans appeared 2 million years ago.


65 MYA

Mesozoic Era

250 Million to 65 Million Years Ago

The Mesozoic Era saw the rise of the dinosaurs and the first mammals. Flowering plants developed for the first time during the Cretaceous Period. The Mesozoic Era ended when a giant meteorite crashed into the Gulf of Mexico, causing nearly 80% of all species to go extinct.

Evolution Crossword Puzzle



VERTICAL Words

1. Characteristics of organisms that enhance survival and reproduction chances
2. Darwin described evolution as "Descent with _____"
3. A taxonomic group whose members can interbreed
4. A change in the structure of a gene
5. The immediate descendants of an organism


HORIZONTAL Words


6. The preserved remains of an ancient organism
7. The author of *On the Origin of Species*
8. The process of changing over time
9. Selective breeding for traits is _____ selection.
10. Survival of the _____
11. The process through which populations adapt and change is _____ selection
12. Mapping the evolutionary development and diversification of species

Evolution Word Search

There are a lot of new words to learn when studying biology. Repetition is the best way to learn them, and word games can be part of that! Find each of the hidden words in the word-search. The words can run in any direction: horizontal or diagonal. The letters might go left to right or right to left!

ADAPTATION	REPRODUCTION	TRAIT
FITTEST	INHERITANCE	DARWIN
SPECIES	EVOLUTION	GENERATION
EXTINCTION	SELECTION	FOSSIL
OFFSPRING	POPULATION	MUTATION
CHARACTERISTIC	DRIFT	PHYLOGENY






Quiz Time!

ANSWER THE QUESTIONS TO
SEE WHAT YOU LEARNED
ABOUT EVOLUTION!

- 1 Any variation that can help an organism survive in its environment is called a(n)
 - A. adaptation
 - B. characteristic
 - C. competition
 - D. natural selection
- 2 Which of the following is NOT a component of the Theory of Evolution by Natural Selection?
 - A. variation among individuals
 - B. inheritance of acquired characteristics
 - C. competition for limited resources
 - D. survival and reproduction
- 3 The dog breeds we have today developed by
 - A. Sexual selection
 - B. Disruptive selection
 - C. Artificial selection (selective breeding)
 - D. Natural selection
- 4 What is the correct definition of evolution?
 - A. Changes in a population of organisms over a period of time
 - B. Changes in individual organisms during their lifetime
 - C. Organisms coming into existence at a defined moment in time and not changing
 - D. One organism transforming into another organism
- 5 Which of the following provide evidence for the evolution of species? Choose all that apply.
 - A. The fossil record
 - B. Biogeography (locations of organisms on the globe)
 - C. DNA
 - D. Comparative anatomy (between species)
- 6 In evolutionary biology, what does fitness mean?
 - A. The ratio of body fat to muscle weight
 - B. The ability of that individual to survive to reproductive age
 - C. The likelihood that that individual will have 2 or more offspring
 - D. The likelihood that an individual will contribute its genes to the next generation
- 7 Which of the following is the best example of natural selection?
 - A. A population of jackrabbits undergoes a seasonal coat color change from brown to white as soon as snow covers their habitat.
 - B. Field mice born during a year with excess wheat will gain muscle mass and thus have offspring that have an increased muscle mass.
 - C. Bass that are born with darker scales are better able to survive in the shadows among the river rocks.
- 8 Traits that perform a similar function but arise from different ancestral traits (such as bat and bird wings) are called
 - A. Anomalous
 - B. Homologous
 - C. Divergent
 - D. Convergent
- 9 The term species is defined as
 - A. A grouping of morphologically similar organisms
 - B. A grouping of organisms that do not interbreed
 - C. A group of populations that can interbreed to produce viable offspring
 - D. A group of populations that live in the same area
- 10 How many mass extinctions has the Earth experienced in the past?
 - A. 2
 - B. 5
 - C. 8
 - D. 9
- 11 According to the fossil record, how long ago did life appear on earth?
 - A. 3.5 million years
 - B. 35 million years ago
 - C. 350 million years ago
 - D. 3.5 billion years ago
- 12 Number each period below using the numbers 1-4 to put them in chronological order.
 - ___ Mesozoic
 - ___ Precambrian
 - ___ Paleozoic
 - ___ Cenozoic

Use the feline phylogeny to the right to answer the next four questions.

- 13) Of the options below, which species is most closely related to a lynx?
 A. Ocelot
 B. Cheetah
 C. Tiger
 D. Leopard
- 14) Of the options below, which species is most closely related to a Ocelot?
 A. House cat
 B. Leopard
 C. Lion
- 15) An ancestor of both a cougar and a lynx must also be an ancestor of a cheetah.
 A. True
 B. False
- 16) Ocelots and Lions have no common ancestors.
 A. True
 B. False



Below are the mechanisms by which evolution takes place. Match the mechanism on the left with the corresponding example on the right.

Genetic Drift
 A change in the frequency of a genotype due to chance

Mutation
 A change in the structure of a gene

Migration
 Movement from one region to another

Natural Selection
 The survival of a species that is better adapted to an environment

Parents with genes for light coloring could have an offspring with dark coloring.

A snake with light coloring might move to a region inhabited by dark colored snakes.

Through random chance, the dark coloring gene might disappear from the population.

The environment might make it easier for predators to spot the light colored snakes.

APPENDIX

113 - The Codon Wheel

114-115 – The Math of Punnett Squares

116-117 - Tri-hybrid Cross

118-119 - Tetra-hybrid Cross

120-121 - Gummy Worm Karyotype Game
Don't print double-sided.

122- World Map for the Journey of the HMS Beagle Project *Don't print double-sided.*

123 - Labels for the Journey of the HMS Beagle Project
Don't print double-sided.



124-end - Timeline of Earth's History
Don't print double-sided.

THE CODON WHEEL

A tool for deciphering the genetic code!

How to use: Start in the center and follow the letters outward!

For example, if the codon you are deciphering reads "AAT," select A in the inner circle, then A again in the second ring, and T in the third ring. This shows that AAT codes for the amino acid **asparagine**, which has a 3-letter abbreviation of **Asn** and a 1-letter abbreviation of **N**. Be aware that multiple codons can code for the same amino acid! Notice that the codon AAC also codes for asparagine.



The Math of Punnett Squares

The number of allele combinations quickly rises when the number of traits rise. For a genotype, the order of the alleles doesn't matter. For example, **Aa** is the same as **aA**. To keep things simple, we usually put the capital letter first. For example, when there is just one trait with alleles **A** and **a**, then there will be 3 possible genotypes (**AA**, **Aa**, and **aa**) but only 2 possible phenotypes: the dominant phenotype **A** (from **AA** or **Aa**) and the recessive phenotype **a** (from **aa**).

With 2 traits we must count the possible combinations for alleles **A** and **a** together with **B** and **b**.

Complete the table below by identifying how many distinct combinations arise for a given number of traits? You will probably want to write out the possibilities on a piece of scratch paper.

Number of traits	Number of distinct phenotypes	Number of distinct genotypes	Number of cells in a Punnett Square
1	2	3	4
2			
3			
4			
5			
<i>n</i>			

Now you have a formula that will let you find the number of distinct phenotypes or genotypes for any number of traits. Suppose we considered 25 specific traits that a person could have determined by their genotypes. For each of the possible phenotypes of the 25 traits, do you think there is someone in the world that exhibits that phenotype? Explain.

For each of the possible genotypes of the 25 traits, do you think there is someone in the world that has that genotype? Explain.

Identical twins share the same alleles. Do you think it is possible for non-twins to have the same alleles? Explain.

Calculating Probabilities

For a single trait, we can find the probability of passing a specific phenotype or genotype along by filling in a simple Punnett square.

For example, in the cross **Aa**×**Aa**, there are 4 equally likely outcomes: **AA**, **Aa**, **aA**, and **aa**. That means:

- $\frac{1}{4}$ of the time we get the homozygous dominant genotype **AA**.
- $\frac{1}{2}$ of the time we get the heterozygous genotype **Aa**.
- $\frac{1}{4}$ of the time we get the homozygous recessive genotype **aa**.

In the cross **Aa**×**Aa**, the probability (P) of each **genotype** is:

$$P(\text{genotype } \mathbf{AA}) = \frac{1}{4}$$

$$P(\text{genotype } \mathbf{Aa}) = \frac{1}{2}$$

$$P(\text{genotype } \mathbf{aa}) = \frac{1}{4}$$

In the cross **Aa**×**Aa**, the probability of each **phenotype** is:

$$P(\text{phenotype } \mathbf{A}) = \frac{3}{4}$$

$$P(\text{phenotype } \mathbf{a}) = \frac{1}{4}$$

Punnett square for the cross **Aa**×**Aa**

	A	a
A	AA	Aa
a	aA	aa

To calculate the probabilities for multiple traits, we find the probabilities of the outcomes for each individual trait and then multiply the probabilities.

For example: Find the probability of getting the genotype **AaBB** in the cross **AABb**×**AaBB**.

1. First find the probability of the genotype **Aa** from the cross **AA**×**Aa**.
 $P(\text{genotype } \mathbf{Aa}) = \frac{1}{2}$
2. Find the probability of the genotype **BB** from the cross **Bb**×**BB**. $P(\text{genotype } \mathbf{BB}) = \frac{1}{2}$.
 $P(\text{genotype } \mathbf{BB}) = \frac{1}{2}$
3. Multiply the probabilities.
 $P(\text{genotype } \mathbf{AaBB}) = P(\text{genotype } \mathbf{Aa}) \times P(\text{genotype } \mathbf{BB}) = \frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$

Challenge 1. Find the probability of getting the genotype **AaBb** in the cross **AABb**×**aaBB**.

Challenge 2. Find the probability of getting the recessive phenotype **ab** in the cross **Aabb**×**aaBb**.


Challenge 3. Find the probability of getting the phenotype **AbC** in the cross **AabbCC**×**AaBbcc**.


Challenge 4. Find the probability of getting the genotype **AaBbcc** in the cross **aaBbCc**×**AaBbcc**.


Tri-hybrid Cross!

Make up a critter and supply phenotypes and genotypes for three different traits that can be determined by alleles.

Critter Name: _____

Trait 1: _____ vs _____	Phenotypes
Details: _____ _____ _____ _____	 vs
	Genotypes
	_____ vs _____


Trait 2: _____ vs _____	Phenotypes
Details: _____ _____ _____ _____	 vs
	Genotypes
	_____ vs _____

Trait 3: _____ vs _____	Phenotypes
Details: _____ _____ _____ _____	 vs
	Genotypes
	_____ vs _____

What will the genotype and phenotype for your critter be if it is heterozygous for all three traits?

Genotype: _____

Phenotype:



Now cross two of your critters that are heterozygous for all three traits. Include both the genotype and phenotype in each cell of your Punnett square.

Tetrahybrid Cross!

Make up a critter and supply phenotypes and genotypes for four different traits that can be determined by alleles.

Critter Name: _____

Trait 1: _____ vs _____	<p style="text-align: center;">Phenotypes</p> <div style="display: flex; justify-content: space-around; align-items: center;"><div style="border: 1px solid black; width: 100px; height: 100px;"></div>vs<div style="border: 1px solid black; width: 100px; height: 100px;"></div></div> <p style="text-align: center;">Genotypes</p> <p style="text-align: center;">_____ vs _____</p>
Details: _____ _____ _____	

Trait 2: _____ vs _____	<p style="text-align: center;">Phenotypes</p> <div style="display: flex; justify-content: space-around; align-items: center;"><div style="border: 1px solid black; width: 100px; height: 100px;"></div>vs<div style="border: 1px solid black; width: 100px; height: 100px;"></div></div> <p style="text-align: center;">Genotypes</p> <p style="text-align: center;">_____ vs _____</p>
Details: _____ _____ _____	

Trait 3: _____ vs _____	<p style="text-align: center;">Phenotypes</p> <div style="display: flex; justify-content: space-around; align-items: center;"><div style="border: 1px solid black; width: 100px; height: 100px;"></div>vs<div style="border: 1px solid black; width: 100px; height: 100px;"></div></div> <p style="text-align: center;">Genotypes</p> <p style="text-align: center;">_____ vs _____</p>
Details: _____ _____ _____	

Trait 4: _____ vs _____	<p style="text-align: center;">Phenotypes</p> <div style="display: flex; justify-content: space-around; align-items: center;"><div style="border: 1px solid black; width: 100px; height: 100px;"></div>vs<div style="border: 1px solid black; width: 100px; height: 100px;"></div></div> <p style="text-align: center;">Genotypes</p> <p style="text-align: center;">_____ vs _____</p>
Details: _____ _____ _____	

Gummy Worm Karyotype Game

Instructions:

1. Prepare gummy worms according to instructions for the gummy worm karyotype activity.
2. Print off the Trait Key and Fruit Fly Phenotype Cards.
3. Cut out the 16 fruit fly phenotypes. Color them to match their description.
4. Take turns arranging karyotypes and matching the cards by playing one of the following versions of the Karyotype game!

**Note that although the Y and number 4 chromosome are colored in this template, there are no traits being tracked for these chromosomes in the karyotype game.*

It's a race!

All 16 phenotype cards are placed face up. One person arranges a karyotype from either gummy worms or paper chromosomes. The karyotype is revealed to the players, who then race to find the correct phenotype card. The first person to choose the correct card earns a point! Play to 10 points.

Reverse it

Shuffle the phenotype cards and draw one at random. The player then uses gummy worms or paper chromosomes to arrange a karyotype that would produce that phenotype.

For a more advanced version, don't look at the trait key while building the phenotype! Just use it after the karyotype is made to check and see if it's correct. If it is, the player earns a point! Play to 10 points.

Double Trouble

Shuffle the phenotype cards and draw one at random. Each player should have a piece of paper and pencil and will draw a karyotype to match the phenotype card, making sure that their answer is not visible to the other player.



The karyotypes are revealed. If they match, neither player gets a point. If the karyotypes are different but both produce the same phenotype, each player receives 2 points. If either player creates a karyotype that does not match the card, both players lose 1 point. Play until 10 points.

Trait Key

















XX chromosomes = female
 XY chromosome pair = male
 Dominant trait in X = red eyes
 Recessive trait in X = white eyes
 Dominant trait in 2 = functional wings
 Recessive trait in 2 = miniature wings (flightless)
 Dominant trait in 3 = yellow body color
 Recessive trait in 3 = ebony or black body color


Chromosome Templates

Can be used in place of gummy worms for either gummy worm karyotypes or meiosis. Print this page twice, so there are 4 copies of each chromosome.










Fruit Fly Phenotype Cards

 <p>♂ Yellow, winged, red-eyed male</p>	 <p>♂ Yellow, flightless, red-eyed male</p>	 <p>♂ Yellow, winged, white-eyed male</p>	 <p>♂ Yellow, flightless, white-eyed male</p>
 <p>♀ Yellow, winged, red-eyed female</p>	 <p>♀ Yellow, flightless, red-eyed female</p>	 <p>♀ Yellow, winged, white-eyed</p>	 <p>♀ Yellow, flightless, white-eyed female</p>
 <p>♂ Ebony, winged, red-eyed male</p>	 <p>♂ Ebony, flightless, red-eyed male</p>	 <p>♂ Ebony, winged, white-eyed male</p>	 <p>♂ Ebony, flightless, white-eyed male</p>
 <p>♀ Ebony, winged, red-eyed female</p>	 <p>♀ Ebony, flightless, red-eyed female</p>	 <p>♀ Ebony, winged, white-eyed</p>	 <p>♀ Ebony, flightless, white-eyed female</p>




Journey of the H.M.S. Beagle



Hands-on Science Project

BUILD A TIMELINE OF LIFE ON EARTH

MATERIALS:



Print each of the 10 pages that follow. Print single-sided. Then choose a color for each of the circles below. Color the corresponding portion of the timeline to match. (Note that the Pangea circle overlaps two periods of time, the Carboniferous and Permian). Then cut along the dotted lines to create the narrow strips of paper for your timeline. Tape the strips together so that they form a continuous timeline of life on Earth!

**Note: The entire timeline will be approximately 80 ft (25 m) long. Each inch represents 5 million years of time! If you do not have room to lay out the entire timeline, you can put together 10 foot segments and line them up on a wall or floor.*




As an optional extension, cut strips of colored paper to represent the four eons of Earth's history, and use these as a colorful backing to the timeline.

EON	TIME	NOTABLE EVENT(S)
Hadean	4.6 - 4 billion years ago	Earth formed and the surface cooled.
Archaean	4 - 2.5 billion years ago	First bacteria evolved. Atmosphere lacked oxygen.
Proterozoic	2.5 billion - 541 MYA	Oxygen entered the atmosphere.
Phanerozoic	541 MYA - present	This era includes everything from the Cambrian explosion onward.


For example:



MYA = Million Years Ago




THE CAMBRIAN EXPLOSION



55.6 MILLION YEARS

Cambrian
541-484.5 MYA

THE ORDOVICIAN RADIATION




42 MILLION YEARS

Ordovician
484.5-443.4 MYA

LIFE BECOMES TERRESTRIAL


FIRST!



24.2 MILLION YEARS

Silurian
443.4-419.2 MYA

THE AGE OF FISHES



60.3 MILLION YEARS

Devonian
419.2-358.9 MYA


GIANT INSECTS RULE THE LAND



60 MILLION YEARS

Carboniferous
358.9-298.9 MYA


LAND REPTILES DIVERSIFY



46.7 MILLION YEARS

Permian
298.9-252.2 MYA


THE FIRST DINOSAURS



50.9 MILLION YEARS

Triassic
252.2-201.3 MYA


THE FIRST MAMMALS



56.3 MILLION YEARS

Jurassic
201.3-145 MYA


THE FIRST FLOWERING PLANTS



79 MILLION YEARS

Cretaceous
145-66 MYA

THE AGE OF MAMMALS BEGINS



43 MILLION YEARS

Paleogene
66-23 MYA

NORTH AND SOUTH AMERICA CONNECT




LET'S JOIN TOGETHER.

THIS WILL CHANGE OCEAN CURRENTS!

20.4 MILLION YEARS

Neogene
23-2.58 MYA

GLACIATION AND ICE SHEETS



2.5+ MILLION YEARS

Quaternary
2.58 MYA - PRESENT

CUT HERE SO THE STRIPS ARE THE SAME SIZE

450 MILLION YEARS AGO

445 MILLION YEARS AGO

440 MILLION YEARS AGO

435 MILLION YEARS AGO

430 MILLION YEARS AGO

425 MILLION YEARS AGO

420 MILLION YEARS AGO

415 MILLION YEARS AGO

410 MILLION YEARS AGO

405 MILLION YEARS AGO

400 MILLION YEARS AGO

395 MILLION YEARS AGO

390 MILLION YEARS AGO

385 MILLION YEARS AGO

380 MILLION YEARS AGO

375 MILLION YEARS AGO

370 MILLION YEARS AGO

365 MILLION YEARS AGO

360 MILLION YEARS AGO

355 MILLION YEARS AGO

350 MILLION YEARS AGO

345 MILLION YEARS AGO

340 MILLION YEARS AGO

335 MILLION YEARS AGO

330 MILLION YEARS AGO

325 MILLION YEARS AGO

320 MILLION YEARS AGO

315 MILLION YEARS AGO

310 MILLION YEARS AGO

305 MILLION YEARS AGO

300 MILLION YEARS AGO

295 MILLION YEARS AGO

290 MILLION YEARS AGO

285 MILLION YEARS AGO

280 MILLION YEARS AGO

275 MILLION YEARS AGO

270 MILLION YEARS AGO

265 MILLION YEARS AGO

260 MILLION YEARS AGO

255 MILLION YEARS AGO

250 MILLION YEARS AGO

245 MILLION YEARS AGO

240 MILLION YEARS AGO

235 MILLION YEARS AGO

230 MILLION YEARS AGO

225 MILLION YEARS AGO

220 MILLION YEARS AGO

215 MILLION YEARS AGO

210 MILLION YEARS AGO

205 MILLION YEARS AGO

200 MILLION YEARS AGO

195 MILLION YEARS AGO

190 MILLION YEARS AGO

185 MILLION YEARS AGO

180 MILLION YEARS AGO

175 MILLION YEARS AGO

170 MILLION YEARS AGO

165 MILLION YEARS AGO

160 MILLION YEARS AGO

155 MILLION YEARS AGO

150 MILLION YEARS AGO

145 MILLION YEARS AGO

140 MILLION YEARS AGO

135 MILLION YEARS AGO

130 MILLION YEARS AGO

125 MILLION YEARS AGO

120 MILLION YEARS AGO

115 MILLION YEARS AGO

110 MILLION YEARS AGO

105 MILLION YEARS AGO

100 MILLION YEARS AGO

95 MILLION YEARS AGO

90 MILLION YEARS AGO

85 MILLION YEARS AGO

80 MILLION YEARS AGO

75 MILLION YEARS AGO

70 MILLION YEARS AGO

65 MILLION YEARS AGO

60 MILLION YEARS AGO

55 MILLION YEARS AGO

50 MILLION YEARS AGO

45 MILLION YEARS AGO

40 MILLION YEARS AGO

35 MILLION YEARS AGO

30 MILLION YEARS AGO

25 MILLION YEARS AGO

20 MILLION YEARS AGO



15 MILLION YEARS AGO

10 MILLION YEARS AGO

5 MILLION YEARS AGO

PRESENT

50 MYA



1,350 MILLION
YEARS AGO

1,345 MILLION
YEARS AGO

1,340 MILLION
YEARS AGO

1,335 MILLION
YEARS AGO

1,330 MILLION
YEARS AGO

1,325 MILLION
YEARS AGO

1,320 MILLION
YEARS AGO

1,315 MILLION
YEARS AGO

1,310 MILLION
YEARS AGO

1,305 MILLION
YEARS AGO

1,300 MILLION
YEARS AGO

1,295 MILLION
YEARS AGO

1,290 MILLION
YEARS AGO

1,285 MILLION
YEARS AGO

1,280 MILLION
YEARS AGO

1,275 MILLION
YEARS AGO

1,270 MILLION
YEARS AGO

1,265 MILLION
YEARS AGO

1,260 MILLION
YEARS AGO

1,255 MILLION
YEARS AGO

1,250 MILLION
YEARS AGO

1,245 MILLION
YEARS AGO

1,240 MILLION
YEARS AGO

1,235 MILLION
YEARS AGO

1,230 MILLION
YEARS AGO

1,225 MILLION
YEARS AGO

1,220 MILLION
YEARS AGO

1,215 MILLION
YEARS AGO

1,210 MILLION
YEARS AGO

1,205 MILLION
YEARS AGO

1,200 MILLION
YEARS AGO

1,195 MILLION
YEARS AGO

1,190 MILLION
YEARS AGO

1,185 MILLION
YEARS AGO

1,180 MILLION
YEARS AGO

1,175 MILLION
YEARS AGO

1,170 MILLION
YEARS AGO

1,165 MILLION
YEARS AGO

1,160 MILLION
YEARS AGO

1,155 MILLION
YEARS AGO

1,150 MILLION
YEARS AGO

1,145 MILLION
YEARS AGO

1,140 MILLION
YEARS AGO

1,135 MILLION
YEARS AGO

1,130 MILLION
YEARS AGO

1,125 MILLION
YEARS AGO

1,120 MILLION
YEARS AGO

1,115 MILLION
YEARS AGO

1,110 MILLION
YEARS AGO

1,105 MILLION
YEARS AGO

1,100 MILLION
YEARS AGO

1,095 MILLION
YEARS AGO

1,090 MILLION
YEARS AGO

1,085 MILLION
YEARS AGO

1,080 MILLION
YEARS AGO

1,075 MILLION
YEARS AGO

1,070 MILLION
YEARS AGO

1,065 MILLION
YEARS AGO

1,060 MILLION
YEARS AGO

1,055 MILLION
YEARS AGO

1,050 MILLION
YEARS AGO

1,045 MILLION
YEARS AGO

1,040 MILLION
YEARS AGO

1,035 MILLION
YEARS AGO

1,030 MILLION
YEARS AGO

1,025 MILLION
YEARS AGO

1,020 MILLION
YEARS AGO

1,015 MILLION
YEARS AGO

1,010 MILLION
YEARS AGO

1,005 MILLION
YEARS AGO

1 BILLION
YEARS AGO

995 MILLION
YEARS AGO

990 MILLION
YEARS AGO

985 MILLION
YEARS AGO

980 MILLION
YEARS AGO

975 MILLION
YEARS AGO

970 MILLION
YEARS AGO

965 MILLION
YEARS AGO

960 MILLION
YEARS AGO

955 MILLION
YEARS AGO

950 MILLION
YEARS AGO

945 MILLION
YEARS AGO

940 MILLION
YEARS AGO

935 MILLION
YEARS AGO

930 MILLION
YEARS AGO

925 MILLION
YEARS AGO

920 MILLION
YEARS AGO

915 MILLION
YEARS AGO

910 MILLION
YEARS AGO

905 MILLION
YEARS AGO

1,800 MILLION
YEARS AGO

1,795 MILLION
YEARS AGO

1,790 MILLION
YEARS AGO

1,785 MILLION
YEARS AGO

1,780 MILLION
YEARS AGO

1,775 MILLION
YEARS AGO

1,770 MILLION
YEARS AGO

1,765 MILLION
YEARS AGO

1,760 MILLION
YEARS AGO

1,755 MILLION
YEARS AGO

1,750 MILLION
YEARS AGO

1,745 MILLION
YEARS AGO

1,740 MILLION
YEARS AGO

1,735 MILLION
YEARS AGO

1,730 MILLION
YEARS AGO

1,725 MILLION
YEARS AGO

1,720 MILLION
YEARS AGO

1,715 MILLION
YEARS AGO

1,710 MILLION
YEARS AGO

1,705 MILLION
YEARS AGO

1,700 MILLION
YEARS AGO

1,695 MILLION
YEARS AGO

1,690 MILLION
YEARS AGO

1,685 MILLION
YEARS AGO

1,680 MILLION
YEARS AGO

1,675 MILLION
YEARS AGO

1,670 MILLION
YEARS AGO

1,665 MILLION
YEARS AGO

1,660 MILLION
YEARS AGO

1,655 MILLION
YEARS AGO

1,650 MILLION
YEARS AGO

1,645 MILLION
YEARS AGO

1,640 MILLION
YEARS AGO

1,635 MILLION
YEARS AGO

1,630 MILLION
YEARS AGO

1,625 MILLION
YEARS AGO

1,620 MILLION
YEARS AGO

1,615 MILLION
YEARS AGO

1,610 MILLION
YEARS AGO

1,605 MILLION
YEARS AGO

1,600 MILLION
YEARS AGO

1,595 MILLION
YEARS AGO

1,590 MILLION
YEARS AGO

1,585 MILLION
YEARS AGO

1,580 MILLION
YEARS AGO

1,575 MILLION
YEARS AGO

1,570 MILLION
YEARS AGO

1,565 MILLION
YEARS AGO

1,560 MILLION
YEARS AGO

1,555 MILLION
YEARS AGO

1,550 MILLION
YEARS AGO

1,545 MILLION
YEARS AGO

1,540 MILLION
YEARS AGO

1,535 MILLION
YEARS AGO

1,530 MILLION
YEARS AGO

1,525 MILLION
YEARS AGO

1,520 MILLION
YEARS AGO

1,515 MILLION
YEARS AGO

1,510 MILLION
YEARS AGO

1,505 MILLION
YEARS AGO

1,500 MILLION
YEARS AGO

1,495 MILLION
YEARS AGO

1,490 MILLION
YEARS AGO

1,485 MILLION
YEARS AGO

1,480 MILLION
YEARS AGO

1,475 MILLION
YEARS AGO

1,470 MILLION
YEARS AGO

1,465 MILLION
YEARS AGO

1,460 MILLION
YEARS AGO

1,455 MILLION
YEARS AGO

1,450 MILLION
YEARS AGO

1,445 MILLION
YEARS AGO

1,440 MILLION
YEARS AGO

1,435 MILLION
YEARS AGO

1,430 MILLION
YEARS AGO

1,425 MILLION
YEARS AGO

1,420 MILLION
YEARS AGO

1,415 MILLION
YEARS AGO

1,410 MILLION
YEARS AGO

1,405 MILLION
YEARS AGO

1,400 MILLION
YEARS AGO

1,395 MILLION
YEARS AGO

1,390 MILLION
YEARS AGO

1,385 MILLION
YEARS AGO

1,380 MILLION
YEARS AGO

1,375 MILLION
YEARS AGO

1,370 MILLION
YEARS AGO

1,365 MILLION
YEARS AGO

1,360 MILLION
YEARS AGO

1,355 MILLION
YEARS AGO

2,250 MILLION YEARS AGO

2,245 MILLION YEARS AGO

2,240 MILLION YEARS AGO

2,235 MILLION YEARS AGO

2,230 MILLION YEARS AGO

2,225 MILLION YEARS AGO

2,220 MILLION YEARS AGO

2,215 MILLION YEARS AGO

2,210 MILLION YEARS AGO

2,205 MILLION YEARS AGO

2,200 MILLION YEARS AGO

2,195 MILLION YEARS AGO

2,190 MILLION YEARS AGO

2,185 MILLION YEARS AGO

2,180 MILLION YEARS AGO

2,175 MILLION YEARS AGO

2,170 MILLION YEARS AGO

2,165 MILLION YEARS AGO

2,160 MILLION YEARS AGO

2,155 MILLION YEARS AGO

2,150 MILLION YEARS AGO

2,145 MILLION YEARS AGO

2,140 MILLION YEARS AGO

2,135 MILLION YEARS AGO

2,130 MILLION YEARS AGO

2,125 MILLION YEARS AGO

2,120 MILLION YEARS AGO

2,115 MILLION YEARS AGO

2,110 MILLION YEARS AGO

2,105 MILLION YEARS AGO

2,100 MILLION YEARS AGO

2,095 MILLION YEARS AGO

2,090 MILLION YEARS AGO

2,085 MILLION YEARS AGO

2,080 MILLION YEARS AGO

2,075 MILLION YEARS AGO

2,070 MILLION YEARS AGO

2,065 MILLION YEARS AGO

2,060 MILLION YEARS AGO

2,055 MILLION YEARS AGO

2,050 MILLION YEARS AGO

2,045 MILLION YEARS AGO

2,040 MILLION YEARS AGO

2,035 MILLION YEARS AGO

2,030 MILLION YEARS AGO

2,025 MILLION YEARS AGO

2,020 MILLION YEARS AGO

2,015 MILLION YEARS AGO

2,010 MILLION YEARS AGO

2,005 MILLION YEARS AGO

2 BILLION YEARS AGO

1,995 MILLION YEARS AGO

1,990 MILLION YEARS AGO

1,985 MILLION YEARS AGO

1,980 MILLION YEARS AGO

1,975 MILLION YEARS AGO

1,970 MILLION YEARS AGO

1,965 MILLION YEARS AGO

1,960 MILLION YEARS AGO

1,955 MILLION YEARS AGO

1,950 MILLION YEARS AGO

1,945 MILLION YEARS AGO

1,940 MILLION YEARS AGO

1,935 MILLION YEARS AGO

1,930 MILLION YEARS AGO

1,925 MILLION YEARS AGO

1,920 MILLION YEARS AGO

1,915 MILLION YEARS AGO

1,910 MILLION YEARS AGO

1,905 MILLION YEARS AGO

1,900 MILLION YEARS AGO

1,895 MILLION YEARS AGO

1,890 MILLION YEARS AGO

1,885 MILLION YEARS AGO

1,880 MILLION YEARS AGO

1,875 MILLION YEARS AGO

1,870 MILLION YEARS AGO

1,865 MILLION YEARS AGO

1,860 MILLION YEARS AGO

1,855 MILLION YEARS AGO

1,850 MILLION YEARS AGO

1,845 MILLION YEARS AGO

1,840 MILLION YEARS AGO

1,835 MILLION YEARS AGO

1,830 MILLION YEARS AGO

1,825 MILLION YEARS AGO

1,820 MILLION YEARS AGO

1,815 MILLION YEARS AGO

1,810 MILLION YEARS AGO

1,805 MILLION YEARS AGO

2,700 MILLION YEARS AGO
2,695 MILLION YEARS AGO
2,690 MILLION YEARS AGO
2,685 MILLION YEARS AGO
2,680 MILLION YEARS AGO
2,675 MILLION YEARS AGO
2,670 MILLION YEARS AGO
2,665 MILLION YEARS AGO
2,660 MILLION YEARS AGO
2,655 MILLION YEARS AGO

2,650 MILLION YEARS AGO
2,645 MILLION YEARS AGO
2,640 MILLION YEARS AGO
2,635 MILLION YEARS AGO
2,630 MILLION YEARS AGO
2,625 MILLION YEARS AGO
2,620 MILLION YEARS AGO
2,615 MILLION YEARS AGO
2,610 MILLION YEARS AGO
2,605 MILLION YEARS AGO

2,600 MILLION YEARS AGO
2,595 MILLION YEARS AGO
2,590 MILLION YEARS AGO
2,585 MILLION YEARS AGO
2,580 MILLION YEARS AGO
2,575 MILLION YEARS AGO
2,570 MILLION YEARS AGO
2,565 MILLION YEARS AGO
2,560 MILLION YEARS AGO
2,555 MILLION YEARS AGO

2,550 MILLION YEARS AGO
2,545 MILLION YEARS AGO
2,540 MILLION YEARS AGO
2,535 MILLION YEARS AGO
2,530 MILLION YEARS AGO
2,525 MILLION YEARS AGO
2,520 MILLION YEARS AGO
2,515 MILLION YEARS AGO
2,510 MILLION YEARS AGO
2,505 MILLION YEARS AGO

2,500 MILLION YEARS AGO
2,495 MILLION YEARS AGO
2,490 MILLION YEARS AGO
2,485 MILLION YEARS AGO
2,480 MILLION YEARS AGO
2,475 MILLION YEARS AGO
2,470 MILLION YEARS AGO
2,465 MILLION YEARS AGO
2,460 MILLION YEARS AGO
2,455 MILLION YEARS AGO

2,450 MILLION YEARS AGO
2,445 MILLION YEARS AGO
2,440 MILLION YEARS AGO
2,435 MILLION YEARS AGO
2,430 MILLION YEARS AGO
2,425 MILLION YEARS AGO
2,420 MILLION YEARS AGO
2,415 MILLION YEARS AGO
2,410 MILLION YEARS AGO
2,405 MILLION YEARS AGO

2,400 MILLION YEARS AGO
2,395 MILLION YEARS AGO
2,390 MILLION YEARS AGO
2,385 MILLION YEARS AGO
2,380 MILLION YEARS AGO
2,375 MILLION YEARS AGO
2,370 MILLION YEARS AGO
2,365 MILLION YEARS AGO
2,360 MILLION YEARS AGO
2,355 MILLION YEARS AGO

2,350 MILLION YEARS AGO
2,345 MILLION YEARS AGO
2,340 MILLION YEARS AGO
2,335 MILLION YEARS AGO
2,330 MILLION YEARS AGO
2,325 MILLION YEARS AGO
2,320 MILLION YEARS AGO
2,315 MILLION YEARS AGO
2,310 MILLION YEARS AGO
2,305 MILLION YEARS AGO

2,300 MILLION YEARS AGO
2,295 MILLION YEARS AGO
2,290 MILLION YEARS AGO
2,285 MILLION YEARS AGO
2,280 MILLION YEARS AGO
2,275 MILLION YEARS AGO
2,270 MILLION YEARS AGO
2,265 MILLION YEARS AGO
2,260 MILLION YEARS AGO
2,255 MILLION YEARS AGO

3,150 MILLION
YEARS AGO

3,145 MILLION
YEARS AGO

3,140 MILLION
YEARS AGO

3,135 MILLION
YEARS AGO

3,130 MILLION
YEARS AGO

3,125 MILLION
YEARS AGO

3,120 MILLION
YEARS AGO

3,115 MILLION
YEARS AGO

3,110 MILLION
YEARS AGO

3,105 MILLION
YEARS AGO

3,100 MILLION
YEARS AGO

3,095 MILLION
YEARS AGO

3,090 MILLION
YEARS AGO

3,085 MILLION
YEARS AGO

3,080 MILLION
YEARS AGO

3,075 MILLION
YEARS AGO

3,070 MILLION
YEARS AGO

3,065 MILLION
YEARS AGO

3,060 MILLION
YEARS AGO

3,055 MILLION
YEARS AGO

3,050 MILLION
YEARS AGO

3,045 MILLION
YEARS AGO

3,040 MILLION
YEARS AGO

3,035 MILLION
YEARS AGO

3,030 MILLION
YEARS AGO

3,025 MILLION
YEARS AGO

3,020 MILLION
YEARS AGO

3,015 MILLION
YEARS AGO

3,010 MILLION
YEARS AGO

3,005 MILLION
YEARS AGO

3 BILLION
YEARS AGO

2,995 MILLION
YEARS AGO

2,990 MILLION
YEARS AGO

2,985 MILLION
YEARS AGO

2,980 MILLION
YEARS AGO

2,975 MILLION
YEARS AGO

2,970 MILLION
YEARS AGO

2,965 MILLION
YEARS AGO

2,960 MILLION
YEARS AGO

2,955 MILLION
YEARS AGO

2,950 MILLION
YEARS AGO

2,945 MILLION
YEARS AGO

2,940 MILLION
YEARS AGO

2,935 MILLION
YEARS AGO

2,930 MILLION
YEARS AGO

2,925 MILLION
YEARS AGO

2,920 MILLION
YEARS AGO

2,915 MILLION
YEARS AGO

2,910 MILLION
YEARS AGO

2,905 MILLION
YEARS AGO

2,900 MILLION
YEARS AGO

2,895 MILLION
YEARS AGO

2,890 MILLION
YEARS AGO

2,885 MILLION
YEARS AGO

2,880 MILLION
YEARS AGO

2,875 MILLION
YEARS AGO

2,870 MILLION
YEARS AGO

2,865 MILLION
YEARS AGO

2,860 MILLION
YEARS AGO

2,855 MILLION
YEARS AGO

2,850 MILLION
YEARS AGO

2,845 MILLION
YEARS AGO

2,840 MILLION
YEARS AGO

2,835 MILLION
YEARS AGO

2,830 MILLION
YEARS AGO

2,825 MILLION
YEARS AGO

2,820 MILLION
YEARS AGO

2,815 MILLION
YEARS AGO

2,810 MILLION
YEARS AGO

2,805 MILLION
YEARS AGO

2,800 MILLION
YEARS AGO

2,795 MILLION
YEARS AGO

2,790 MILLION
YEARS AGO

2,785 MILLION
YEARS AGO

2,780 MILLION
YEARS AGO

2,775 MILLION
YEARS AGO

2,770 MILLION
YEARS AGO

2,765 MILLION
YEARS AGO

2,760 MILLION
YEARS AGO

2,755 MILLION
YEARS AGO

2,750 MILLION
YEARS AGO

2,745 MILLION
YEARS AGO

2,740 MILLION
YEARS AGO

2,735 MILLION
YEARS AGO

2,730 MILLION
YEARS AGO

2,725 MILLION
YEARS AGO

2,720 MILLION
YEARS AGO

2,715 MILLION
YEARS AGO

2,710 MILLION
YEARS AGO

2,705 MILLION
YEARS AGO

3,600 MILLION YEARS AGO
3,595 MILLION YEARS AGO
3,590 MILLION YEARS AGO
3,585 MILLION YEARS AGO
3,580 MILLION YEARS AGO
3,575 MILLION YEARS AGO
3,570 MILLION YEARS AGO
3,565 MILLION YEARS AGO
3,560 MILLION YEARS AGO
3,555 MILLION YEARS AGO

3,550 MILLION YEARS AGO
3,545 MILLION YEARS AGO
3,540 MILLION YEARS AGO
3,535 MILLION YEARS AGO
3,530 MILLION YEARS AGO
3,525 MILLION YEARS AGO
3,520 MILLION YEARS AGO
3,515 MILLION YEARS AGO
3,510 MILLION YEARS AGO
3,505 MILLION YEARS AGO

3,500 MILLION YEARS AGO
3,495 MILLION YEARS AGO
3,490 MILLION YEARS AGO
3,485 MILLION YEARS AGO
3,480 MILLION YEARS AGO
3,475 MILLION YEARS AGO
3,470 MILLION YEARS AGO
3,465 MILLION YEARS AGO
3,460 MILLION YEARS AGO
3,455 MILLION YEARS AGO

3,450 MILLION YEARS AGO
3,445 MILLION YEARS AGO
3,440 MILLION YEARS AGO
3,435 MILLION YEARS AGO
3,430 MILLION YEARS AGO
3,425 MILLION YEARS AGO
3,420 MILLION YEARS AGO
3,415 MILLION YEARS AGO
3,410 MILLION YEARS AGO
3,405 MILLION YEARS AGO

3,400 MILLION YEARS AGO
3,395 MILLION YEARS AGO
3,390 MILLION YEARS AGO
3,385 MILLION YEARS AGO
3,380 MILLION YEARS AGO
3,375 MILLION YEARS AGO
3,370 MILLION YEARS AGO
3,365 MILLION YEARS AGO
3,360 MILLION YEARS AGO
3,355 MILLION YEARS AGO

3,350 MILLION YEARS AGO
3,345 MILLION YEARS AGO
3,340 MILLION YEARS AGO
3,335 MILLION YEARS AGO
3,330 MILLION YEARS AGO
3,325 MILLION YEARS AGO
3,320 MILLION YEARS AGO
3,315 MILLION YEARS AGO
3,310 MILLION YEARS AGO
3,305 MILLION YEARS AGO

3,300 MILLION YEARS AGO
3,295 MILLION YEARS AGO
3,290 MILLION YEARS AGO
3,285 MILLION YEARS AGO
3,280 MILLION YEARS AGO
3,275 MILLION YEARS AGO
3,270 MILLION YEARS AGO
3,265 MILLION YEARS AGO
3,260 MILLION YEARS AGO
3,255 MILLION YEARS AGO

3,250 MILLION YEARS AGO
3,245 MILLION YEARS AGO
3,240 MILLION YEARS AGO
3,235 MILLION YEARS AGO
3,230 MILLION YEARS AGO
3,225 MILLION YEARS AGO
3,220 MILLION YEARS AGO
3,215 MILLION YEARS AGO
3,210 MILLION YEARS AGO
3,205 MILLION YEARS AGO

3,200 MILLION YEARS AGO
3,195 MILLION YEARS AGO
3,190 MILLION YEARS AGO
3,185 MILLION YEARS AGO
3,180 MILLION YEARS AGO
3,175 MILLION YEARS AGO
3,170 MILLION YEARS AGO
3,165 MILLION YEARS AGO
3,160 MILLION YEARS AGO
3,155 MILLION YEARS AGO

4,050 MILLION YEARS AGO
4,045 MILLION YEARS AGO
4,040 MILLION YEARS AGO
4,035 MILLION YEARS AGO
4,030 MILLION YEARS AGO
4,025 MILLION YEARS AGO
4,020 MILLION YEARS AGO
4,015 MILLION YEARS AGO
4,010 MILLION YEARS AGO
4,005 MILLION YEARS AGO

4 BILLION YEARS AGO
3,995 MILLION YEARS AGO
3,990 MILLION YEARS AGO
3,985 MILLION YEARS AGO
3,980 MILLION YEARS AGO
3,975 MILLION YEARS AGO
3,970 MILLION YEARS AGO
3,965 MILLION YEARS AGO
3,960 MILLION YEARS AGO
3,955 MILLION YEARS AGO

3,950 MILLION YEARS AGO
3,945 MILLION YEARS AGO
3,940 MILLION YEARS AGO
3,935 MILLION YEARS AGO
3,930 MILLION YEARS AGO
3,925 MILLION YEARS AGO
3,920 MILLION YEARS AGO
3,915 MILLION YEARS AGO
3,910 MILLION YEARS AGO
3,905 MILLION YEARS AGO

3,900 MILLION YEARS AGO
3,895 MILLION YEARS AGO
3,890 MILLION YEARS AGO
3,885 MILLION YEARS AGO
3,880 MILLION YEARS AGO
3,875 MILLION YEARS AGO
3,870 MILLION YEARS AGO
3,865 MILLION YEARS AGO
3,860 MILLION YEARS AGO
3,855 MILLION YEARS AGO

3,850 MILLION YEARS AGO
3,845 MILLION YEARS AGO
3,840 MILLION YEARS AGO
3,835 MILLION YEARS AGO
3,830 MILLION YEARS AGO
3,825 MILLION YEARS AGO
3,820 MILLION YEARS AGO
3,815 MILLION YEARS AGO
3,810 MILLION YEARS AGO
3,805 MILLION YEARS AGO

3,800 MILLION YEARS AGO
3,795 MILLION YEARS AGO
3,790 MILLION YEARS AGO
3,785 MILLION YEARS AGO
3,780 MILLION YEARS AGO
3,775 MILLION YEARS AGO
3,770 MILLION YEARS AGO
3,765 MILLION YEARS AGO
3,760 MILLION YEARS AGO
3,755 MILLION YEARS AGO

3,750 MILLION YEARS AGO
3,745 MILLION YEARS AGO
3,740 MILLION YEARS AGO
3,735 MILLION YEARS AGO
3,730 MILLION YEARS AGO
3,725 MILLION YEARS AGO
3,720 MILLION YEARS AGO
3,715 MILLION YEARS AGO
3,710 MILLION YEARS AGO
3,705 MILLION YEARS AGO

3,700 MILLION YEARS AGO
3,695 MILLION YEARS AGO
3,690 MILLION YEARS AGO
3,685 MILLION YEARS AGO
3,680 MILLION YEARS AGO
3,675 MILLION YEARS AGO
3,670 MILLION YEARS AGO
3,665 MILLION YEARS AGO
3,660 MILLION YEARS AGO
3,655 MILLION YEARS AGO

3,650 MILLION YEARS AGO
3,645 MILLION YEARS AGO
3,640 MILLION YEARS AGO
3,635 MILLION YEARS AGO
3,630 MILLION YEARS AGO
3,625 MILLION YEARS AGO
3,620 MILLION YEARS AGO
3,615 MILLION YEARS AGO
3,610 MILLION YEARS AGO
3,605 MILLION YEARS AGO

Eon	Era	Period	Years (millions of years ago or MYA)
PHANEROZOIC	Cenozoic	Quaternary (Pleistocene/Holocene)	2.588 to 0
		Neogene (Miocene/Pliocene)	23.03 to 2.588
		Paleogene (Paleocene/Eocene/Oligocene)	66.0 to 23.03
	Mesozoic	Cretaceous	145.0 to 66.0
		Jurassic	201.3 to 145.0
		Triassic	252.17 to 201.3
	Paleozoic	Permian	298.9 to 252.17
		Carboniferous (Mississippian/Pennsylvanian)	358.9 to 298.9
		Devonian	419.2 to 358.9
		Silurian	443.4 to 419.2
		Ordovician	485.4 to 443.4
		Cambrian	541.0 to 485.4
	PROTEROZOIC	Neoproterozoic	Ediacaran
Cryogenian			720 to 635
Tonian			1,000 to 720
Mesoproterozoic		Stenian	1,200 to 1,000
		Ectasian	1,400 to 1,200
		Calymmian	1,600 to 1,400
Paleoproterozoic		Statherian	1,800 to 1,600
		Orosirian	2,050 to 1,800
		Rhyacian	2,300 to 2,050
		Siderian	2,500 to 2,300
ARCHEAN	Neoarchean, Mesoarchean, Paleoarchean, Eoarchean	<i>Not divided into periods</i>	2,500 to 4,000
HADEAN	<i>Not divided into eras</i>		Formation of Earth to 4,000

*Some sources have slightly different start and end dates for different periods and eras, and that's okay! Remember that people invented periods, eras, and eons to help them study geologic history. Often the event that defines the end of one period and the beginning of another is an extinction event that spans hundreds of thousands or even millions of years.

