

# Physics 1

# KINEMATICS, NEWTON'S LAWS, FORCES, MACHINES, AND ROTATIONAL MOTION

Lesson	Date	Торіс	Pages
Intro	Wednesday Sep 6	Introduction & Quiz Show Practice	-
1	Monday, Sep 11	What is Physics?	4-7
2	Wednesday, Sep 13	Mighty Measures	8-14
3	self-paced	Fun Physics Tricks	15-17
4	Monday, Sep 18	Tracking Motion	18-22
5	Wednesday, Sep 20	Graphing Motion	23-27
6	self-paced	Physics Memory Game	28
7	Monday, Sep 25	Velocity	29-33
8	Wednesday, Sep 27	Acceleration	34-36
9	self-paced	Function Carnival and Degree Golf	37-39
10	Monday, Oct 2	Relative Motion and Combining Vectors	40-43
11	Wednesday, Oct 4	LINEAR MOTION QUIZ SHOW	-
12	self-paced	Assessment	44-47
13	Monday, Oct 9	Forces	48-53
14	Wednesday, Oct 11	Free Body Diagrams	54-58
15	self-paced	Cup Stack Challenge	59
16	Monday, Oct 16	The Law of Inertia	60-63
17	Wednesday, Oct 18	Mass vs Weight	64-66
18	self-paced	Inertia Experiments	67-70
19	Monday, Oct 23	Newton's Second Law	71-75
20	Wednesday, Oct 25	Actions and Reactions	76-79
21	self-paced	Balloon Races	80-81
22	Monday, Oct 30	Gravity and Free Fall	82-86
23	Wednesday, Nov 1	Space Station Physics	87-89
24	self-paced	Lab Reports and Gravity Project	90-95
25	Monday, Nov 6	NEWTON'S LAWS QUIZ SHOW	-
26	Wednesday, Nov 8	Kinetic vs Potential Energy	98-102
27	self-paced	Assessment	96-97
28	Monday, Nov 13	Work	103-105
29	Wednesday, Nov 15	Power	106-109
30	self-paced	Double Bounce	110-111
31	Monday,Nov 27	Momentum and Collisions	112-115
32	Wednesday,Nov 29	Center of Mass	116-118
33	self-paced	Racing Wheels and Center of Mass	119-121

Lesson	Date	Торіс	Pages
34	Monday, Dec 4	Rotational Motion	122-123
35	Wednesday, Dec 6	Simple Machines	124-126
36	self-paced	Tensegrity Table	127
37	Monday, Dec 11	Mechanical Advantage	128-129
38	Wednesday, Dec 13	Relativity	130-132
39	self-paced	Rube Goldberg Machine	133
40	Monday, Dec 18	FINAL QUIZ SHOW	-
41	self-paced	Assessment	134-136

### SUPPLY LIST:

#### Lesson 3 - Fun Physics Tricks

- 1 bottle with a narrow neck
- Piece of paper or a dollar bill
- 5 quarters
- 3 matches or flat-tipped toothpicks
- 1 shoelace
- 2 books of approximately the same size

#### Lesson 15 - Cup Stack Challenge

- 5 stackable paper cups
- 4 index cards or squares of paper
- 15 coins (any type)
- 4-6 short lengths of string or ribbon
- Tape

#### Lesson 18 - Inertia Experiments Egg Splash

- Toilet paper tube
- 1 "light" egg
- 1 "heavy" egg
- Aluminum pie pan or piece of cardboard
- A large cup
- Rag or towel (for cleanup)

#### Tablecloth Pull

- Smooth cloth or scarf
- Bath towel
- Flat table surface
- Unbreakable dishes or water bottles

#### Inertia Hat

- Wire cutters (optional)
- Wire hanger
- 2 balls (tennis, wiffle) or other objects

#### Lesson 21 - Racing Balloons

- 2 Balloons
- 2 straws
- 30+ feet of thread or fishing line
- 30+ feet of twine
- Tape
- Clip or clothespin (optional)

#### Lesson 24 - Gravity Project

#### Water Rocket Lab\*

- Empty plastic 2 liter or 1 liter bottles
- A rubber cork and tubing to fit to a bike pump
- Fins to stabilize the bottle

• Bike pump

#### Hang Time Lab

- A tennis ball to throw
- Camera or stopwatch for timing
- Ball launcher

#### Horizontal Motion and Gravity Lab

- 2 identical coins
- Camera for timing
- Ruler
- Measuring tape

#### Lesson 30 - Double Bounce

- A larger ball that bounces such as a basketball or soccer ball
- A smaller ball that bounces such as a tennis ball or racquet ball
- Camera (for timing)
- Glue gun (optional)

#### Lesson 33 - Wheels and Rotation

## Racing Wheels

- 12 Small paper plates
- 3 Pencils
- Pennies or other small weights such as nuts or bolts
- Tape or glue
- Sloped table or ramp
- Nail or drill to make a hole in a paper plate
- Center of Mass
- Paperclip
- Pencil or pen
- Push pin
- Cardboard cereal box
- Straight edge
- String or yarn

#### Lesson 36 - Tensegrity Table

- At least 12 popsicle sticks
- 60 cm (2ft) of string
- A drill
- Hot glue, super glue, or duct tape

#### Lesson 39 - Rube Goldberg Machine

• Use any supplies you have on hand!

\*A water rocket kit is recommended for this activity

# PHYSICS - THE FUNDAMENTAL SCIENCE

Physics is a broad field of science dedicated to understanding matter, space, energy, and time. It has dozens of different areas of specialization!

If you could spend a day working with a physicist, which of these areas would you like to explore? Put a star or checkmark by your top three choices.



Pick one of the topics you selected above. What do you already know about it? What are you curious about?





## DO THE HANDS-ON ACTIVITIES

Gather all of the supplies in advance. Record your results and share them with a friend.

When will you get supplies and where will you store them? Who will you share results with and how? Make a specific plan for doing the activities:



## USE THE NOTES

Fill them out! This can be done in advance, during, or after watching the video lesson.

\_ 0 0 0 0 0 -

Make a specific plan fo	R USING THE NOTES:		



## LEARN THE VOCABULARY

Play the physics vocab memory game, use the vocab list to make flashcards, redefine the terms in your own words, or practice using physics terms in everyday conversations.





## DO ALL OF THE PRACTICE PROBLEMS

Each lesson has a page or two of practice problems that should be completed individually after each lesson. Solve them on your own before looking at the answer key! The practice problems will:

- Give you a solid foundation for more advanced science courses
- Strengthen your critical thinking and reasoning skills
- Show you how math can be used to solve real-world problems

\_\_\_\_\_00000-

• Prepare you to defeat Math Dad in our quiz shows

Make a specific plan for conquering the practice problems. When ai	AND WHERE WILI	L YOU WORK ON THEM?
--	----------------	---------------------

WHAT WILL YOU DO IF THERE IS A PROBLEM YOU DON'T UNDERSTAND?

WHAT WILL YOU DO IF THERE IS A LESSON OR SET OF PRACTICE PROBLEMS THAT FEEL TOO EASY OR BORING?

How will you measure your progress or check your work?

4

# ARE YOU READY FOR PHYSICS?

To build a strong knowledge base in physics you'll need some math skills! How do you feel about each of these areas? If your knowledge is shaky in one of these topics, you should strengthen it before starting this course.

## ) NUMBERS & ARITHMETIC

Ο

0

Strong arithmetic skills with addition, subtraction, multiplication, division, fractions, and decimals.

Can perform calculations using both positive and negative numbers and use a calculator to carry out more complex calculations.

For example: Use a calculator to find the decimal approximation of the number  $\sqrt{31}$  accurate to two decimal places.

## SLOPE & COORDINATE PLANE

Be able to plot and interpret points in the plane.

Can interpret the meaning of a simple graph.

Know that slope is rise over run.

# $\binom{3a=12}{a=?}$ VARIABLES & EQUATIONS

Know that a variable is a letter or symbol representing an unknown value.

Be able to substitute a value in place of a variable.

Can solve a simple equation involving a variable.

For example: 3 + a = 5. What is a? 4x = 12. What is the value of x?

## 2<sup>3</sup> EXPONENTS

Understand and be able to expand exponents.

For example:  $10^3$  means  $10 \cdot 10 \cdot 10$ , which equals 1,000.

Can recognize and interpret numbers in scientific notation (Optional. We won't use scientific notation often and it could be picked up during class.)

For example:  $4.5 \times 10^4 = 45,000$ 



The metric system or SI (International System of Unit	s) is the international
of measurement. The SI has 7 base	_ that are defined in relation to universal
constants. One of SI is that it has	only unit for each quantity
or type of measurement. SI systems uses the same	to represent multiples or
powers of 10. Kilo means 1,000, so a kilometer will alv	vays have 1,000 meters and a kilogram
contains 1,000 grams, etc.	
CONVERTING UN	IITS:
Use the steps shown in the two examples below to comp	lete the next conversions:
1. How many feet long is a marathon?	2. How many meters tall is Math Dad?
A marathon is 26.2 miles.	There are 3.28 feet in 1 meter.
I here are 5,280 feet in I mile.	Math Dad is 5.5 ft tall.
$26.2 \text{ mi} = 26.2 \text{ mi} \cdot 1 \longleftarrow \text{BY ONE, OR SUBSTITUTE}$	5.5 feet = 5.5 ft $\cdot$ 1
SOMETHING OF EQUAL VALUE.	ссо 1 m
$= 26.2 \text{ m} \cdot \frac{1}{1 \text{ mi}} \text{ e}$	$= 5.5 \text{ ft} \cdot \frac{3.28 \text{ ft}}{3.28 \text{ ft}}$
$=\frac{20.2 \text{ m}1 \cdot 5,280 \text{ ft}}{1 \text{ m}}$	$=\frac{5.5 \mu \cdot 1 \text{m}}{3.28 \text{ft}}$
	5.20 yr
= 138,336 ft	= 1.68 m
3. How many marathons would it take to	4. How many minutes Common
EQUAL THE CIRCUMFERENCE OF THE EARTH?	ARE THERE IN JUNE?
Circumference of the Earth = $24,902$ miles.	
	- 7
$\square \prec \preceq$ when we multiply a number by a unit conversion fraction, we're really just multiplying by 1!	
SCIENCE MAM	9

one

advantage

standard

prefixes

units

FILL IN THE BLANKS:



Measuring is an important tool in physics. Can you rank the following from shortest to tallest? Each has been measured accurately, but the measurements are in different units!





Use the table to convert each of the measurements above to meters. Then sketch each object onto the grid below to see how they compare in height to the Great Pyramid of Giza.



# Imperial System1 foot = 12 inches1 mile = 5,280 feetMETRIC SYSTEM1 meter = 1,000 millimeters1 meter = 100 centimeters1 kilometer = 1,000 meters2 kilometer = 1,000 meters1 inch $\approx$ 2.54 centimeters1 mile $\approx$ 1.609 kilometers1 foot $\approx$ 0.3 meters



#### 

Some things, like the volume of a jar, can be measured directly. When candy is in a sealed jar, the number of candies can't be counted directly, but measurements can be used to give a good *estimation*.



A single piece of paper is too thin to be measured with a ruler – or is it? Use the clues below to measure the thickness of a piece of paper *indirectly!* 



#### A MEETING OF IMPERIAL MEASURES



THE BASE UNITS		_	WHERE THEY CAME FROM		BASE UNITS CAN BE COMBINED TO MAKE MANY MORE UNITS!		
			The distance from the North Pole to				
	meter ( <b>m</b> )		the equator divided by ten million 1/86,400 of a day		Circle the units you've seen		
Ō	Time Second ( <b>s</b> )				that are new	new or unfamiliar.	
			The number of stome in 10 grame		hertz	pascal	
	Mole ( <b>mol</b> )		of carbon		newton		
	Electric current		1/10 the electric current that		volt	watt	
لى ا	Ampere (A) produces a cer						
	Temperature Kelvin (K)		Kelvin = Celsius + 273 degrees (the C° temperature scale comes from the freezing/boiling points of water)		lumen	Joule	
Ţ	Luminous intensity Candela ( <b>cd</b> )		The brightness of a standard candle flame	le farad sievert coulo		farad	
<b>K</b> G	Mass Kilogram ( <b>kg</b> )		The weight of one liter of water			coulomb	

Contraction Contra

Fill in the missing prefixes, symbols, and multipliers below:



table in the appendix!

# PRACTICE PROBLEMS - MIGHTY MEASURES

# MATCHING LENGTHS:

Draw a line to match each distance with its best measurement.



## A TABLE ON COMPUTER DATA:

Use your knowledge of the metric system to complete the table below and fill in the blanks below:

Unit:	Number of bytes:	
byte	1	KB = 1 MB.
Kilobyte (KB)	1,000	megabytes = 1 gigabyte.
Megabyte (MB)		GB = 1 PB
Gigabyte (GB)		
Terabyte (TB)		How many kilobytes are in a petabyte?
Petabyte (PB)		

iore money after
1 Ab = 4 Babs 3 Babs = 7 Cabs 2 Cabs = 3 Dabs 7 Dabs = 1 Fab 6 Fabs = 1 Gab
n long. When
) )

# **FUN PHYSICS TRICKS**



remove the counterweight.

# **FUN PHYSICS TRICKS**

# 2) DOLLAR BILL CHALLENGE

1. Place a dollar bill on a bottle and then place 5 large coins such as quarters on top. Challenge a friend to remove the bill without touching the bottle or knocking off the coins.

2. To remove the bill, pinch one end of the bill with one hand. Don't pull. This hand need to remain stationary.

3. Push down with your other index finger to form a bit of a valley.

4. Slap down quickly with the flat index finger, pushing on the area where the dip in the dollar bill was. The other hand that is pinching the dollar bill should remain stationary.

With a bit of practice, you'll be able to push fast enough on the bill that it will slide out but the the coins will stay in place!

# 3 BOOK PULL CHALLENGE

1. Take two books or two packs of post-it notes and place them on a table or other flat surface. Hold up all but the back cover and overlap the back covers so that 1⁄4 to 1⁄2 of one of the pages is covered by the other book.

2. Let the pages flip down so that they alternate.

3. Once the pages have been interwoven and the books are closed, challenge someone to hold on the spine of each book and pull them apart. Can you pull the dollar from beneath the coins without them falling off?



(WHAT IS HAPPENING?) Why do you think this trick works? Don't try to look up the answer yet. First explore and come up with your own idea!



Did the demonstration work? What tips would you give someone else trying this for the first time? Did the activity spark any questions or discoveries?

2) DOLLAR BILL CHALLENGE

Did the demonstration work? What tips would you give someone else trying this for the first time? Did the activity spark any questions or discoveries?

3 BOOK PULL CHALLENGE

Did the demonstration work? What tips would you give someone else trying this for the first time? Did the activity spark any questions or discoveries?





You already have a lot of experience with **mechanics**, the branch of physics that studies the motion of objects. Understanding vectors will help give you tools to make models and speak the language of physics!

The terms illustrated below are: acceleration, displacement, distance, mass, speed, temperature, temperature gradient, time, velocity, and weight. Write each term next to the matching illustration.



FILL IN THE BLANKS:		magnitude	direction	scalar	
In physics, the size or measurement of something is ca	lled its		. A q	uantity t	ı :hat

tells us the magnitude but NOT the direction is called a \_\_\_\_\_\_ quantity. Often, we need to know both measurement AND \_\_\_\_\_\_. The direction can be described in relation to an object using terms like up, down, north, south, east, west, left, or right. A quantity that has both a magnitude and a direction is called a \_\_\_\_\_\_ quantity.



Below are the courses for three different races. Use the scale and compass to estimate both the distance and displacement from the start of each race to the finish of each race.

1 km

START
FINISH

Distance:

Displacement:

Distance:
Displacement:
Displacement:
Displacement:
Displacement:
Displacement:



When we know the distance traveled and how much time it took, we can calculate how fast an object was moving, or its **speed**. The ladybug on the ruler moved 5 cm in 5 seconds, so its speed is 5 cm/5 seconds or 1 cm/s.



CALCULATING SPEED

The dots below indicate the position of a runner every 20 seconds as they run along a path.



How fast did they run? (Answer in km/hr)

Assuming the runner kept the same pace, how long will it take to run 1 kilometer?

#### The dots below indicate the position of a car every 10 minutes driving south.



When did the car slow down?

How long did it take the car to reach the 75 km mark?

# PRACTICE PROBLEMS - TRACKING MOTION

## IS IT A VECTOR?

Draw lines to classify each measurement below as either a vector, a scalar, or neither a vector or scalar.



# MEASURE THIS MOTION:

1 Eli travels around the equator of the world in 70 days, arriving back in the exact same position from which he started his journey. What is his displacement?



(2) Aisha and Arjun are training to run a 5K race. They ran for 24 minutes and want to know if they reached their daily running goal of completing 3 kilometers. Which will be most useful in answering their question: distance or displacement?

(3) Kat drove 200 miles in 4 hours. What was her average speed?

# PRACTICE PROBLEMS - TRACKING MOTION

<ul> <li>A car is driving on a freeway at a speed of 100 km/h.</li> <li>A. How far does the car travel in 1 min?</li> </ul>
B. A blink lasts for about 0.3 s. How many meters does the car travel while the driver blinks?
<b>5</b> The formula showing the relationship between $r$ (rate), $d$ (distance), and $t$ (time) is often written as $d = rt$ . Rearrange the variables to solve for $r$ and $t$ .
<b>6</b> On her bike, Jade travels <i>n</i> miles north and then turns around and travels <i>s</i> miles south. A. Use <i>s</i> and <i>n</i> to write an expression that shows how far Jade traveled.
B. If Jade travels directly north and then turns around and travels directly south, will her <b>displacement</b> be the same as the total <b>distance</b> traveled?
C. Calculate Jade's displacement when $n = 4$ and $s = 7$ . Then write a sentence explaining what the calculation means.
<ul> <li>A go-kart track has a length of 500 m.</li> <li>A. What is the average speed in m/s of a go-kart that completes 3 laps in 2.5 minutes?</li> </ul>
B. How many laps would be completed in 4 minutes at an average speed of 8 m/s?
C. What is the displacement for a go-kart that has completed 7 complete laps?



Match the time/position graph with the correct insect:





The Coast Guard boat received a call for help from a small boat. Which vector would result in a rescue?



Which vectors have the correct magnitude but the wrong direction?

Which vectors have the correct direction but the wrong magnitude?

Identify 2 or more vectors that the Coast Guard could combine to reach the boat.







# PRACTICE PROBLEMS - GRAPHING MOTION

