


Lesson Summary

Area measures the space inside a two-dimensional figure and is expressed in square units.

Here are two possible strategies to determine the area of the same shape.


Break the shape into non-overlapping rectangles and triangles.

We can break this shape into a 2-by-3 rectangle, two unit squares, and two triangles to calculate an area of $6 + 2 + 0.5 + 0.5 = 9$ square units.



Draw a rectangle around the shape and subtract the empty space.

We can draw a 3-by-5 rectangle around this shape and subtract the empty space to calculate an area of $15 - 6 = 9$ square units.



Things to Remember:

Lesson Practice


6.1.01

Name: _____ Date: _____ Period: _____

1. Which shape has a greater area? Show or explain your thinking.

- A. Shape *A*
- B. Shape *B***
- C. They have the same area


Explanations vary. Shape A is made up of a rectangle and a square and has an area of 14 square units. Shape B is a square with a smaller square cut out from the corner, and has an area of 15 square units.



Problems 2–4: Here is a new shape.

2. Determine the area of the shape. Show or explain your thinking.

24 square units. Explanations vary. Sample shown.



3. Show or describe another way to determine the area of this shape.

Responses vary. I can draw a larger rectangle around the shape that has an area of $6 \cdot 5 = 30$ square units. Then, I subtract the unshaded area. The area of the shape is $30 - 6 = 24$ square units.

4. Show or describe how you could change this shape so it has an area of 26 square units.

Responses vary. I could add two smaller 1-by-1 squares to either side to increase the area by 2 square units.


Lesson Practice

6.1.01

Name: _____ Date: _____ Period: _____

5. Draw *three* different quadrilaterals, each with an area of 12 square units. Each square in this grid has an area of 1 square unit.

Responses vary. Sample shown on grid.



Spiral Review

6. Select *all* the numbers that are equivalent to 12.

A. $4 \cdot 3$

B. $2 + 6$

C. $24 \cdot \frac{1}{2}$

D. $24 \cdot 2$

E. $4 + 4 \cdot 2$


Reflection

1. Circle the problem you feel least confident about.
2. Use this space to ask a question or share something you're proud of.


Lesson Summary

We can use shapes like rectangles, squares, and triangles to help us determine the area of more complex shapes. Here's how!


- *Decompose* the shape into two or more smaller shapes that have areas you know how to calculate.
- Add the smaller areas together.



- Decompose the shape and *rearrange* the pieces to form one or more other shapes that have areas you know how to calculate.
- Calculate the area of the new, simpler shape(s).



- If your shape has empty areas in it, determine its area as if it were a solid shape.
- Calculate the area of the empty space and subtract it from the total area.



Things to Remember:


Lesson Practice

6.1.02

Name: _____ Date: _____ Period: _____


Problems 1–4: Determine the total area of each shaded region.

1.




22 square units

2.




28 square units

3.



18 square units

4.



12 square units

5. Which shape has a greater area? Circle one.


Shape *P*

Shape *Q*

They have the same area.

Show or explain how you know.

Explanations vary. Shape *Q* has four small squares on the outside that fit into the hole of the shape, resulting in shape *P*.




Lesson Practice

6.1.02

Name: _____ Date: _____ Period: _____

6. Jasmyn drew this shape. Determine its area.


- A. 17 square units
- B. 16 square units
- C. 14 square units
- D. 11 square units




Spiral Review

7. Select *all* the rectangles with an area of 12 square units.


A.




B.



C.



D.



Reflection

1. Put a question mark next to a response you'd like to compare with a classmate's.
2. Use this space to ask a question or share something you're proud of.


Lesson Summary

A *quadrilateral* is any shape that has four sides. A *parallelogram* is a type of quadrilateral that has two pairs of parallel sides, such as rectangles and squares.

We can use different strategies to determine the area of a parallelogram.


Cut the parallelogram into two pieces and rearrange the pieces to form a rectangle.

The parallelogram's area is equal to the area of the rectangle.



Draw a rectangle around the parallelogram so that it includes two right triangles. Rearrange the two triangles to form a smaller rectangle.

The parallelogram's area is equal to the difference between the areas of the larger rectangle and the smaller rectangle.







Things to Remember:

Lesson Practice


6.1.03

Name: _____ Date: _____ Period: _____


Problems 1–4: Determine whether each figure is a parallelogram. For figures that are not parallelograms, explain how you know.

Figure	Parallelogram (Yes / No)	If not a parallelogram, how do you know?
1. 	No	<i>Explanations vary. It does not have two sets of parallel sides and the opposite sides are not the same length.</i>
2. 	Yes	
3. 	Yes	
4. 	No	<i>Explanations vary. It has five sides, and parallelograms only have four sides.</i>


Problems 5–7: Use any strategy to determine the area of the parallelograms.



15 square centimeters



8 square centimeters



15 square centimeters

Lesson Practice

6.1.03

Name: _____ Date: _____ Period: _____


Problems 8–9: Here is another parallelogram.

8. Determine its area. Explain your thinking.

24 square centimeters. Explanations vary.

9. Show or describe another way to determine the area.

Responses vary. Cut a 3-by-4 centimeter triangle from the top, then place it in the gap at the bottom of the shape to create a rectangle with a height of 6 centimeters, a width of 4 centimeters, and an area of 24 square centimeters.




Spiral Review

10. Calculate the area of the shaded region.

Show or explain your thinking.

96 square centimeters. Explanations vary. I subtracted the area of the small rectangle from the area of the large rectangle. $(10 \cdot 15) - (6 \cdot 9) = 150 - 54 = 96$




Reflection

1. Star the problem you spent the most time on.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

We can use a ruler to determine the lengths of the base and height of a parallelogram when it is not presented on a grid with lengths that we can count. No matter which side of a parallelogram you choose as the base, its area will be equal to the product of the length of the base and the length of its matching height.

Here's an example of the same parallelogram with different sides selected as the base and different points used to measure the height. Each set of measurements will produce the same area.



Area = base • height

$$A = 12 \cdot 8$$

$$A = 96 \text{ square units}$$

Area = base • height

$$A = 10 \cdot 9.6$$

$$A = 96 \text{ square units}$$


Things to Remember:

Lesson Practice

6.1.05

Name: _____ Date: _____ Period: _____


Problems 1–4: Determine the base, height, and area of each parallelogram.



Base: **10 cm**

Height: **3 cm**


Area: **30 square centimeters**



Base: **4.2 cm**

Height: **4 cm**


Area: **16.8 square centimeters**



Base: **15 in.**

Height: **8 in.**

Area: **120 square inches**




Base: **3 cm**

Height: **7 cm**

Area: 21 square centimeters

5. Jaleel and Zion each calculated the area of a parallelogram. Whose calculation is correct? Explain your thinking.

Both. Explanations vary. Jaleel and Zion each used a different side as the base and, as a result, a different measurement as the height. But both determined the same area for the parallelogram. Note: Students who select either option or select both will be marked correct.



Lesson Practice

6.1.05

Name: _____ Date: _____ Period: _____


6. What is the area of this parallelogram in square centimeters?

A. 9.75

B. 10.55

C. 12.9

D. 13.97



Spiral Review

Problems 7–10: Determine each product.

7. $4321 \cdot 2 = 8642$

8. $6534 \cdot 5 = 32670$

9. $42 \cdot 21 = 882$

10. $38 \cdot 57 = 2166$


Reflection

1. Star a problem you're still feeling confused about.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary


You can use what you know about the area of quadrilaterals to help you determine the area of triangles. Here are two ways of doing so using a grid.

Strategy 1



- Make a copy of the triangle and rearrange the two triangles to form a parallelogram.
- Determine the area of the parallelogram by multiplying its base by its height.
 $4 \cdot 6 = 24$ square units
- The area of the triangle is half the area of the parallelogram. $\frac{24}{2} = 12$ square units

Strategy 2



- Draw a rectangle around the triangle.
- Cut the rectangle into two smaller rectangles. This also cuts the triangle into two smaller triangles.
- Determine the area of each rectangle.
 $4 \cdot 3 = 12$ square units
 $2 \cdot 3 = 6$ square units
- The area of each triangle is half the area of its matching rectangle.
 $\frac{12}{2} = 6$ square units
 $\frac{6}{2} = 3$ square units
- Add the two smaller triangle areas together.
 $6 + 3 = 9$ square units

Things to Remember:


Lesson Practice

6.1.06


Name: _____ Date: _____ Period: _____

Problems 1–4: Determine the area of each triangle.


Each small square in the grid has an area of 1 square unit.




10 square units



10 square units




8 square units



8 square units


5. Aki thinks that these two shapes have the same area. Is Aki's thinking correct? Explain your thinking.

Yes. Explanations vary. The triangle is half of a square that has a side length of 4 units and has been cut diagonally. The rectangle is also half of a square that has a side length of 4 units but has been cut vertically.




6. Determine the area of this triangle. Show or explain your thinking.

12 square units. Explanations vary. I drew a rectangle around the triangle. Then I calculated the area of the rectangle and divided it by 2.



7. What is the area, in square centimeters, of the shaded part of this rectangle?

- A. 15.5
- B. 62
- C. 84**
- D. 168




Lesson Practice

6.1.06

Name: _____ Date: _____ Period: _____

8. Alice used triangle tiles to make a design on an 8-by-6 inch area. Determine the total area, in square inches, that is covered by the triangle tiles in her design.

16 square inches



Spiral Review


9. Select *all* of the expressions that have the same value as $8 \div 2$.

- A. $\frac{8}{2}$
 B. $8 \cdot 2$
 C. $2 \div 8$
 D. $\frac{1}{2} \cdot 8$
 E. $\frac{2}{8}$

10. Determine the perimeter of this parallelogram.

Show or explain your thinking.

36 centimeters. Explanations vary. The area of the parallelogram is $12 \cdot 4 = 48$ square centimeters. If I used the other side of the parallelogram as a base, the height would be 8 centimeters and the area would still be 48 square centimeters. That means the other side of the parallelogram measures $48 \div 8 = 6$ centimeters. So the perimeter is $2 \cdot (12 + 6) = 36$ centimeters.




Reflection

- Put a star next to a problem where you revised your thinking.
- Use this space to ask a question or share something you're proud of.

Lesson Summary

You can arrange two identical copies of any triangle to create a parallelogram with the same base and height measurements. This shows us that the area of a triangle is equal to half the area of its related parallelogram.

Here are two ways to form a parallelogram using two identical triangles with a base of 6 centimeters and a height of 5 centimeters.



The area of the parallelogram is $A = 6 \cdot 5 = 30$ square centimeters. Since the area of the triangle is half the area of the parallelogram, the area of the triangle is 15 square centimeters. In general, the formula for the area of a triangle is $\text{Area} = \frac{1}{2} \cdot \text{base} \cdot \text{height}$.

Things to Remember:

Lesson Practice

6.1.07

Name: _____ Date: _____ Period: _____

1. Determine whether each statement is true or false.


Statement	True	False
Any side of a triangle can be the base.	✓	
The height of a triangle must always be one of its sides.		✓
A height that matches the base of a triangle can be drawn at any angle to the base.		✓
You can only draw one possible height for a chosen base.		✓

2. Choose one of the false statements in Problem 1 and explain why it is false.


Responses vary. I chose the statement, "A height that matches the base of a triangle can be drawn at any angle to the base." For a height to match the base, the height must be perpendicular to the base. So it cannot be drawn at any angle.

3. Which triangle incorrectly identifies a height, h , and its matching base, b ?


A. Triangle A




B. Triangle B




C. Triangle C




D. Triangle D



4. Ali and Haruto are drawing logos for a "Guess the Logo" competition. They added a bonus round where contestants determine the shaded area of each logo. Help them create the answer key for the bonus round.




16 square centimeters



12 square centimeters

Lesson Summary


The area of any triangle is equal to half of the product of its base and height. You can select any side of the triangle to be the base. The height of a triangle is the *perpendicular* distance between a point on the base and the opposite corner of the triangle. The height is often shown with a dotted line.



$$A = \frac{1}{2}bh$$

$$A = \frac{1}{2}(12)(8)$$

$$A = 48 \text{ square centimeters}$$



$$A = \frac{1}{2}bh$$

$$A = \frac{1}{2}(10)(9.6)$$

$$A = 48 \text{ square centimeters}$$

All sides of the triangle can be a base, but some base-height pairs are easier to measure and calculate with.

Things to Remember:


Lesson Practice

6.1.08


Name: _____ Date: _____ Period: _____

1. Select *all* of the triangles that have an area of 8 square units. Each small square in the grid has an area of 1 square unit.


A.




B.




C.



D.




E.




Problems 2–4: Determine the area of each triangle in square centimeters.

2.




30 square centimeters

3.



48 square centimeters


4.



15 square centimeters

5. Motion capture is a technology that records an actor's movements and transfers them onto a computer-generated character. Actors wear special suits covered in a specific pattern of sensors. One common pattern is called the Sierpiński triangle. Take a look at this Sierpiński triangle. Determine the area of the shaded region, and explain your thinking.

18 square units. Explanations vary. The area of each 2-by-2 triangle is $\frac{1}{2} \cdot 2 \cdot 2 = 2$ square units. There are 9 shaded triangles, so the total area is 18 square units.



6. Here are three triangles drawn inside three identical rectangles. Mariam states that all three triangles have the same area. Is Mariam correct? Explain your thinking.



Yes. Explanations vary. All three triangles have the same base and height, so their areas are the same.


Lesson Practice

6.1.08

Name: _____ Date: _____ Period: _____

7. A company is designing a new logo that consists of a shaded triangle inside of a parallelogram. What fraction of the parallelogram's area is shaded?

$\frac{1}{4}$



Spiral Review

8. A parallelogram has an area of 12 square units and a base of 9 units. What is the matching height?

$1\frac{1}{3}$ units (or equivalent)

9. A parallelogram has an area of 7 square units and a height of $\frac{1}{4}$ units. What is the matching base?

28 units

Reflection

1. Circle a problem you want to talk to a classmate about.
2. Use this space to ask a question or share something you're proud of.


Lesson Summary

A **polygon** is a closed two-dimensional shape. For any polygon:

- The end of every side connects to the end of another side.
- All sides are straight, not curved.
- The sides do not cross each other.

You can use shapes that have areas you know how to calculate, like triangles and parallelograms, to help you determine the area of polygons.

Here are two ways a polygon can be cut into triangles and parallelograms to help determine its area.



Area of Triangle A

$$A = \frac{1}{2} \cdot 4 \cdot 3$$

$$A = 6$$


$$\text{Area} = 6 + 6$$

$$\text{Area} = 12 \text{ square centimeters}$$

Area of Parallelogram B

$$A = 2 \cdot 3$$

$$A = 6$$



Area of Triangle C

$$A = \frac{1}{2} \cdot 2 \cdot 3$$

$$A = 3$$

$$\text{Area} = 3 + 9$$

$$\text{Area} = 12 \text{ square centimeters}$$

Area of Triangle D

$$A = \frac{1}{2} \cdot 6 \cdot 3$$

$$A = 9$$

Things to Remember:


Lesson Practice

6.1.09

Name: _____ Date: _____ Period: _____

1. Select *all* the polygons.

A.



B.



C.




D.



E.




F.




2. Determine the area of this polygon. Each square has an area of 1 square unit.

18 square units




Problems 3–5: Determine the area of each polygon. Show your thinking.

3.




18 square units

4.



15 square units

5.



32 square units


Lesson Practice

6.1.09

Name: _____ Date: _____ Period: _____

6. What is the total area of the shaded figure in square inches?

- A. 16
- B. 64
- C. 82**
- D. 100



Spiral Review

Problems 7–8: Determine each product.

7.

$$\begin{array}{r} 5126 \\ \times 15 \\ \hline 25630 \\ + 5126 \\ \hline 76890 \\ 76,890 \end{array}$$

8.

$$\begin{array}{r} 875 \\ \times 463 \\ \hline 2625 \\ 5250 \\ + 3500 \\ \hline 405125 \\ 405,125 \end{array}$$





Reflection

1. Put a smiley face next to a problem you were stuck on and then figured out.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

We can draw a net to create a two-dimensional representation of a three-dimensional figure. A net can help us determine the surface area of a polyhedron because it shows every face at once.

Here are some examples of how to use a net to determine the surface area of a pyramid or a prism.

Polyhedron	Net	Surface Area
<p>Triangular pyramid</p> 		$4\left(\frac{1}{2} \cdot 4 \cdot 4\right) = 32 \text{ square units}$
<p>Rectangular prism</p> 		$2(4 \cdot 10) + 2(4 \cdot 5) + 2(5 \cdot 10) = 220 \text{ square units}$

Things to Remember:

Lesson Practice

6.1.12

Name: _____ Date: _____ Period: _____


1. Select *all* the units that can be used to describe surface area.

- A. Square meters
 B. Feet
 C. Centimeters
 D. Cubic inches
 E. Square inches
 F. Square feet

Problems 2–3: Here is a net.

2. Name the type of polyhedron that can be created from this net. Explain your thinking.

Triangular prism. Explanations vary. The two identical right triangles are the bases, connected by the three rectangular faces.



3. Determine the surface area of this polyhedron. Show or explain your thinking.


72 square units. Work varies.

$$(4 \cdot 5) + (3 \cdot 5) + (5 \cdot 5) + \frac{1}{2}(4 \cdot 3) + \frac{1}{2}(4 \cdot 3) = 72$$

Problems 4–5: Here is a new net.

4. Name the type of polyhedron that can be created from this net. Show or explain your thinking.

Square pyramid. Explanations vary. The square is the base, and the four triangular faces connect at a common point.



5. Determine the surface area of this polyhedron. Show your thinking.

56 square units. Work varies.

$$4\left(\frac{1}{2} \cdot 4 \cdot 5\right) + (4 \cdot 4) = 56$$

Lesson Practice

6.1.12

Name: _____ Date: _____ Period: _____

Spiral Review

Problems 6–9: Complete each equation.

6. $3 \cdot \boxed{5} = 15$

7. $4 \cdot \boxed{6} = 24$

8. $15 \cdot \boxed{\frac{1}{3}} = 5$

9. $24 \cdot \boxed{\frac{1}{6}} = 4$

10. Take a look at the triangles in this pattern. What is the fewest number of these triangles needed to cover this pattern completely? Explain your thinking.



32 triangles. *Explanations vary.* There's a repeated pattern made up of 2 rhombuses, 1 triangle, and 1 trapezoid. I need 2 triangles to cover each rhombus and 3 triangles to cover each trapezoid. That makes a total of 8 triangles. Since the pattern is repeated 4 times, I need $8 \cdot 4 = 32$ triangles.

Reflection


1. Put a star next to the problem you understood best.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

The surface area of any polyhedron is the total area of all the faces. Drawing a net or sketching individual faces can help us make sense of and keep track of calculations.

We can group identical faces together to reduce the number of steps in our calculations. For example, a cube is made of 6 identical faces, so we can determine the area of one face and multiply by 6 to determine the total surface area.

Here's an example.



One Face

$$3 \cdot 3 = 9$$

All Faces

$$9 \cdot 6 = 54$$

Surface Area

54 square centimeters


Things to Remember:

Lesson Practice

6.1.13


Name: _____ Date: _____ Period: _____

- Label *all* the edges of this polyhedron so that the lengths match the net.



- Takeshi made some mistakes when calculating the surface area of the triangular prism shown. Describe Takeshi's mistakes and correct them.


Responses vary. The areas of the triangles are incorrect. They should measure 6 square units each, so Takeshi must have forgotten to divide by 2. The total surface area of the triangular prism is $20 + 12 + 16 + 12 = 60$ square units.



Problems 3–5: Here is a polyhedron and its matching net.

- What is the name of this type of polyhedron?

Rectangular prism




- Use the polyhedron to label all the lengths in this net.

Response shown on image.

- Use the net to calculate the surface area in square units. Show or explain your thinking.

220 square units. *Explanations vary.* I can split the net into a large 10-by-18 rectangle and two 4-by-5 rectangles, which gives a total surface area of 220 square units.




Lesson Practice

6.1.13

Name: _____ Date: _____ Period: _____

6. A rhombicuboctahedron is a polyhedron composed of 18 squares and 8 triangles. Here's an example where each square face has an edge length of 24 inches and each triangular face has a height of about 20.8 inches. Calculate the surface area. Show or explain your thinking.




12,364.8 square inches. Work varies.

$$18 \cdot (24 \cdot 24) + 8 \cdot \left(\frac{1}{2} \cdot 24 \cdot 20.8\right) = 12364.8$$

Spiral Review


Problems 7–8: Determine the area of each triangle.

7.



5.15 square centimeters

8.



1.5 square centimeters

Reflection

1. Circle one problem, word, or concept that you want to know more about.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

To-go containers and reusable plastic food containers are examples of polyhedra that we see in everyday life.

Mathematical modeling can help us design everyday objects, such as to-go containers. To do this, we need to:

- Know the size and shape of the food item that will be placed in the container.
- Decide on the shape of the container.
- Make sure that the container will be big enough to hold the food item, without being too big.
- Know how much material we need to make the container. That's where surface area comes in handy!

Things to Remember:


Lesson Practice

6.1.14

Name: _____ Date: _____ Period: _____

1. Taylor says that this cannot be a net for a square prism because not all the faces are squares. Is Taylor correct? Explain your thinking.


No. Explanations vary. A prism gets its name from the shape of its base, which means this prism is a square prism. It can also be called a rectangular prism, because all squares are also rectangles.



Problems 2–3: Here is a net.

2. Can you create a three-dimensional figure from this net? If so, which one?

Yes. A triangular prism.




3. What is the surface area of this figure? Explain your thinking.

42 square inches. Explanations vary. The net has two triangles, each with an area of 6 square inches, and three rectangles with areas of 7.5 square inches, 10 square inches, and 12.5 square inches. That's a total surface area of $(2 \cdot 6) + 7.5 + 10 + 12.5 = 42$ square inches.

Problems 4–5: This box of salt measures 5 inches by 3 inches by 6.5 inches.

4. Estimate how much cardboard the box uses. Explain your thinking.

At least 134 square inches. Explanations vary. The net is made up of three pairs of rectangles with areas of 15 square inches, 19.5 square inches, and 32.5 square inches. That's a total surface area of $2(15 + 19.5 + 32.5) = 134$ square inches.



5. Estimate how much salt the box can hold. Explain your thinking.

97.5 cubic inches. Explanations vary. The box is a rectangular prism, so its volume can be determined by multiplying the area of the base by the height.

$15 \cdot 6.5 = 97.5$ cubic inches

Lesson Practice

6.1.14

Name: _____ Date: _____ Period: _____

6. In 2011, a group called Scenic Oasis built a giant tipped-over cereal box outside the Vancouver Art Gallery. It measured 6 meters tall, 4 meters long, and 1.6 meters wide. Determine the amount of cardboard they used to build it.


80 square meters



Spiral Review

7. Calculate the area of the shaded polygon.
Explain your thinking.

31 square centimeters. Explanations vary. I can determine the area of the polygon by subtracting the area of the square from the area of the triangle. $\frac{1}{2}(14 \cdot 5) - (2 \cdot 2) = 31$ square centimeters.



8. Select *all* the values that are equivalent to 7.32.

- A. Seven and thirty-two tenths
- B. $7 + 0.3 + 0.02$
- C. 732 tenths
- D. 732 hundredths
- E. 7 ones + 3 tenths + 2 hundredths

Reflection

- Put a star next to a problem you're still wondering about.
- Use this space to ask a question or share something you're proud of.


Lesson Summary

A **ratio** is a relationship between two quantities. One way to write a ratio is $a : b$ which means for every a of the first quantity, there are b of the second quantity.

There are many ways to describe a ratio in words.

For example, here are some ways you can describe the ratio between circles and squares in this diagram.

- The ratio of circles to squares is 3 to 6.
- There are 6 squares for every 3 circles.
- There are 2 times as many squares as there are circles.
- For every 1 circle, there are 2 squares.




Things to Remember:

Lesson Practice

6.2.02

Name: _____ Date: _____ Period: _____

Problems 1–4: Here is a set of smiley faces, triangles, and squares.



1. The ratio of smiley faces to triangles is

..... **3** to **1** (or equivalent)

2. The ratio of squares to triangles is

..... **2** : **1** (or equivalent)

3. For every 2 triangles, there are **4** squares.

4. Which statement is false?

- A. The ratio of smiley faces to squares is 4 : 6.
- B. The ratio of squares to triangles is 4 : 2.
- C. There are 3 smiley faces for every 1 triangle.

Problems 5–8: There are 9 bananas, 4 apples, and 3 plums in a fruit basket.

5. The ratio of bananas to apples is **9** : **4**

6. The ratio of plums to apples is **3** to **4**

7. For every **4** apples, there are **3** plums.

8. For every 3 bananas, there is **1** plum.

Lesson Practice

6.2.02


Name: Date: Period:

Spiral Review

Problems 9–10: Here is a rectangular prism.

9. Determine the volume of the prism. Show or explain your thinking.

24 cubic units. Explanations vary.
The base of the prism measures $3 \cdot 4 = 12$ square units and the height is 2 units.
 $12 \cdot 2 = 24$ cubic units.



10. Determine the surface area of the prism. Show or explain your thinking.

52 square units. Explanations vary. The prism has 6 faces. The area of the 3 faces I can see is $(3 \cdot 4) + (2 \cdot 3) + (4 \cdot 2) = 26$ square units. There are 2 of each face, so the total surface area is $2 \cdot 26 = 52$ square units.

Reflection

1. Put a star next to a problem you could explain to a classmate.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

Recipes can help us understand **equivalent ratios**. Each recipe calls for a specific ratio of ingredients, but you can halve, double, or triple the ratio to make different amounts of the same recipe.

Original Recipe

Boil 3 cups of water for every 2 cups of rice.



3 to 2

Halved Recipe



$1\frac{1}{2}$ to 1

Doubled Recipe



6 to 4

Tripled Recipe



9 to 6

These ratios are equivalent because they all represent the same recipe. You can multiply or divide each of the values in the first ratio by the same number to get the values in each of the other ratios.


Things to Remember:

Lesson Practice

6.2.03


Name: _____ Date: _____ Period: _____

Problems 1–2: There are many recipes for pasta. Some suggest a ratio of 1 egg for every 3 ounces of flour.



1. Draw a picture that shows how many ounces of flour you would need for 2 eggs. Then write the ratio of eggs to flour that represents your drawing.

2 : 6. Sample drawing shown.



2. Fill in the blanks to create equivalent ratios.


4 eggs : **12** ounces of flour

5 eggs : 15 ounces of flour

3. A bakery uses a ratio of 3 cups of water for every 5 cups of flour to bake bread. List 2 equivalent ratios of water to flour they could use to bake the same bread.

Responses vary.

- **$1\frac{1}{2}$ cups of water : $2\frac{1}{2}$ cups of flour**
- **6 cups of water : 10 cups of flour**
- **9 cups of water : 15 cups of flour**



Problems 4–7: Koharu's pie dough recipe uses 6 ounces of flour, 4 ounces of butter, and 2 ounces of water. Complete the sentences to describe the ratios in Koharu's recipe.

4. For every 2 ounces of **water**, there are 6 ounces of **flour**.

5. The ratio of **flour** to **water** is 6 : 2.

6. The ratio of **butter** to **flour** is 2 : 3.

7. The ratio of **flour** to **butter** is 3 : 2.

Lesson Practice

6.2.03

Name: _____ Date: _____ Period: _____

8. Koharu wants to double the recipe to make 2 pies. How much of each ingredient does Koharu need?

.....12..... ounces of flour

.....8..... ounces of butter


.....4..... ounces of water

9. Koharu made a new batch of pie dough with 3 ounces of flour, 2 ounces of butter, and 1 ounce of water. Will the pie dough taste the same as the original recipe? Explain your thinking.

Yes. Explanations vary. The ratios of all the ingredients are equivalent to the ratios in the original recipe. Koharu used half the amount of each ingredient.


Spiral Review

Problems 10–11: Fill in the blanks on each number line.



12. Determine the area of this polygon. Show or explain your thinking.

24 square units. Explanations vary. The area of the top triangle is $\frac{1}{2}(6 \cdot 3) = 9$ square units, and the area of the bottom triangle is $\frac{1}{2}(6 \cdot 5) = 15$ square units. That means the total area of the polygon is $9 + 15 = 24$ square units.



Reflection


1. Circle the problem you feel least confident about.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

We can use balance scales to help us understand equivalent ratios. When both quantities in a ratio are multiplied or divided by the same amount, the ratio relationship remains the same, and the scale stays balanced.

For example, the ratio of oranges to mangoes on this scale is 14 : 8.

You can create an equivalent ratio of 7 : 4 by dividing the number of each fruit by 2. This means that 7 oranges and 4 mangoes will also balance on the scale. 21 oranges to 12 mangoes would also be an equivalent ratio because you can get those values by multiplying 14 and 8 by $\frac{3}{2}$.



You can use a **table** to organize and keep track of equivalent values. Tables organize information into horizontal rows and vertical columns. The first row or column usually tells us what the numbers represent.

Here is a table that represents the different numbers of oranges and mangoes needed to balance the scale.

Number of Oranges	Number of Mangoes
14	8
7	4
21	12

Things to Remember:

Lesson Practice

6.2.04

Name: _____ Date: _____ Period: _____

Problems 6–7: You can make a certain color of green paint by mixing 10 ounces of green paint with 2 gallons of white paint.

6. Draw a diagram to represent this ratio.

Responses vary. Sample diagram shown.




7. Select *all* the true statements.

- A. For every 5 ounces of green paint, you need 1 gallon of white paint.
- B. The ratio of green paint to white paint is 1 : 5.
- C. For every gallon of white paint, you need 5 ounces of green paint.
- D. For every ounce of green paint, you need 5 gallons of white paint.
- E. The ratio of white paint to green paint is 10 : 2.

Spiral Review

8. Determine the area of the shaded region.
Explain your thinking.

56.5 square centimeters. Explanations vary. I found the area of the rectangle first: $4 \cdot 5 = 20$ square centimeters. Then I found the area of the triangle by determining that the base is 17 centimeters and the height is 9 centimeters and multiplying them: $\frac{1}{2}(17 \cdot 9) = 76.5$ square centimeters. Finally, I subtracted the area of the rectangle from the area of the triangle to determine the area of the shaded region: $76.5 - 20 = 56.5$ square centimeters.



Reflection


- Put a heart next to the problem you found most interesting.
- Use this space to ask a question or share something you're proud of.

Lesson Summary

We can use balance scales to help us understand equivalent ratios. When both quantities in a ratio are multiplied or divided by the same amount, the ratio relationship remains the same, and the scale stays balanced.

For example, the ratio of oranges to mangoes on this scale is 14 : 8.

You can create an equivalent ratio of 7 : 4 by dividing the number of each fruit by 2. This means that 7 oranges and 4 mangoes will also balance on the scale. 21 oranges to 12 mangoes would also be an equivalent ratio because you can get those values by multiplying 14 and 8 by $\frac{3}{2}$.



You can use a **table** to organize and keep track of equivalent values. Tables organize information into horizontal rows and vertical columns. The first row or column usually tells us what the numbers represent.

Here is a table that represents the different numbers of oranges and mangoes needed to balance the scale.

Number of Oranges	Number of Mangoes
14	8
7	4
21	12

Things to Remember:

Lesson Practice

6.2.04

Name: _____ Date: _____ Period: _____

Problems 6–7: You can make a certain color of green paint by mixing 10 ounces of green paint with 2 gallons of white paint.

6. Draw a diagram to represent this ratio.

Responses vary. Sample diagram shown.




7. Select *all* the true statements.

- A. For every 5 ounces of green paint, you need 1 gallon of white paint.
- B. The ratio of green paint to white paint is 1 : 5.
- C. For every gallon of white paint, you need 5 ounces of green paint.
- D. For every ounce of green paint, you need 5 gallons of white paint.
- E. The ratio of white paint to green paint is 10 : 2.

Spiral Review

8. Determine the area of the shaded region.
Explain your thinking.

56.5 square centimeters. Explanations vary. I found the area of the rectangle first: $4 \cdot 5 = 20$ square centimeters. Then I found the area of the triangle by determining that the base is 17 centimeters and the height is 9 centimeters and multiplying them: $\frac{1}{2}(17 \cdot 9) = 76.5$ square centimeters. Finally, I subtracted the area of the rectangle from the area of the triangle to determine the area of the shaded region: $76.5 - 20 = 56.5$ square centimeters.



Reflection

- Put a heart next to the problem you found most interesting.
- Use this space to ask a question or share something you're proud of.

Lesson Summary

A *factor* of a number is a whole number that divides evenly into the given number (with no remainder). A **common factor** of two numbers is a number that is a factor of both numbers.

Here's a chart that shows some factors of 8 (marked with squares) and some factors of 12 (marked with circles). We can see that some common factors of 8 and 12 are 1, 2, and 4.



The **greatest common factor (GCF)** is the largest number that is a common factor of two numbers. In the example of 8 and 12, the GCF is 4.

Things to Remember:

Lesson Practice

6.2.08

Name: Date: Period:

1. What is the greatest common factor of 12 and 44?

4

2. What is the greatest common factor of 4 and 6?

2

3. What is the least common multiple of 4 and 6?

12

Problems 4–6: Jayla’s parents are replacing their bathroom floor with square tiles. The tiles will be laid side by side to cover the entire floor with no gaps, and none of the tiles can be cut. The floor is a rectangle that measures 48-by-60 inches.

4. What is the side length of the largest possible tile Jayla’s parents could use?

12 inches

5. How many of these tiles do they need?

20 tiles

6. List *three* other whole-number tile sizes that could cover the bathroom floor.

Responses vary. 1 inch, 2 inches, 3 inches, 4 inches, 6 inches

Problems 7–8: A teacher is making gift bags filled with pencils and stickers. They have 45 pencils and 60 stickers to use. Each bag will have the same amount of each item.

7. What is the greatest number of bags the teacher can make, with no items left over? Show or explain your thinking.

15 gift bags. Explanations vary. The greatest common factor of 45 and 60 is 15.

Factors of 45: 1, 3, 5, 9, 15, 45

Factors of 60: 1, 2, 3, 4, 5, 6, 10, 12, 15, 20, 30, 60

8. Using your answer from the previous problem, determine how many pencils and how many stickers would be in each gift bag.

Pencils: 3

Stickers: 4

Lesson Practice

6.2.08

Name: Date: Period:

Spiral Review

Problems 9–11: Circle the expression that has the greater value.

9. $5 \cdot 0.4$

$500 \cdot 0.04$

They have the same value.

10. $14.2 - 2.35$

$142 - 23.5$

They have the same value.

11. $1.82 + 33.3$

$18.2 + 3.33$

They have the same value.

Reflection

1. Put a question mark next to a problem you're feeling unsure of.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

You can use different strategies to compare two ratios.

Let's compare the ratios of two cans of paint to see which will make a lighter shade of gray.

Ratio A

5 ounces black paint
3 gallons white paint

Ratio B

7 ounces black paint
4 gallons white paint

Strategy 1: Multiply both ratios so they each have the same amount of black paint.

- The LCM for the number of ounces of black paint for both ratios is 35.
- Multiply Ratio A by 7 to get 35 ounces of black paint and 21 gallons of white paint.
- Multiply Ratio B by 5 to get 35 ounces of black paint and 20 gallons of white paint.

When both ratios have the same amount of black paint, Ratio A has more gallons of white paint, which means it will be a lighter shade of gray.

Strategy 2: Calculate the number of ounces of black paint per gallon of white paint.

- Ratio A has $\frac{5}{3} = 1\frac{2}{3}$ ounces of black paint for every gallon of white paint.
- Ratio B has $\frac{7}{4} = 1\frac{3}{4}$ ounces of black paint for every gallon of white paint.

Ratio A has less black paint for 1 gallon of white paint, which means it will be a lighter shade of gray.

Things to Remember:

Lesson Practice

6.2.09

Name: _____ Date: _____ Period: _____

Problems 1–3: To make 1 can of sky blue paint, Ama mixes 2 ounces of blue tint with 3 gallons of white paint.

1. Write a ratio of blue tint to white paint that would make the *same* color blue.

Responses vary. 4 ounces of blue tint : 6 gallons of white paint

2. Write a ratio of blue tint to white paint that would make a *darker* blue.

Responses vary. 3 ounces of blue tint : 2 gallons of white paint

3. Write a ratio of blue tint to white paint that would make a *lighter* blue.

Responses vary. 1 ounce of blue tint : 3 gallons of white paint

4. If you blend 2 scoops of chocolate frozen yogurt with 1 cup of milk, you will make a milkshake with a stronger chocolate flavor than if you blended 3 scoops of chocolate frozen yogurt with 2 cups of milk. Show or explain why this is true.

Responses vary. The first milkshake has a stronger chocolate flavor because it uses 4 scoops of chocolate frozen yogurt for 2 cups of milk, while the second milkshake only uses 3 scoops for the same 2 cups of milk.

Frozen Yogurt (scoops)	Milk (cups)
2	1
4	2

5. There are two mixtures of light purple paint.

- Mixture A is made with 5 cups of purple paint and 2 cups of white paint.
- Mixture B is made with 15 cups of purple paint and 8 cups of white paint.

Which mixture makes a lighter shade of purple? Explain your thinking.

Mixture B. Explanations vary. I multiplied the numbers in each ratio to determine if the ratios are equivalent. Then I compared the amount of purple and white paint in each mixture. When both mixtures had 15 cups of purple paint, Mixture A had 6 cups of white paint, and Mixture B had 8 cups, which means Mixture B is lighter. When they both had 8 cups of white paint, Mixture A had 20 cups of purple paint and Mixture B had 15 cups, so again, Mixture B is a lighter shade.

Lesson Practice

6.2.09

Name: _____ Date: _____ Period: _____

6. Order these mixtures from *lightest* green to *darkest* green.

A. 2 gallons white : 4 ounces green

B. 3 gallons white : 5 ounces green

C. 5 gallons white : 8 ounces green



Lightest Green

Darkest Green

Spiral Review

Problems 7–9: Here are two recipes for lemonade.

- Recipe A: Mix 3 cups of lemon juice with 2 cups of water.
- Recipe B: Mix 3 cups of lemon juice with 3 cups of water.

7. What fraction of Recipe A is lemon juice?

$\frac{3}{5}$ (or equivalent)

8. What fraction of Recipe B is lemon juice?

$\frac{3}{6}$ (or equivalent)

9. Which recipe has a stronger lemon flavor? Explain your thinking.

Recipe A. Explanations vary. Recipe A has a stronger lemon flavor because $\frac{3}{5}$ is greater than $\frac{3}{6}$.

Reflection

1. Put a smiley face next to the problem you learned from most.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

We can use ratio tables to help make plans for situations that we haven't experienced yet.

Here are some supply recommendations for a 50-person taco party:

- 10 pounds of carnitas
- 15 cups of pinto beans
- 125 tortillas

People	Carnitas (lb)	Pinto Beans (cups)	Tortillas
50	10	15	125
200	40	60	500
10	2	3	25

Note: An arrow labeled 'x 4' points from the 50-person row to the 200-person row. An arrow labeled '÷ 5' points from the 50-person row to the 10-person row.

Let's use a table to determine the different amounts of each ingredient we might need for different-sized parties. For example, if we only had 10 people coming to the taco party, we would only need 2 pounds of carnitas, 3 cups of pinto beans, and 25 tortillas. If 200 people were coming to the party, we could multiply the values for the 50-person party by 4 to determine the amount for each ingredient. We just have to multiply or divide all of the values in each row by the same number to preserve each ratio relationship.

Things to Remember:

Lesson Practice

6.2.10

Name: _____ Date: _____ Period: _____

Problems 1–3: A recipe for tropical fruit juice says to combine 4 cups of pineapple juice with 5 cups of orange juice.

- Complete the table to determine how much of each type of juice you need for 1, 2, 3, and 4 batches of the recipe.

Batches	Pineapple Juice (cups)	Orange Juice (cups)	Lime Juice (cups)
1	4	5	$\frac{1}{3}$
2	8	10	$\frac{2}{3}$
3	12	15	1
4	16	20	$1\frac{1}{3}$

- The recipe also calls for $\frac{1}{3}$ cups of lime juice for every 5 cups of orange juice. Add an additional column of values to the table to represent the amount of lime juice for 1, 2, 3, and 4 batches of the recipe.

Response shown in table.

- If you use 12 cups of pineapple juice with 20 cups of orange juice, will the recipe taste the same? Explain your reasoning.

No. Explanations vary. It won't taste the same because 12 : 20 and 4 : 5 are not equivalent ratios.

Problems 4–5: It takes about 9 kilograms of olives to make 2 liters of olive oil.

- Complete the table to determine how much olive oil each orchard made.

	Olives (kg)	Olive Oil (L)
Ratio	9	2
Orchard A	9,000	2,000
Orchard B	5,400	1,200

- Afia claims that to make 4 liters of olive oil, you need 11 kilograms of olives. Is Afia correct? Explain your thinking.

No. Explanations vary. 4 liters is $2 \cdot 2$, so she'll need $9 \cdot 2 = 18$ kilograms of olives.

Lesson Practice

6.2.10

Name: _____ Date: _____ Period: _____

6. Determine the unknown values in the table.

Number of Loaves	Bananas	Butter (cups)	Sugar (cups)	Eggs	Flour (cups)
4	12	2	3	8	6
2	6	1	1.5	4	3

Spiral Review

Problems 7–8: Determine each product. Show your thinking.

7.

$$\begin{array}{r} 680 \\ \times 502 \\ \hline 1360 \\ 0000 \\ + 3400 \\ \hline 341360 \end{array} \rightarrow 341,360$$

8.

$$\begin{array}{r} 401 \\ \times 285 \\ \hline 2005 \\ 3208 \\ + 802 \\ \hline 114285 \end{array} \rightarrow 114,285$$

Reflection

1. Circle a problem you want to talk to a classmate about.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

There are a few helpful strategies you can use to determine missing values in equivalent ratios. One strategy is to determine a new ratio where one of the quantities is equal to 1.

For example, if 6 balloons can make 3 marbles float, you can use the ratio 6 : 3 and equivalent ratios to solve different problems.

To determine the number of balloons that can float 8 marbles:

- Determine the number of balloons that float 1 marble.
- Then you can multiply that ratio by 8 to determine that 16 balloons float 8 marbles.

	Number of Balloons	Number of Marbles
$\div 3$	6	3
	2	1
$\times 8$	16	8

To determine the number of marbles that 4 balloons can float:

- Determine the number of marbles that 1 balloon can float.
- Then you can multiply that ratio by 4 to determine that 4 balloons float 2 marbles.

	Number of Balloons	Number of Marbles
$\div 6$	6	3
	1	0.5
$\times 4$	4	2


Things to Remember:

Lesson Practice

6.2.11

Name: _____ Date: _____ Period: _____

Problems 1–2: Here is a double number line showing the ratio of eggs to flour for different-sized cakes.



1. How much flour do you need for each egg in this recipe?

$\frac{3}{4}$ of a cup


2. How many eggs would you need for 18 cups of flour?

24 eggs

Problems 3–5: The same cake recipe uses 2 cups of sugar for every 3 cups of flour.

3. Draw a double number line to represent this situation.

Sample response shown.



4. How much sugar do you need for 18 cups of flour?

12 cups

5. Which representation do you prefer to help you answer the previous question: a table, a double number line, or some other tool? Explain your thinking.

Responses vary. I prefer to use a table to help me answer the previous question. I can multiply down the table to find an equivalent ratio for the cups of sugar I need when using 18 cups of flour.

6. Raven and Tiana are both training for a swimming competition in the same pool. Raven can swim 6 laps in 3 minutes. Tiana can swim 3 laps in 2 minutes. If both swimmers maintain their pace, which statement is *not* true?

- A. Raven can swim 2 laps per minute.
- B. Tiana can swim 1.5 laps in one minute.
- C. In 6 minutes, Raven can swim 3 more laps than Tiana.
- D. In 12 minutes, Tiana swims 8 fewer laps than Raven.

Lesson Practice


6.2.11

Name: _____ Date: _____ Period: _____

7. Inola is making personal pizzas for a friend's birthday party. For 4 pizzas, Inola uses 10 ounces of cheese. Complete the table using this ratio.

Number of Pizzas	Cheese (oz)
12	30
22	55
11	27.5

8. The Americans with Disabilities Act (ADA) states that the maximum height-to-length ratio of a curb ramp is 1 : 12. That means for every 1 inch of ramp height, there must be at least 12 inches of ramp length.²



Crow measured the height of this ramp as 30 inches. What's the minimum horizontal length of the ramp?

360 inches or 30 feet

Spiral Review

9. Fill in each blank using the numbers 1 to 12 only once to make each expression true.

Sample responses shown.

$$\frac{\boxed{7}}{\boxed{10}} < \frac{\boxed{3}}{\boxed{4}}$$

$$\frac{\boxed{6}}{\boxed{8}} = \frac{\boxed{9}}{\boxed{12}}$$

$$\frac{\boxed{1}}{\boxed{2}} > \frac{\boxed{5}}{\boxed{11}}$$

Reflection

1. Star the problem you spent the most time on.
2. Use this space to ask a question or share something you're proud of.


² Source: *Americans with Disabilities Act*

Lesson Summary


A *tape diagram* is a way to represent relationships between quantities (such as ratios) as lengths of tape. The diagram is divided up to represent the parts. Together, these parts represent the whole.

We can use tape diagrams to represent things like the ratio of different paints in a mixture.

For example, when 2 cups of yellow paint are mixed with 4 cups of blue paint, it creates 6 cups of green paint. Here is a tape diagram representing that ratio, where each part represents 1 cup of paint.



But if each part represented 3 cups of paint, there would be 6 cups of yellow paint, 12 cups of blue paint, and a total of 18 cups of green paint. This is a way to see a ratio that is equivalent to the original ratio.



Things to Remember:

Lesson Practice

6.2.13

Name: _____ Date: _____ Period: _____

Problems 1–2: The ratio of coaches to players at practice is 2 : 5. There are 21 people at practice.

1. How many coaches are at practice?

6 coaches

2. How many players are at practice?

15 players

Problems 3–4: Here is a tape diagram representing the ratio of red paint to yellow paint in a mixture of orange paint.



3. What is the ratio of red paint to yellow paint?

3 : 2

4. Complete the table below to show the amount of yellow and red paint needed to make each quantity of orange paint.

Orange (gal)	Red (gal)	Yellow (gal)
25	15	10
30	18	12

5. The ratio of cats to dogs at a shelter is 4 : 5. In total, there are 27 dogs and cats.

How many dogs are there? Show or explain your thinking.

15 dogs. Explanations vary.

Cats	Dogs	Total
4	5	9
12	15	27

Lesson Practice

6.2.13

Name: _____ Date: _____ Period: _____

6. Last month, there were 4 sunny days for every rainy day. If there were 30 days in the month, how many days were rainy? Show or explain your thinking.

6 rainy days. Explanations vary.


Sunny Days	Rainy Days	Total Days
4	1	5
24	6	30

Spiral Review

7. Determine the area of this triangle. Show or explain your thinking.


15 square units. Explanations vary. The triangle has a base of 6 units and a height of 5 units.

$$6 \cdot 5 \cdot \frac{1}{2} = 15 \text{ square units}$$



8. What type of polyhedron can you assemble from this net?

- A. Triangular pyramid
- B. Trapezoidal pyramid
- C. Rectangular pyramid
- D. Triangular prism



Reflection

- Put a star next to a problem you could explain to a classmate.
- Use this space to ask a question or share something you're proud of.

Lesson Summary

Ratio tables, tape diagrams, and models can help us determine unknown amounts, which can help us solve real-world problems.

For example, Metropolis has requirements for the ratio of green space to building space in each new neighborhood development. The requirements say that there should be 2 units of green space for every 5 units of building space.

A new development has 35 units of land. Let's use both a ratio table and a tape diagram to determine how many units of building space they can build.


Ratio Table

Green Space	Building Space	Total
2	5	7
10	25	35

$$35 \div 7 = 5$$

$$5 \cdot 5 = 25$$

Green Space



$$7 \cdot 5 = 35$$

$$5 \cdot 5 = 25$$

So for 35 total units of land, Metropolis will have 25 units of building space.

Things to Remember:

Lesson Practice

6.2.14

Name: _____ Date: _____ Period: _____

Problems 1–2: Pasta is made from 3 parts water and 5 parts flour. Sora is making 32 ounces of pasta for a party.

1. How much water does Sora need to make 32 ounces of pasta?

12 ounces

2. How much flour does Sora need to make 32 ounces of pasta?

20 ounces

Problems 3–4: Sora's salad dressing recipe uses 6 teaspoons of vinegar for every 15 teaspoons of olive oil.

3. Complete the table to show the amount of vinegar and olive oil needed to make each amount of salad dressing.

Vinegar (tsp)	Oil (tsp)	Salad Dressing (tsp)
12	30	42
4	10	14

4. Mar used a recipe that makes 7 teaspoons of salad dressing by combining oil and vinegar. Mar used 3 teaspoons of vinegar. Could Mar be using the same recipe as Sora? Explain your thinking.

No. Explanations vary. Mar's recipe uses a ratio of 3 teaspoons of vinegar to 4 teaspoons of olive oil. If I double that recipe, the ratio is 6 : 8. Sora's recipe uses 15 teaspoons of olive oil for the same amount of vinegar.

5. A teacher is planning a class trip to the aquarium. The aquarium requires 2 adults to join for every 15 students. If the teacher orders 85 tickets, how many tickets are for adults and how many are for students? Show or explain your thinking.

10 tickets were for adults and 75 tickets were for students. Explanations vary. If there were 2 adults for every 15 students, that's a ratio of 2 : 15, representing a total of 17 tickets. 85 tickets is 5 times as many tickets, so I multiplied the 2 and 15 each by 5 to get the total number of tickets for the adults and the students.

Adults	Students	Total Tickets
2	15	17
10	75	85

Lesson Practice

6.2.14

Name: _____ Date: _____ Period: _____

Spiral Review


Problems 6–8: Determine each product mentally.

6. $3.4 \cdot 10 = 34$

7. $3.4 \cdot 100 = 340$

8. $0.34 \cdot 100 = 34$

9. This diagram represents the pints of red and yellow paint in a mixture. Select *all* the statements that accurately describe the diagram.



- A. The ratio of pints of yellow paint to pints of red paint is 6 to 2.
- B. For every 3 pints of red paint, there is 1 pint of yellow paint.
- C. For every pint of yellow paint, there are 3 pints of red paint.
- D. For every pint of yellow paint, there are 6 pints of red paint.
- E. The ratio of pints of red paint to pints of yellow paint is 6 : 2.

Reflection

- Put a question mark next to a problem you were feeling stuck on.
- Use this space to ask a question or share something you're proud of.

Lesson Summary

Units of measurement can be used to describe things like length, volume, and weight or mass. Certain units of measurement might be more appropriate to use than others, depending on what you're measuring. Here are some examples of units of measurement, arranged from the *smallest* unit to the *largest* unit.

Length	Volume	Weight
Millimeter	Milliliter	Gram
Centimeter	Fluid ounce	Ounce
Inch	Cup	Pound
Foot	Quart	Kilogram
Yard	Liter	Ton
Meter	Gallon	
Kilometer		
Mile		

Things to Remember:

Lesson Practice

6.3.01

Name: _____ Date: _____ Period: _____

Problems 6–7: Identify a unit that can be used to measure:

6. The length of a neighborhood road.

Responses vary. Miles

7. The volume of a car's gas tank.

Responses vary. Gallons

Spiral Review

Problems 8–9: Determine each quotient. Show or explain your thinking.

8. $1275 \div 15 = 85$

Explanations vary.

$$\begin{array}{r} 85 \\ 15 \overline{)1275} \\ \underline{-120} \\ 75 \\ \underline{-75} \\ 0 \end{array}$$

9. $1500 \div 25 = 60$

Explanations vary.

$$\begin{array}{l} 25 \cdot 4 = 100 \\ 100 \cdot 15 = 1500 \\ 4 \cdot 15 = 60 \end{array}$$

10. In a jazz orchestra, there is a horn section and a rhythm section. The ratio of horn players to rhythm players is 13 to 4. What is the ratio of rhythm players to total players?

A. 4 : 13

B. 13 : 17

C. 4 : 9

D. 4 : 17

Reflection


1. Circle the problem you feel least confident about.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

You can use equivalent ratios to convert measurements from one unit to another.

For example, if you know that 100 inches = 254 centimeters, you can use a double number line or a table to convert 20 inches to centimeters, too.

Double Number Line



Ratio Table

	Inches	Centimeters
$\div 100$	100	254
	1	2.54
$\times 20$	20	50.8

Things to Remember:

Lesson Practice


6.3.03

Name: _____ Date: _____ Period: _____


Spiral Review

Problems 6–9: Plot each value on the number line.


6. $\frac{2}{5}$




7. $1\frac{2}{5}$



8. $\frac{5}{8}$



9. $\frac{12}{8}$



Reflection

1. Put a heart next to the problem you feel most confident about.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

When you're comparing different rates, like speeds, it's helpful to convert the rates to the same units of measurement. Then you can use equivalent ratios or unit rates to more accurately compare the rates.

Let's compare the speeds of two runners competing in different races.

- Runner A runs the 400-meter dash in 50 seconds.
- Runner B runs a 5-kilometer race in 20 minutes.

We can convert both of these speeds to meters per second.

Runner A

Seconds	Meters
50	400
1	8

8 meters per second

Runner B

5 kilometers = 5000 meters

20 minutes = 1200 seconds

Seconds	Meters
1,200	5,000
1	$4\frac{1}{6}$

$4\frac{1}{6}$ meters per second

Runner A runs at a faster rate because they ran a greater distance (8 meters) than Runner B ($4\frac{1}{6}$ meters) in the same amount of time (1 second).

Things to Remember:

Lesson Practice

6.3.05

Name: _____ Date: _____ Period: _____

Problems 1–2: Skye and Ari were trying out new remote control cars. Skye’s car traveled 135 feet in 3 seconds. Ari’s car traveled 228 feet in 6 seconds. Both cars traveled at a constant speed.

1. Determine the speed of each remote control car in feet per second.

Skye’s Car’s Speed

.....**45**..... feet per second

Ari’s Car’s Speed

.....**38**..... feet per second

2. Whose car traveled faster?

Skye’s

3. Emmanuel types 208 words in 4 minutes. Kele types 342 words in 6 minutes. Both type at a constant rate. Who types faster? Explain your thinking.

Kele. Explanations vary. Emmanuel types at a rate of 52 words per minute because $208 \div 4 = 52$. Kele types at a rate of 57 words per minute because $342 \div 6 = 57$. That means Kele can type 5 more words per minute than Emmanuel.

4. Here are the approximate distances and times for four swimmers in different events. Order the swimmers from *slowest* to *fastest*.

Swimmer A: 800 meters
in 8 minutes

Swimmer B: 100 meters
in 50 seconds

Swimmer C: 1.5 kilometers
in 15.5 minutes

Swimmer D: 50 meters
in 20 seconds

Swimmer C

Swimmer A

Swimmer B

Swimmer D

Slowest

Fastest

Lesson Practice

6.3.05

Name: Date: Period:

Problems 5–6: Penguin A walks 10 feet in 5 seconds. Penguin B walks 12 feet in 8 seconds. Each penguin keeps walking at those speeds.

5. How far does each penguin walk in 45 seconds?

Penguin A walks 90 feet. Penguin B walks 67.5 feet.

6. If the two penguins start at the same place and walk in the same direction, how far apart will the two penguins be after 2 minutes? Show or explain your thinking.

60 feet. Explanations vary. Penguin A will have walked 240 feet. Penguin B will have walked 180 feet. $240 - 180 = 60$

Spiral Review

Problems 7–8: There are 3,785 milliliters in 1 gallon, and there are 4 quarts in 1 gallon.

7. How many milliliters are in 3 gallons? Show or explain your thinking.

11,355 milliliters. Work varies. $3785 \cdot 3 = 11355$

8. How many milliliters are in 1 quart? Show or explain your thinking.

946.25 milliliters. Work varies. $3785 \div 4 = 946.25$

Reflection

1. Put a smiley face next to a problem you were stuck on and then figured out.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

When two quantities are related in a ratio, you can describe the relationship using two different unit rates.

For example, the ratio $A : B$ can be represented as:

- The amount of Quantity A per 1 of Quantity B.
- The amount of Quantity B per 1 of Quantity A.

In situations that involve money, one of the two possible unit rates is the **unit price** (the price per unit of an item).

Let's say a store advertises 4 pounds of granola for \$5.

You can use a table to determine the two different unit rates.

- Price per 1 pound: \$1.25 per pound of granola. This is the unit price.
- Number of pounds per \$1: 0.8 pounds of granola per dollar.

Granola (lb)	Price (\$)
4	5.00
1	1.25
0.8	1.00

Things to Remember:

Lesson Practice

6.3.06

Name: _____ Date: _____ Period: _____

Problems 1–4: A copy machine can make 500 copies every 4 minutes.

1. How many copies can the copy machine make per minute?

125 copies per minute

2. How many minutes does it take per copy?

0.008 minutes

3. How many copies can the copy machine make in 10 minutes?

1,250 copies

4. A teacher made 700 copies. How long did it take?

5.6 minutes

Problems 5–7: Jamar’s class painted 50 square feet of a mural using 4 cans of paint.

5. How many square feet did they paint per can of paint?

12.5 square feet

6. How many cans did they use per square foot?

0.08 cans

7. Jamar’s class wants to paint a total of 310 square feet. Jamar calculated that they would need 3,875 cans of paint. Here is Jamar’s work.

Jamar

12.5 square feet

$$310 \cdot 12.5 = 3875$$

Is this work correct? Circle one.

Yes

No

Explain your thinking.

Explanations vary. Jamar used the incorrect rate. He multiplied 310 by the number of square feet per can of paint, 12.5. Jamar should have multiplied 310 by the number of cans of paint per square foot, 0.08.

Lesson Practice

6.3.06

Name: _____ Date: _____ Period: _____

8. Here are the prices for cans of juice at different stores. The cans are the same brand and size. Which store offers the best deal? Explain your thinking.

Store A

4 cans for \$2.48

Store B

5 cans for \$3.00

Store C

\$0.59 per can

Store C. Explanations vary. Cans are sold for \$0.62 each at Store A and \$0.60 each at Store B.

Spiral Review

Problems 9–10: Evaluate each expression.

9. $\frac{1}{4}$ of 60

15

10. $\frac{3}{4}$ of 60

45

Reflection

1. Circle a problem you want to talk to a classmate about.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

Unit rates can help you determine missing values in a table.

For example, let's say 4 pounds of apples cost \$10.

That means the cost of 1 pound of apples is \$2.50. So you can calculate the cost of any amount of apples by multiplying the weight by 2.5.

That also means that for \$1, you can buy 0.4 pounds of apples. So you can calculate the number of pounds of apples you can buy for any amount of money by multiplying the amount of money by 0.4.

Pounds	Dollars
4	10
2	5
1	2.5
0.4	1

$\div 0.4$
 $\cdot 2.50$

$\div 2.5$
 $\cdot 0.4$

Things to Remember:

Lesson Practice

6.3.07

Name: _____ Date: _____ Period: _____

Problems 1–4: This table shows how many onions and tomatoes you need to make different-sized batches of a salsa recipe.

Onions	Tomatoes
2	16
4	32
6	48

1. How many onions do you need for 40 tomatoes?

5 onions

2. How many tomatoes do you need for 3.5 onions?

28 tomatoes

3. One unit rate in this situation is 8. What does that represent?

Responses vary. The number of tomatoes per onion

4. Another unit rate is $\frac{1}{8}$. What does that represent?

Responses vary. The number of onions per tomato

Problems 5–6: It takes 10 pounds of potatoes to make 15 servings of mashed potatoes.

5. How many servings of mashed potatoes can you make with 15 pounds of potatoes? Use the table if it helps with your thinking.

Potatoes (lb)	Mashed Potatoes (servings)
10	15

22.5 servings

6. How many pounds of potatoes do you need to make 45 servings of mashed potatoes? Use the table if it helps with your thinking.

30 pounds

Lesson Practice

6.3.07

Name: _____ Date: _____ Period: _____

7. Theo walks 1 mile in 20 minutes. At this rate, how many miles could Theo walk in 1 hour 30 minutes?

4.5 miles

8. A train is traveling at a constant rate. Complete the table to show the relationship between the train's travel time and its distance traveled.

Responses shown in table.

Time (hr)	Distance Traveled (mi)
2	110
1	55
0.5	27.5
$1\frac{1}{2}$	82.5
3	165

Spiral Review

9. A sandwich is placed on a digital scale. The scale reads 4.3. What could be the unit of measurement?

A. Milligrams

B. Ounces

C. Pounds

D. Inches

10. Lola's family is planning to purchase a car that is 176.5 inches long. They have a parking space that is 16.25 feet long. Could this car fit in the parking space? Explain your thinking.

Yes. Explanations vary. The parking space is 195 inches long because $16.25 \cdot 12 = 195$.


Reflection

- Put a star next to a problem that looked more difficult than it really was.
- Use this space to ask a question or share something you're proud of.

Lesson Summary

You can answer the question “How many groups?” using different representations that include both whole numbers and fractions.

Here’s the problem “How many $\frac{2}{5}$ s are in 2?” represented using a tape diagram, a multiplication equation, and a division equation.



Because there are 5 groups of $\frac{2}{5}$ in 2, the value 5 makes both equations $\frac{2}{5} \cdot 5 = 2$ and $2 \div \frac{2}{5} = 5$ true.

Things to Remember:

Lesson Practice

6.4.03

Name: _____ Date: _____ Period: _____

Problems 1–4: Biryani is a rice dish from South Asia. Three students made the same biryani recipe using different-sized scoops. If the recipe calls for 4 cups of rice, how many scoops of rice does each student need?




1. Hanjung: 2-cup scoop
2 scoops

2. Leah-James: $\frac{1}{2}$ -cup scoop
8 scoops


3. Emma: $\frac{1}{3}$ -cup scoop
12 scoops

4. Explain how the equation $4 \div \frac{1}{3} = ?$ represents Emma's situation.
Responses vary. The equation $4 \div \frac{1}{3} = ?$ represents the question "How many $\frac{1}{3}$ -cup scoops are in 4 cups?"

5. Lukas drew this diagram to represent the question "How many $\frac{1}{4}$ s make 2?" Write a division equation to represent Lukas's diagram.
Responses vary. $2 \div \frac{1}{4} = 8$



6. Ash has a 2-pound bag of cat food. Ash's family has 6 cats. Together, the cats eat $\frac{2}{3}$ pounds of cat food per day. Which model best represents how many days the 2-pound bag of food will last?



Lesson Practice


6.4.03

Name: _____ Date: _____ Period: _____


Spiral Review

Problems 7–9: Shade the boxes to represent each fraction.


7. $\frac{1}{3}$



8. $\frac{1}{2}$



9. $\frac{5}{6}$



10. When you multiply one number by another, the result will be larger than the first number.

Is this statement *always*, *sometimes*, or *never* true? Circle one.

Always

Sometimes

Never

Explain your thinking.

Explanations vary. If you're multiplying a number by another number that's greater than 1, then the product will be greater than the first number. For example, $4 \cdot 3 = 12$. If you're multiplying a number by another number that's less than 1, then the product will be smaller than the first number. For example, $4 \cdot \frac{3}{4} = 3$.

Reflection

1. Put a star next to a problem you're still wondering about.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

You can answer “How many are in *one* group?” by:

- Evaluating division and multiplication expressions.
- Using tape diagrams that represent division and multiplication expressions.

Situation	Diagram	Expressions	Number of Flowers in 1 Planter
3 flowers fill $\frac{1}{3}$ of a planter.		$3 \div \frac{1}{3} = ?$ or $\frac{1}{3} \cdot ? = 3$	9
18 flowers fill $1\frac{1}{2}$ planters.		$18 \div 1\frac{1}{2} = ?$ or $1\frac{1}{2} \cdot ? = 18$	12

Things to Remember:

Lesson Practice

6.4.04

Name: _____ Date: _____ Period: _____

Problems 1–4: Abena is planting vegetables in the school garden. Determine how many of each vegetable plant Abena can fit in 1 planter.

Use the diagrams if they help with your thinking.

1. Onion plants, if 10 onion plants fill $\frac{1}{2}$ of a planter

20 onion plants

2. Asparagus crowns, if 8 asparagus crowns fill $\frac{2}{3}$ of a planter


12 asparagus crowns

3. Potato plants, if 6 potato plants fill $\frac{3}{4}$ of a planter

8 potato plants

4. Abena wrote the expression $6 \div \frac{3}{4}$ to represent how many potato plants fill 1 planter. Describe a situation that represents the expression $8 \div \frac{4}{5}$.

Responses vary. 8 flowers fill $\frac{4}{5}$ of a planter.



Problems 5–6: Ashley picks 9 strawberries from the school garden. The strawberries fill $\frac{3}{4}$ of a cup.

5. Label the tape diagram to represent Ashley's situation.



Response shown on tape diagram.

6. Determine how many strawberries fill 1 cup. Use the tape diagram if it helps with your thinking.

12 strawberries

7. A painter is making a mural. They use 3 gallons of paint for $\frac{3}{8}$ of the mural. How many gallons of paint would they need to paint the whole mural?

8 gallons

Lesson Practice

6.4.04

Name: Date: Period:

Spiral Review

Problems 8–9: Nur made 9 pairs of earrings in 6 hours.

8. How long will it take Nur to make 12 pairs of earrings?

8 hours

9. How many pairs of earrings can Nur make in 10 hours?

15 pairs of earrings

Problems 10–12: Calculate each unknown number.

10. 5 is 50% of what number?

10

11. 300 is 10% of what number?

3,000

12. 18 is 150% of what number?

12


Reflection

1. Put a heart next to a problem you understand well.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

You can use division to determine how many groups fit into a whole. For example, the expression $2 \div \frac{3}{4}$ can represent how many $\frac{3}{4}$ -foot-long bricks fit along a 2-foot garden wall. You can use tape diagrams or reasoning about equal groups to determine how many groups (bricks) fit into the whole (along the garden wall).

Tape Diagram



Reasoning About Equal Groups

- To calculate how many lengths of $\frac{3}{4}$ fit into 2, it would help to determine how many $\frac{1}{4}$ s there are in 2 wholes.
- I can rewrite 2 as $\frac{8}{4}$.
- There are two groups of $\frac{3}{4}$ in $\frac{8}{4}$, with $\frac{2}{4}$ left over.
- The leftover $\frac{2}{4}$ has 2 of the 3 parts needed to complete a whole group of $\frac{3}{4}$. That means there are $2\frac{2}{3}$ groups of $\frac{3}{4}$ in 2.

Things to Remember:


Lesson Practice

6.4.05

Name: _____ Date: _____ Period: _____

1. How many $\frac{2}{5}$ s are in 2? Use the diagram if it helps with your thinking.


5



Problems 2–3: Think about how many $\frac{1}{4}$ s are in 3.

2. Draw a tape diagram to represent the situation.

Sample response shown.




3. Determine how many $\frac{1}{4}$ s are in 3.

12

Problems 4–5: Think about the expression $3\frac{2}{5} \div \frac{4}{5}$.

4. Draw a tape diagram to represent this expression.

Sample response shown.




5. Calculate the quotient.

$4\frac{1}{4}$ (or equivalent)

Problems 6–7: Here is a tape diagram.

6. What expression does this tape diagram represent?

$$\frac{11}{4} \div \frac{3}{4}$$



7. Calculate the quotient for this expression.

$3\frac{2}{3}$ (or equivalent)

Lesson Practice


6.4.05

Name: _____ Date: _____ Period: _____

Problems 8–9: Think about the expression $6\frac{1}{2} \div \frac{3}{4}$.

8. Draw a tape diagram to represent this expression.

Sample response shown.



9. Calculate the quotient.

$8\frac{2}{3}$ (or equivalent)

10. Kayleen's family buys one 3-pound bag of rice. They eat about $\frac{3}{4}$ of a pound every week. How many weeks does one bag last? Use a tape diagram if it helps you with your thinking.

4 weeks

Spiral Review

11. Complete the table.

Fraction	Decimal	Percent
$\frac{1}{4}$	0.25	25%
$\frac{1}{10}$	0.1	10%
$\frac{1}{5}$	0.2	20%
$1\frac{4}{10}$ or $1\frac{2}{5}$	1.4	140%

Reflection

- Circle the problem you're most interested in knowing more about.
- Use this space to ask a question or share something you're proud of.

Lesson Summary

Creating equal-sized pieces, or using a *common denominator*, is a helpful strategy for calculating quotients involving fractions and determining when there is more or less than 1 group.

	Expression and Tape Diagram	Expression and Tape Diagram Using a Common Denominator
More Than 1 Group	$\frac{3}{4} \div \frac{2}{3}$	$\frac{9}{12} \div \frac{8}{12} = \frac{9}{8}$ <p>A common denominator of 4 and 3 is 12.</p>
Less than 1 Group	$\frac{1}{2} \div 1\frac{1}{4}$	$\frac{2}{4} \div \frac{5}{4} = \frac{2}{5}$ <p>A common denominator of 2 and 4 is 4.</p>

Things to Remember:

Lesson Practice

6.4.06

Name: _____ Date: _____ Period: _____


1. Select *all* the expressions whose value is greater than 1.

- A. $\frac{2}{3} \div 5$
 B. $5 \div \frac{2}{3}$
 C. $\frac{5}{3} \div 4$
 D. $\frac{1}{3} \div \frac{4}{5}$
 E. $\frac{4}{5} \div \frac{1}{3}$

2. Afia uses a $\frac{1}{2}$ -cup scoop for flour. How many scoops does Afia need for each amount of flour? Draw a diagram if it helps with your thinking.

Flour (cups)	Number of Scoops
1	2
$\frac{1}{4}$	$\frac{1}{2}$
$\frac{3}{4}$	$1\frac{1}{2}$


Problems 3–4: Here is a diagram.



3. Determine if the value of $1\frac{1}{2} \div \frac{2}{3}$ is:

Less than 1


Greater than 1



4. Calculate the value of the expression in Problem 3.

$\frac{9}{4}$ (or equivalent)


Problems 5–6: Here is a diagram.



5. Determine if the value of $\frac{4}{3} \div \frac{3}{2}$ is:

Less than 1

Greater than 1



6. Calculate the value of the expression in Problem 5.

$\frac{8}{9}$ (or equivalent)

Lesson Practice

6.4.06

Name: _____ Date: _____ Period: _____

Spiral Review

Problems 7–9: Determine the missing value that creates a pair of equivalent fractions. Draw diagrams if it helps with your thinking.

7. $\frac{2}{3} = \frac{\boxed{6}}{9}$

8. $2\frac{1}{2} = \frac{\boxed{20}}{8}$

9. $\frac{4}{\boxed{10}} = \frac{10}{25}$

Problems 10–11: A school's Latino Student Union has a budget of \$240 for the year.

10. The club wants to spend 40% of their budget on snacks. How much money will they spend on snacks?

\$96

11. The club spent \$36 on decorations for Día de los Muertos. What percent of their budget is that?

15%

Reflection


1. Put a star next to a problem you could explain to a classmate.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary


You can use common denominators to determine quotients involving fractions.

For example, in $\frac{1}{4} \div \frac{1}{3}$, you can use 12 as a common denominator of 4 and 3. Then you can rewrite the division expression as $\frac{3}{12} \div \frac{4}{12}$. This helps you determine that there are $\frac{3}{4}$ groups of $\frac{4}{12}$ in $\frac{3}{12}$.

Tape Diagram of Original Problem



Tape Diagram With Common Denominator



Equivalent Fractions With Common Denominator

$$\frac{1}{4} \div \frac{1}{3}$$

$$\frac{3}{12} \div \frac{4}{12}$$

$$3 \div 4$$

$$\frac{3}{4}$$

Things to Remember:




Lesson Practice

6.4.07

Name: _____ Date: _____ Period: _____

Spiral Review

8. Which of these tape diagrams represent the expression $6 \div \frac{1}{3}$?



9. Jordan and Sid are running on a track. Sid starts 10 meters ahead of Jordan. Jordan runs 120 meters in 24 seconds. Sid runs 120 meters in 25 seconds. If they both continue running at this pace, how long will it take for Jordan to catch up to Sid? Explain your thinking.

50 seconds. Explanations vary. Sid starts 10 meters ahead and runs at a speed of 4.8 meters per second, and Jordan runs at a speed of 5 meters per second. Jordan is running 0.2 meters per second faster than Sid, so it will take her $10 \div 0.2 = 50$ seconds to make up the 10 meters and catch Sid.

Problems 10–11: A rocking horse has a weight limit of 60 pounds.

10. What percent of the weight limit is 33 pounds?

55%

11. What weight is 95% of the weight limit?

57 pounds

Reflection



1. Put a heart next to the problem you found most interesting
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

When you divide a number by a unit fraction $\frac{1}{b}$, it's generally the same as multiplying the number by b .

For example, think about the expression $\frac{2}{5} \div \frac{1}{3}$. In our planter and soil situation, this means it takes $\frac{2}{5}$ bags of soil to fill $\frac{1}{3}$ of a planter.

To fill the entire planter, you would need 3 times $\frac{2}{5}$ bags of soil, or $\frac{2}{5} \cdot 3$.



$$\begin{aligned} & \frac{2}{5} \div \frac{1}{3} \\ &= \frac{2}{5} \cdot 3 \\ &= \frac{6}{5} \\ &= 1\frac{1}{5} \end{aligned}$$

Things to Remember:


Lesson Practice

6.4.08

Name: _____ Date: _____ Period: _____

1. Calculate $\frac{6}{5} \div \frac{1}{3}$. Use the tape diagram if it helps with your thinking.

$\frac{18}{5}$ (or equivalent)



2. $\frac{2}{3}$ cups of apple chips fill $\frac{1}{4}$ of a jar. Write and evaluate an expression to determine how many cups fill 1 jar.

$\frac{2}{3} \div \frac{1}{4} = \frac{8}{3}$ (or equivalent)

Problems 3–4: Determine whether each statement is *always*, *sometimes*, or *never* true. Circle your answer and explain your thinking.

3. Dividing the same numbers in a different order keeps the value the same, like $2 \div 3 = 3 \div 2$.

Always

Sometimes

Never

Explanations vary. If the numbers are the same, then switching the order does not matter. For example, $2 \div 2 = 2 \div 2$. If the numbers are different, then switching the order changes the quotient from greater than 1 to less than 1 or the other way around. For example, $3 \div 2 > 1$ and $2 \div 3 < 1$.

4. Dividing a number by $\frac{1}{3}$ produces the same value as multiplying the number by 3.

Always

Sometimes

Never

Explanations vary. One way to think about dividing a number by $\frac{1}{3}$ is that $\frac{1}{3}$ of a container is full, and I need to figure out how much fills the whole container. To do that, I would need to multiply that number by 3.

5. $\frac{2}{5}$ of the student population walked to school on a given Friday. If 150 students walked to school that day, how many total students go to the school?

375


Lesson Practice

6.4.08

Name: _____ Date: _____ Period: _____


Problems 6–7: Complete the tape diagram to represent and solve each problem.

6. Mai picked 1 cup of strawberries, which is enough for $\frac{3}{4}$ of a pan of strawberry oatmeal bars. How many cups does Mai need for a whole pan?



Mai needs $1\frac{1}{3}$ cups of strawberries for a whole pan.

7. Prisha picked $1\frac{1}{2}$ cups of raspberries, which is enough for $\frac{3}{4}$ of a loaf of raspberry bread. How many cups does Prisha need for a whole loaf?



Prisha needs 2 cups of raspberries for a whole loaf.

Spiral Review

Problems 8–10: Determine each quotient.

8. $6 \div \frac{1}{3} = 18$

9. $4 \div \frac{1}{9} = 36$

10. $\frac{1}{10} \div 8 = \frac{1}{80}$

Reflection

1. Circle a problem you're still curious about.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

You don't have to use tape diagrams to determine the quotient of two fractions!

Here are two ways to calculate the quotient of the expression $\frac{9}{10} \div \frac{3}{4}$: by using common denominators and by simplifying numerators.

Common Denominators

- Rewrite the expression using common denominators.

$$\frac{18}{20} \div \frac{15}{20}$$

- Then divide the numerator of the first fraction by the numerator of the second fraction.

$$18 \div 15 = \frac{18}{15} \text{ or } \frac{6}{5}$$

Simplifying Numerators

- Divide the first fraction by the numerator of the divisor to create a unit fraction.

$$\frac{3}{10} \div \frac{1}{4}$$

- To divide by the unit fraction, multiply the dividend by the denominator of the divisor.

$$\frac{3}{10} \cdot 4 = \frac{12}{10} \text{ or } \frac{6}{5}$$

Things to Remember:

Lesson Practice

6.4.09

Name: Date: Period:

Problems 1–4: Use any strategy to calculate each quotient.

1. $10 \div \frac{1}{5} = 50$

2. $10 \div \frac{3}{5} = \frac{50}{3}$ (or equivalent)

3. $3\frac{3}{4} \div \frac{3}{8} = 10$

4. $\frac{1}{2} \div \frac{5}{3} = \frac{3}{10}$ (or equivalent)

5. How many groups of $\frac{3}{4}$ are in $4\frac{1}{2}$?

6 groups

6. How many groups of $\frac{3}{4}$ are in $2\frac{2}{3}$?

$3\frac{5}{9}$ groups

7. Use the equation $2\frac{1}{2} \div \frac{1}{8} = 20$ to determine $2\frac{1}{2} \div \frac{5}{8}$. Explain your thinking.

4. Explanations vary. There are 20 groups of $\frac{1}{8}$ in $2\frac{1}{2}$. If the size of each group is multiplied by 5 (from $\frac{1}{8}$ to $\frac{5}{8}$), then the number of groups will be divided by 5. $20 \div 5 = 4$.

Spiral Review

8. Basheera has 90 songs on a playlist and has listened to 40% of them. How many songs has Basheera listened to?

36 songs

Lesson Practice

6.4.09

Name: _____ Date: _____ Period: _____

9. One batch of trail mix uses 2 cups of cereal, $\frac{1}{4}$ cups of raisins, and $\frac{2}{3}$ cups of almonds. Complete the table to show how much of each ingredient you would need to make 3 or 4 batches of trail mix.

	Cereal (cups)	Raisins (cups)	Almonds (cups)
3 Batches	6	$\frac{3}{4}$	2
4 Batches	8	1	$2\frac{2}{3}$ (or equivalent)

Problems 10–11: Here are three expressions.

$56 \div 8$

$56 \div 8000000$

$56 \div 0.000008$

10. Without calculating, order the quotients from *least* to *greatest*.

$56 \div 8000000$	$56 \div 8$	$56 \div 0.000008$
Least		Greatest

11. Explain how you ordered the three quotients.

Responses vary. Because the dividends are the same, a greater divisor leads to a lesser quotient.

Reflection

1. Put a star next to the problem you understood best.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

You can use division to determine how many times as large one quantity is compared to another.

For example, let's say a song is $1\frac{1}{2}$ minutes long, and another song is $3\frac{3}{4}$ minutes long. You can compare the lengths of the two songs by answering either of these questions:

How many times longer is the second song than the first song?

$$\begin{aligned} 3\frac{3}{4} \div 1\frac{1}{2} &= ? \\ &= \frac{15}{4} \div \frac{3}{2} \\ &= \frac{15}{4} \cdot \frac{2}{3} \\ &= \frac{30}{12} \text{ or } 2\frac{1}{2} \end{aligned}$$

The second song is $2\frac{1}{2}$ times as long as the first song.

What fraction of the second song is the first song?

$$\begin{aligned} 1\frac{1}{2} \div 3\frac{3}{4} &= ? \\ &= \frac{3}{2} \div \frac{15}{4} \\ &= \frac{6}{4} \div \frac{15}{4} \\ &= \frac{6}{15} \text{ or } \frac{2}{5} \end{aligned}$$

The first song is $\frac{2}{5}$ as long as the second song.


Things to Remember:

Lesson Practice

6.4.12

Name: _____ Date: _____ Period: _____

1. Segment A is $1\frac{1}{4}$ centimeters long. Segment B is $\frac{3}{4}$ centimeters long, and Segment C is $2\frac{1}{2}$ centimeters long.



Match each question with the expression that could be used to answer it.

- | | |
|------------------------------------------------------|-------------------------------------------|
| a. How much longer is Segment A than Segment B? | b $\frac{3}{4} \div 1\frac{1}{4}$ |
| b. Segment B is how many times as long as Segment A? | e $1\frac{1}{4} \div 2\frac{1}{2}$ |
| c. Segment A is how many times as long as Segment B? | c $1\frac{1}{4} \div \frac{3}{4}$ |
| d. What fraction of Segment A is Segment C? | a $1\frac{1}{4} - \frac{3}{4}$ |
| e. What fraction of Segment C is Segment A? | d $2\frac{1}{2} \div 1\frac{1}{4}$ |

Problems 2–3: Deiondre's teacher challenged the class to bike $4\frac{1}{2}$ miles each day.

2. On Monday, Deiondre biked 6 miles. How many times the daily goal did Deiondre ride?

$1\frac{1}{3}$ times the goal

3. On Tuesday, Deiondre biked $1\frac{4}{5}$ miles. What fraction of the daily goal did Deiondre ride?

$\frac{2}{5}$ of the goal

4. A security guard works $9\frac{1}{2}$ -hour-long shifts. At one point during a shift, the guard looks at the clock and realizes it has been $3\frac{3}{4}$ hours since the shift started. Calculate exactly how much of the shift the guard has worked. Show or explain your thinking.


The guard has worked $\frac{15}{38}$ of the shift. Work varies. $3\frac{3}{4} \div 9\frac{1}{2} = \frac{15}{4} \div \frac{19}{2} = \frac{15}{4} \cdot \frac{2}{19} = \frac{15}{38}$

Lesson Practice

6.4.12

Name: _____ Date: _____ Period: _____

Problems 5–7: When taking measurements, engineers in the U.S. use the U.S. customary system, while engineers in Canada use the metric system. On an international project, it's important to convert measurements precisely. For example, one inch is the same length as $2\frac{27}{50}$ centimeters.



5. How many centimeters long is 3 inches? Show or explain your thinking.

$7\frac{31}{50}$ centimeters. *Work varies.* $3 \cdot 2\frac{27}{50} = \frac{3}{1} \cdot \frac{127}{50} = \frac{381}{50} = 7\frac{31}{50}$

6. What fraction of 1 inch is 1 centimeter? Show or explain your thinking.

$\frac{50}{127}$. *Work varies.* $1 \div 2\frac{27}{50} = 1 \div \frac{127}{50} = \frac{50}{127}$


7. What question can you answer about this situation by determining the value of $10 \div 2\frac{27}{50}$?

How many inches are in 10 centimeters?

Spiral Review

8. Here are four points plotted on a number line.

Which point best represents $66\frac{2}{3}\%$ of the distance between 0 and 1?



A. Point A

B. Point B

C. Point C

D. Point D

Problems 9–10: Determine each product.

9. $\frac{2}{3} \cdot \frac{9}{20} = \frac{3}{10}$ (or equivalent)

10. $1\frac{2}{5} \cdot \frac{3}{14} = \frac{3}{10}$ (or equivalent)

Reflection

1. Circle the problem that was the most challenging for you.
2. Use this space to ask a question or share something you're proud of.



Lesson Summary

You can determine the area of a polygon that has fractional side lengths just like you would a polygon that has whole-number side lengths.

For example, you can calculate the area of the shaded square using the formula $A = l \cdot w$. The area is equal to $\frac{1}{2} \cdot \frac{1}{2}$, or $\frac{1}{4}$ square inches.

You can also use area formulas to determine an unknown length. If you know the area and one side length of a rectangle, you can divide to determine the other side length.

For example, to determine the missing side length of this rectangle, you can calculate $89\frac{1}{4} \div 10\frac{1}{2} = 8\frac{1}{2}$. The missing side length is $8\frac{1}{2}$ inches.



Things to Remember:

Lesson Practice

6.4.13

Name: _____ Date: _____ Period: _____


1. A rectangular lawn has an area of $7\frac{1}{3}$ square yards and a width of $2\frac{1}{5}$ yards. What is the length of the lawn, in yards?

- A. $9\frac{8}{15}$ **B.** $3\frac{1}{3}$ C. $\frac{3}{10}$ D. $5\frac{2}{15}$


2. A television screen has a length of $16\frac{1}{2}$ inches, a width of w inches, and an area of 462 square inches. Select *all* the equations that represent the relationship between the dimensions of the television.

- A. $w \cdot 462 = 16\frac{1}{2}$ B. $16\frac{1}{2} \cdot w = 462$ C. $462 \div 16\frac{1}{2} = w$
 D. $462 \div w = 16\frac{1}{2}$ E. $16\frac{1}{2} \cdot 462 = w$


Problems 3–6: Determine the missing length or lengths in each figure.




3 meters



$\frac{11}{5}$ inches (or equivalent)



$\frac{2}{3}$ feet



$2\frac{2}{3}$ yards


Lesson Practice

6.4.13

Name: _____ Date: _____ Period: _____

7. Determine the missing lengths in this figure made up of a parallelogram and two triangles.

Unknown	Length (in.)
a	$\frac{2}{3}$
b	1
c	$\frac{4}{5}$



Spiral Review

Problems 8–9: A bookshelf is 42 inches long.

8. How many books will fit on the bookshelf if each book is $1\frac{1}{2}$ inches wide? Show your thinking.

28 books. Work varies. $42 \div 1\frac{1}{2} = 28$

9. A bookcase has five of these 42-inch-long bookshelves. How many total feet of shelf space does the bookcase have? Show your thinking.

$17\frac{1}{2}$ feet. Work varies. $5 \cdot 42 = 210$ and $210 \div 12 = 17\frac{1}{2}$

Reflection

- Put a star next to the problem you think is the most important.
- Use this space to ask a question or share something you're proud of.


Lesson Summary

You can represent decimals in more than one way using words, diagrams, and decimal points. For example, six tenths, 0.6, sixty hundredths, and 0.60 all represent the same quantity.

Using multiple representations can help when you're adding or subtracting decimals.

Let's say we're calculating $0.189 + 0.39$.

Hundredths Chart



Vertical Calculation

$$\begin{array}{r}
 1 \\
 0.189 \\
 + 0.390 \\
 \hline
 0.579
 \end{array}$$

Both the hundredths chart and vertical calculation show a total of 4 tenths, 17 hundredths, and 9 thousandths. 10 hundredths equals 1 tenth, so the final answer is 5 tenths, 7 hundredths, and 9 thousandths, or 0.579.

Things to Remember:

Lesson Practice

6.5.02

Name: _____ Date: _____ Period: _____

Problems 1–2: Determine each sum. Use a hundredths chart if it helps with your thinking.

1. $0.24 + 0.607 = 0.847$

2. $0.203 + 0.01 = 0.213$

Problems 3–4: Complete each calculation.

3.
$$\begin{array}{r} 1\ 4\ 2\ .\ 6 \\ -\ 1\ .\ 4 \\ \hline \end{array}$$

4.
$$\begin{array}{r} 3\ 8\ .\ 6\ 0 \\ -\ 6\ .\ 7\ 5 \\ \hline \end{array}$$

5. Determine the value of $0.15 - 0.08$. Use a hundredths chart if it helps with your thinking.

0.07

6. Select *all* the expressions that have a value greater than 1.

A. $0.52 + 0.49$


B. $0.7 + 0.04$

C. $0.85 + 0.072$

D. $0.903 + 0.09$

E. $0.432 + 0.6$

7. This diagram represents a square backyard with a patio area and a garden. The shaded area represents the garden, and the unshaded area represents the patio. Each small square represents 1 hundredth of the total backyard area.



Which equation represents the difference between the size of the garden and the size of the patio area?

A. $1 - 0.645 = 0.355$

B. $0.355 + 0.645 = 1$

C. $0.355 + 0.355 = 0.71$

D. $0.645 - 0.355 = 0.29$

Lesson Practice

6.5.02

Name: Date: Period:

Spiral Review

Problems 8–10: A school band has 70 students. 50% of them are sixth graders, 30% are seventh graders, and the rest are eighth graders.

8. How many band members are sixth graders?

35

9. How many band members are seventh graders?

21

10. What percentage of the band members are eighth graders? Explain your thinking.

20%. *Explanations vary. The total must be 100%, and $100 - 50 - 30 = 20$.*

Reflection

1. Star the problem you spent the most time on.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

One strategy that can help you make sense of decimal addition and subtraction is vertical calculations.

To use a vertical calculation, you just align numbers by place value so that you're adding or subtracting ones with ones, tenths with tenths, hundredths with hundredths, and thousandths with thousandths.

Here's a vertical calculation. To check if the calculation is correct, you could either estimate or use the opposite operation (addition).

$$\begin{array}{r} 6.2 \\ -2.5 \\ \hline 3.7 \end{array}$$

You could estimate that $6.2 - 3 = 3.2$, so your difference should be larger than 3.2.

You could also use addition to check your work, adding 2.5 to 3.7 to get 6.2.

Things to Remember:

Lesson Practice

6.5.04

Name: _____ Date: _____ Period: _____

Problems 1–4: Fill in the blanks with the digits that make each statement true.

$$\begin{array}{r} 1.036 \\ + \boxed{2}.\boxed{9}\boxed{6}\boxed{4} \\ \hline 4.000 \end{array}$$

$$\begin{array}{r} 38.60 \\ - 6.75 \\ \hline \boxed{3}\boxed{1}.\boxed{8}5 \end{array}$$

$$\begin{array}{r} 241.76 \\ - 2.18 \\ \hline \boxed{2}\boxed{3}\boxed{9}.\boxed{5}8 \end{array}$$

$$\begin{array}{r} 0.404 \\ + \boxed{0}.\boxed{5}\boxed{9}\boxed{6} \\ \hline 1.000 \end{array}$$

Problems 5–6: The label on a bag of chocolates states that there are 0.384 pounds of chocolates. The actual weight of the chocolates is 0.3798 pounds.

5. Is the actual weight of the chocolates heavier or lighter than the weight written on the label? Explain how you know.

Lighter. Explanations vary. 0.3798 is 3,798 ten-thousandths. 0.384 is 384 thousandths, which is equal to 3,840 ten-thousandths. That means 0.384 is greater than 0.3798.

6. What is the difference, in pounds, between the weight on the label and the actual weight of the chocolates?

0.0042 pounds

7. What is $99.22 - 78.095$?

21.125

Lesson Practice


6.5.04

Name: _____ Date: _____ Period: _____

Spiral Review

Problems 8–9: For every 9 customers, a chef prepares 2 loaves of bread.

8. The double number line and table show the number of loaves prepared by the chef for different numbers of customers. Complete each representation with the missing values.



Number of Customers	Number of Loaves
9	2
18	4
27	6
63	14

9. How many loaves does the chef prepare for 63 customers?

14 loaves

10. If the chef prepares 20 loaves, how many customers can they serve?

90 customers

11. What fraction of a loaf is prepared for each customer?

$\frac{2}{9}$ of a loaf

Reflection

1. Put a question mark next to a response you'd like to compare with a classmate's.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary


Two strategies for multiplying decimals are:

- Using an area model.
- Writing the decimals as equivalent fractions.

One advantage to using an area model is that you can visualize the product. For example, you can represent $0.4 \cdot 0.2$ as a rectangle with a length of 0.4 and a width of 0.2. On a hundredths chart, you can count the shaded boxes, each representing $\frac{1}{100}$, to determine the product.

It can, however, be challenging to use an area model to represent decimals smaller than tenths or hundredths.

Your other option is to convert decimals to equivalent fractions. $0.4 \cdot 0.2$ can be written as $\frac{4}{10} \cdot \frac{2}{10}$, which equals $\frac{8}{100}$ or 0.08.



$$\begin{aligned} \text{Area} &= \text{length} \cdot \text{width} \\ &= 0.4 \cdot 0.2 \\ &= 0.08 \end{aligned}$$

Things to Remember:

Lesson Practice

6.5.05

Name: _____ Date: _____ Period: _____

Problems 1–4: Determine the value of each expression.

1. $20 \cdot 40 = 800$

2. $200 \cdot 40 = 8000$


3. $2 \cdot 40 = 80$

4. $2 \cdot 0.4 = 0.8$

Problems 5–6: Here is an expression: $0.5 \cdot 0.9$.

5. Explain why the diagram represents $0.5 \cdot 0.9$.

Responses vary. The diagram shows a rectangle that has a length of 0.5 and a width of 0.9. Area equals length times width, so the area of this rectangle represents $0.5 \cdot 0.9$.



6. What is the value of $0.5 \cdot 0.9$?

0.45

7. Select *all* the expressions that have the same value as $0.05 \cdot 0.6$.

A. $5 \cdot \frac{1}{100} \cdot 6 \cdot \frac{1}{10}$

B. $5 \cdot 6 \cdot \frac{1}{1000}$

C. $5 \cdot 0.001 \cdot 6 \cdot 0.01$

D. 0.03

E. 0.003

Lesson Practice

6.5.05

Name: _____ Date: _____ Period: _____

Problems 8–9: Here is how Emiliano attempted to calculate $0.003 \cdot 0.007$.

$$\begin{aligned} 0.003 \cdot 0.007 &= \frac{3}{1000} \cdot \frac{7}{1000} \\ &= \frac{21}{1000} = 0.021 \end{aligned}$$

8. What do you think Emiliano's mistake might be?

Responses vary. Emiliano's mistake is that he multiplied the numerators but not the denominators.

9. What is the value of $0.003 \cdot 0.007$?

0.000021

Problems 10–11: Determine the value of each expression.

10. $0.3 \cdot 0.2 = 0.06$

11. $1.2 \cdot 5 = 6$

Spiral Review

12. A plumber has 52.2 meters of PVC pipe to use on a job. On the first day, she used 21.863 meters of the pipe. How many meters of pipe does she have left after the first day?

A. 30.663

B. 30.337

C. 30.763

D. 30.237

Reflection


1. Put a smiley face next to a problem you were stuck on and then figured out.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

One way to multiply two decimals is to use an area model.

To use an area model, separate the decimals into parts. This rectangle has side lengths measuring 3.4 and 1.2 units. Each side length has been split apart by place value: 3.4 has been split into $3 + 0.4$ and 1.2 has been split into $1 + 0.2$.

The total area of the rectangle is equal to the sum of the areas of the four smaller rectangles: $3.4 \cdot 1.2 = 3 + 0.4 + 0.6 + 0.08 = 4.08$.



Things to Remember:


Lesson Practice

6.5.07

Name: _____ Date: _____ Period: _____


Problems 1–2: Here is a diagram that represents $3 \cdot 1.4$.

1. Determine the areas of A and B .



2. What is the value of $3 \cdot 1.4$?


4.2



Problems 3–4: Here is Kala's work for determining $5.2 \cdot 2.7$.

3. Kala made an error. Circle what you think the error is. Explain your thinking.


Response shown on diagram. Explanations vary.
 $0.2 \cdot 0.7 = 0.14$, not 1.4 . I knew the value was incorrect because 0.2 and 0.7 are both less than 1 , so it didn't make sense for the product to be greater than 1 .



4. What is the value of $5.2 \cdot 2.7$? Show or explain your thinking.

14.04. Work varies.
 $10 + 0.4 + 3.5 + 0.14 = 14.04$

5. Draw an area diagram that represents $2.5 \cdot 1.4$. **Drawings vary.**



6. Determine the product of $2.5 \cdot 1.4$. Use your area diagram from Problem 5 if it helps with your thinking.

3.5

Lesson Practice

6.5.07

Name: _____ Date: _____ Period: _____

7. Determine the value of $0.34 \cdot 0.02$.

0.0068

Spiral Review

8. Tariq buys a granola bar that costs \$1.59 and pays with seven quarters, for a total of \$1.75. How much change should Tariq get?

\$0.16

Problems 9–10: Fill in the blanks with the missing digits that make each problem true.

9.

$$\begin{array}{r} 4.3\boxed{7} \\ + \boxed{2}.15 \\ \hline 6.\boxed{5}2 \end{array}$$

10.

$$\begin{array}{r} 1.5\boxed{6} \\ + \boxed{0}.38 \\ \hline 1.\boxed{9}4 \end{array}$$

Reflection

1. Put a star next to a problem that looked more difficult than it really was.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

There are several different strategies you can use to multiply decimals. Depending on the problem, one strategy might be more helpful than another.

Let's solve $2.4 \cdot 0.03$ using two strategies: *converting fractions* and *using whole numbers with place value reasoning*.

Strategy 1

Converting Fractions

Rewrite each value as an equivalent fraction.

$$2.4 \cdot 0.03 = \frac{24}{10} \cdot \frac{3}{100}$$

Multiply the fractions.

$$\frac{24}{10} \cdot \frac{3}{100} = \frac{72}{1000}$$

Use the denominator to determine the place value.

$$\frac{72}{1000} \text{ is 72 thousandths.}$$

$$\frac{72}{1000} = 0.072$$

Strategy 2

Whole Numbers With Place Value Reasoning

Think of each term as a whole number, then multiply.

$$2.4 \cdot 0.03 \rightarrow 24 \cdot 3$$

$$24 \cdot 3 = 72$$

Think about the place value of each term.

2.4 is 24 tenths.

0.03 is 3 hundredths.

Determine the appropriate place value of the product.

tenths times hundredths = thousandths

$$2.4 \cdot 0.03 = 72 \text{ thousandths}$$

$$2.4 \cdot 0.03 = 0.072$$

Things to Remember:

Lesson Practice

6.5.08

Name: _____ Date: _____ Period: _____

1. Explain how you could use $3 \cdot 65 = 195$ to determine $0.003 \cdot 0.65$.

Explanations vary. Because 0.003 is 3 thousandths and 0.65 is 65 hundredths, 195 will need to be multiplied by 0.001 • 0.01 or 0.00001. In other words, the 195 represents the number of hundred-thousandths, which means the answer should be 0.00195.

2. Maia wrote this expression to try and calculate $4.5 \cdot 0.17$.

$$45 \cdot 17 \cdot \frac{1}{10} \cdot \frac{1}{100}$$

If $45 \cdot 17 = 765$, then what is $4.5 \cdot 0.17$?

0.765

3. Select *all* the expressions that have a product of 0.0042.

A. $0.007 \cdot 0.6$

B. $0.07 \cdot 0.06$

C. $0.007 \cdot 0.06$

D. $0.7 \cdot 0.06$

E. $0.21 \cdot 0.02$

Problems 4–5: Determine the value of each expression using any strategy. Show or explain your thinking.

4. $5.4 \cdot 2.4 = 12.96$

Work varies.

	5	0.4
2	10	0.8
0.4	2	0.16

$$5 \cdot 2 = 10$$

$$0.4 \cdot 2 = 4 \cdot 2 \cdot \frac{1}{10} = \frac{8}{10} = 0.8$$

$$0.4 \cdot 5 = 4 \cdot 5 \cdot \frac{1}{10} = \frac{20}{10} = 2$$

$$0.4 \cdot 0.4 = 4 \cdot 4 \cdot \frac{1}{10} \cdot \frac{1}{10} = \frac{16}{100} = 0.16$$

$$10 + 2 + 0.8 + 0.16 = 12.96$$

5. $1.01 \cdot 0.00035 = 0.0003535$

Work varies.

$$101 \cdot 35 \cdot \frac{1}{100} \cdot \frac{1}{100000} = 101 \cdot 35 \cdot \frac{1}{10000000}$$

$$101 \cdot 35 = (100 \cdot 35) + (1 \cdot 35) = 3500 + 35 = 3535$$

$$\text{So, } 3535 \cdot \frac{1}{10000000} = \frac{3535}{10000000} = 0.0003535$$

6. A pound of blueberries costs \$3.50 and a pound of clementines costs \$2.50. What is the total cost of 0.6 pounds of blueberries and 1.8 pounds of clementines? Show or explain your thinking.

\$6.60. Explanations vary. $0.6 \cdot 3.50 = \$2.10$ for the blueberries. $1.8 \cdot 2.50 = \$4.50$ for the clementines. The combined cost is $2.10 + 4.50 = \$6.60$.

Lesson Practice

6.5.08

Name: _____ Date: _____ Period: _____

Spiral Review

Problems 7–10: Determine the value of each expression.

7. $20 \cdot 5 = 100$

8. $20 \cdot 0.8 = 16$

9. $20 \cdot 0.04 = 0.8$

10. $20 \cdot 5.84 = 116.8$

Problems 11–12: Amari bought 12 mini muffins for \$5.40.

11. At this rate, what is the price of 4 mini muffins? Show or explain your thinking.

\$1.80. Work varies. Sample shown in table.

Number of Mini Muffins	Price (\$)
12	5.40
2	0.90
4	1.80

Annotations: A bracket on the left side of the table spans from the first row to the second row, labeled $\div 6$. A bracket on the right side of the table spans from the first row to the second row, labeled $\div 6$. A bracket on the left side of the table spans from the second row to the third row, labeled $\cdot 2$. A bracket on the right side of the table spans from the second row to the third row, labeled $\cdot 2$.

12. How many mini muffins can Amari buy with \$4.00? Explain your thinking.

8 mini muffins. Explanations vary. Because 2 mini muffins cost \$0.90, I know that 1 mini muffin costs $0.90 \div 2 = \$0.45$. That means 8 mini muffins cost $8 \cdot 0.45 = \$3.60$. 9 mini muffins cost $9 \cdot 0.45 = \$4.05$. That's more than \$4.00, so Amari can only buy 8 muffins.

Reflection

1. Put a heart next to the problem you're most proud of.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

When you get a remainder in a division expression, you can just continue to divide.

Here is how you can calculate $86 \div 4$ using **long division**.

In this strategy, you break down the remaining 2 ones into 20 tenths by writing the dividend of 86 as 86.0.

This allows you to bring a 0 down to the right of the remaining 2 ones.

Then you add a decimal point to the right of the 1 in the quotient, to show that the resulting 5 is in the tenths place.

So $86 \div 4 = 21.5$.

$$\begin{array}{r} 21.5 \\ 4 \overline{) 86.0} \\ \underline{-8} \\ 6 \\ \underline{-4} \\ 20 \\ \underline{-20} \\ 0 \end{array}$$

Things to Remember:

Lesson Practice

6.5.10

Name: _____ Date: _____ Period: _____

6. A volleyball team has \$90 to buy volleyballs. If each volleyball costs \$16, what is the greatest number of volleyballs the team can buy?

- A.** 5 **B.** 6 **C.** 7 **D.** 8

Spiral Review

Problem 7–10: Determine each quotient.

7. $300 \div 3 = 100$

8. $12 \div 3 = 4$

9. $60 \div 3 = 20$

10. $372 \div 3 = 124$

11. The mass of one coin is 16.718 grams. The mass of a second coin is 27.22 grams. How much greater is the mass of the second coin than the first? Show or explain your thinking.

10.502 grams. Work varies.

$$\begin{array}{r} 27.220 \\ -16.718 \\ \hline 10.502 \end{array}$$

Reflection


1. Put a smiley face next to the problem you learned from most.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

We can use hundredths charts, thousandths charts, and fractions to help us visualize and divide decimals.

This diagram represents the expression $1.4 \div 0.2$.

- Using the hundredths chart, you can count the number of groups of 2 tenths needed to fill the 1 whole and 4 tenths. It takes 7 groups, so $1.4 \div 0.2 = 7$.
- You can rewrite each decimal as an equivalent fraction, so 1.4 becomes $\frac{14}{10}$ and 0.2 becomes $\frac{2}{10}$. Now you can use your knowledge of fraction division to calculate the quotient.



$$\begin{aligned}
 1.4 \div 0.2 &= \frac{14}{10} \div \frac{2}{10} \\
 &= 14 \div 2 \\
 &= 7
 \end{aligned}$$

Sometimes you will need to use common denominators to solve expressions with fractions. For example,

$$1.5 \div 0.03 = \frac{15}{10} \div \frac{3}{100} = \frac{150}{100} \div \frac{3}{100} = 150 \div 3 = 50.$$

Things to Remember:


Lesson Practice

6.5.11

Name: _____ Date: _____ Period: _____


1. Determine the value of $1.4 \div 0.2$.

7



2. Determine the value of $1.6 \div 0.04$.

40



3. Select *all* the expressions that are equivalent to $3.5 \div 0.005$.

A. $35 \div 5$

B. $3500 \div 5$

C. $35 \div 0.05$

D. $\frac{35}{10} \div \frac{5}{100}$

E. $\frac{35}{10} \div \frac{5}{1000}$

4. Calculate $3.5 \div 0.005$.

700

Problems 5–6: Remy says: *To determine the value of $0.27 \div 0.003$, I can divide 270 by 3.*

5. Is Remy correct? Explain your reasoning.

Yes. Explanations vary. Remy multiplied both the divisor and dividend by 1,000.

6. Calculate $0.27 \div 0.003$. Show or explain your thinking.

90. Work varies. $0.27 \div 0.003 = \frac{270}{1000} \div \frac{3}{1000} = 270 \div 3 = 90$

Lesson Practice

6.5.11

Name: _____ Date: _____ Period: _____

7. Calculate $0.225 \div 0.005$. Show or explain your thinking.

45. Work varies. $0.225 \div 0.005 = \frac{225}{1000} \div \frac{5}{1000} = 225 \div 5 = 45$

Spiral Review

Problems 8–9: Xavier is multiplying $1.5 \cdot 0.82$. He knows that $15 \cdot 82 = 1230$.

8. What is $1.5 \cdot 0.82$?

A. 0.0123

B. 0.123

C. 1.23

D. 12.3

Show or explain your thinking.

Explanations vary. The problem involves multiplying 15 tenths by 82 hundredths. This means that, after we multiply $15 \cdot 82$, we must also multiply by $\frac{1}{10}$ and $\frac{1}{100}$, and $1230 \cdot \frac{1}{10} \cdot \frac{1}{100} = \frac{1230}{1000} = 1.23$.

9. What is $0.15 \cdot 0.82$?

0.123

Reflection

1. Circle one problem, word, or concept that you want to know more about.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

When dividing by a decimal, it can be helpful to rewrite the expression using whole numbers by multiplying by a power of 10.

For example, you can rewrite $7.65 \div 1.2$ as $765 \div 120$.

$$\begin{aligned} 7.65 \div 1.2 &= \frac{765}{100} \div \frac{12}{10} \\ &= \frac{765}{100} \div \frac{120}{100} \\ &= 765 \div 120 \end{aligned}$$

Once you have an expression with whole numbers, you can use long division to calculate the quotient.

$$\begin{array}{r} \overline{) 765.000} \\ \underline{-720} \\ 450 \\ \underline{-360} \\ 900 \\ \underline{-840} \\ 600 \\ \underline{-600} \\ 0 \end{array}$$

Things to Remember:

Lesson Practice

6.5.12

Name: _____ Date: _____ Period: _____

1. Select *all* the expressions that are equivalent to $4.5 \div 0.08$.

A. $\frac{45}{100} \div \frac{8}{100}$

B. $45 \div 8$

C. $\frac{450}{100} \div \frac{8}{100}$

D. $450 \div 8$

E. $45 \div 0.8$

2. What is the value of $4.5 \div 0.08$?

56.25

Problems 3–5: Use long division to calculate each quotient. Show your thinking.

3. $7.89 \div 2 = 3.945$

Work varies.

$$\begin{array}{r} 3.945 \\ 2 \overline{) 7.890} \\ \underline{-6} \\ 18 \\ \underline{-18} \\ 09 \\ \underline{-8} \\ 10 \\ \underline{-10} \\ 0 \end{array}$$

4. $176 \div 0.5 = 352$

Work varies.

$176 \div 0.5 = 1760 \div 5$

$$\begin{array}{r} 352 \\ 5 \overline{) 1760} \\ \underline{-15} \\ 26 \\ \underline{-25} \\ 10 \\ \underline{-10} \\ 0 \end{array}$$

5. $199.8 \div 0.8 = 249.75$

Work varies.

$199.8 \div 0.8 = 1998 \div 8$

$$\begin{array}{r} 249.75 \\ 8 \overline{) 1998.00} \\ \underline{-16} \\ 39 \\ \underline{-32} \\ 78 \\ \underline{-72} \\ 60 \\ \underline{-56} \\ 40 \\ \underline{-40} \\ 0 \end{array}$$

6. Four students set up a lemonade stand. By the end of the day, they earned \$17.52. If they split the amount equally, how much money would each student get? Show or explain your thinking.

\$4.38. Explanations vary. Each student will receive $17.52 \div 4 = \$4.38$.

Lesson Practice

6.5.12

Name: _____ Date: _____ Period: _____

7. A bag of pennies weighs 5.1 kilograms. Each penny weighs 2.5 grams. Which of these is the best estimate for the number of pennies in the bag? Show or explain your thinking. (1 kilogram = 1000 grams)

A. 20 B. 200 C. 2,000 D. 20,000

Explanations vary. 5.1 kilograms = 5100 grams. $5100 \div 2.5$ is about $5000 \div 2.5$, which is 2,000.

8. Determine the quotient of $33.8 \div 32.5$.

1.04

Spiral Review

Problems 9–10: Fill in the blanks to make each subtraction problem true.

9.

$$\begin{array}{r} 5 \\ - \boxed{0} . \boxed{6} \boxed{7} \boxed{1} \\ \hline 4 . 3 2 9 \end{array}$$

10.

$$\begin{array}{r} 1 \\ - \boxed{0} . \boxed{1} \boxed{3} \boxed{7} \\ \hline 0 . 8 6 3 \end{array}$$

Reflection

1. Put a star next to a problem you want to understand better.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

You've used ratios, double number lines, and tape diagrams to model and solve percent problems. Another strategy you can use is to convert the percent to a decimal, then multiply or divide.

Let's say BZ's family spent 4% of their monthly income on groceries last week. Their monthly income is \$4,000.00. How much money did they spend on one week's worth of groceries?

To determine the answer, first write 4% as a decimal: $4\% = 0.04$.

Then multiply by the total monthly income: $0.04 \cdot 4000 = 160$.

That means BZ's family spent \$160.00 on their groceries last week.

Things to Remember:

Lesson Practice

6.5.16

Name: _____ Date: _____ Period: _____

Problems 1–4: Jada’s family has a weekly income of \$1,150.00. They try to spend no more than 9% of their weekly income on groceries.

1. Write an expression to represent how much money they spend on their weekly groceries.

0.09 • 1150

2. How much money, at most, does Jada’s family spend on groceries each week?

\$103.50

3. Jada’s family puts 12% of their weekly income into a savings account. How much money do they save each week?

\$138.00

4. Jada’s family recently had to spend \$184.00 on a car repair. What percent of their weekly income did they spend on the car repair?

A. 0.16%

B. 6.25%

C. 16%

D. 62.5%

5. Circle the expression that has a greater value.

7% of 250

70% of 25

They have the same value.

6. Raine went to the store and purchased these items. Beef is the most expensive item. What percent of the total is it?

40%

Items	Cost (\$)
Milk (1 gal)	\$3.61
Beef (1 lb)	\$7.10
Apples (1 lb)	\$2.39
Bananas (1 lb)	\$0.91
Oranges (1 lb)	\$1.99
Potatoes (1 lb)	\$1.75
Total	\$17.75

Lesson Practice

6.5.16

Name: _____ Date: _____ Period: _____

Spiral Review

7. One ounce of yogurt contains 1.2 grams of sugar. How many grams of sugar are in 14.25 ounces of yogurt?

- A. 1.71 grams B. 11.875 grams C. 15.45 grams **D. 17.1 grams**

Problems 8–11: Determine the value of each expression. Show your thinking.

8. $4.4 - 0.72 = 3.68$

Work varies.

$$\begin{array}{r} 4.40 \\ - 0.72 \\ \hline 3.68 \end{array}$$

9. $4 + 1.3 + 0.56 = 5.86$

Work varies.

$$\begin{array}{r} 4.00 \\ 1.30 \\ + 0.56 \\ \hline 5.86 \end{array}$$

10. $4.34 \div 0.7 = 6.2$

Work varies. $4.34 \div 0.7 = 43.4 \div 7$

$$\begin{array}{r} 06.2 \\ 7 \overline{) 43.4} \\ \underline{-0 \downarrow} \\ 43 \\ \underline{-42 \downarrow} \\ 14 \\ \underline{-14} \\ 0 \end{array}$$

11. $0.32 \cdot 4.7 = 1.504$

Work varies.

$$\begin{array}{r} .32 \\ \times 4.7 \\ \hline 224 \\ +128 \\ \hline 1.504 \end{array}$$

Reflection


1. Put a heart next to a problem you understand well.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

You can use seesaws and tape diagrams to represent *equations* and help determine unknown values.

We often use a letter, such as x or a , as a placeholder for an unknown number in tape diagrams and equations. This letter is called a **variable**.

For example, if 3 equal-weight raccoons weigh a total of 21 pounds, you can represent the weight of each raccoon with r and write the equation $3r = 21$.



Things to Remember:

Lesson Practice

6.6.01

Name: _____ Date: _____ Period: _____

1. Determine the weight of 1 fox.

13 pounds



2. All 4 cats weigh the same amount. Determine the weight of 1 cat.

9 pounds




3. Match each equation to the tape diagram it represents.

$3 + x = 9$ $x + x + x = 9$ $x = 9 \div 3$ $3 \cdot x = 9$ $x = 9 - 3$

<p>$x + x + x = 9$</p> <p>$x = 9 \div 3$</p> <p>$3 \cdot x = 9$</p>	<p>$3 + x = 9$</p> <p>$x = 9 - 3$</p>

Problems 4–5: Kwabena is trying to determine the value of n in the equation $5 \cdot n = 35$. Kwabena begins drawing a tape diagram, but isn't sure how to complete it.



4. Complete the tape diagram so it represents the equation $5 \cdot n = 35$.

5. Determine the value of n .

$n = 7$

Lesson Practice

6.6.01

Name: _____ Date: _____ Period: _____


6. Determine the value of a , b , c , and d .

$$a = \underline{4}$$

$$b = \underline{5}$$

$$c = \underline{6}$$

$$d = \underline{1}$$



Spiral Review

Problems 7–8: Calculate the price per pound for each item.

7. \$2.52 for 4.5 pounds of potatoes.

\$0.56 per pound of potatoes

8. \$7.75 for 2.5 pounds of broccoli.

\$3.10 per pound of broccoli

Problems 9–12: Fill in each box to create a true equation.

9. $7 + \boxed{3} = 10$

10. $\boxed{9} \cdot 5 = 45$

11. $23 - \boxed{12} = 11$

12. $\boxed{32} \div 4 = 8$

Reflection

1. Put a star next to a problem that looked more difficult than it really was.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

A tape diagram can help us visualize an equation and determine its solution. The **solution to an equation** is a value of the variable that makes the equation true.

When we work with an equation that represents a situation, it is important to determine what the variable represents when we determine the solution.

Here is an example.

Emmanuel needed \$21 to buy a gift. He had \$3 and borrowed the rest from his parents. The variable y represents the amount Emmanuel borrowed from his parents.

Equation	Tape Diagram	Solution to the Equation	Solution's Meaning
$3 + y = 21$		$y = 18$	Emmanuel borrowed \$18 from his parents.


Things to Remember:

Lesson Practice


6.6.02

Name: _____ Date: _____ Period: _____


1. Match each equation to the tape diagram that represents it.




..... **d** $12 = 4m$



..... **c** $m \div 4 = 12$




..... **b** $12 + 4 = m$



..... **a** $12 - 4 = m$

Problems 2–5: Aaliyah filled a water bottle with 24 ounces of water before school. She drank 15 ounces at lunch. There are x ounces of water left.

2. Draw a tape diagram to represent the situation.



3. Select *all* the equations that could represent this situation.

A. $24 - 15 = x$

B. $24 + 15 = x$

C. $x + 15 = 24$

D. $15x = 24$

E. $24 \div 15 = x$

4. Determine the solution to one of the equations you selected in Problem 3.

$x = 9$

5. Explain the solution's meaning in this situation.

There are 9 ounces of water left.


Lesson Summary

Hangers are a helpful way to represent equations. A hanger is balanced when the weight on both sides is equal.

Here is an example.

This hanger represents the equation $2x = 9$, or $x + x = 9$. The solution to this equation is the value of x that will keep the hanger balanced.

The solution for this hanger is 4.5 because $4.5 + 4.5 = 9$ or $2(4.5) = 9$.



Things to Remember:


Lesson Practice

6.6.03

Name: _____ Date: _____ Period: _____


1. Anushka says that to balance this hanger the value of x must be 7. Is Anushka correct? Explain your thinking.

No. Explanations vary. The hanger would not be balanced if the value of x was 7 because the left side of the hanger would equal 9, and the right side of the hanger equals 7.




2. Match each equation to the hanger it represents. One equation will have no match.

$2x = 3$	$2 + x = 3$	$3 + x = 2$	$3x = 2$
----------	-------------	-------------	----------




Equation with no match: $3 + x = 2$

Problems 3–4: Determine the value of x that balances the hanger.



$x = \frac{3}{2}$ (or equivalent)



$x = \frac{2}{3}$ (or equivalent)

Lesson Practice

6.6.03

Name: _____ Date: _____ Period: _____

Spiral Review

Problems 5–8: Determine the value of each expression.


5. $12 + 2.4 = 14.4$

6. $12 \cdot 2.4 = 28.8$


7. $12 - 2.4 = 9.6$

8. $12 \div 2.4 = 5$

9. Calculate the area of this rectangle.



10. Calculate the length of this rectangle.



11. Precious set a goal to save \$20 for a new game. Complete the table to show how much money Precious saved at different percentages of the goal.

Percentage of Goal (%)	Money Saved (\$)
25	5
75	15
125	25

Reflection

1. Put a question mark next to a problem you were feeling stuck on.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

There are many strategies to solve equations, such as drawing models, using number sense to determine the value that makes an equation true, making a hanger balanced, or using inverse operations to isolate a variable.

Here are two examples that use inverse operations to solve an equation.

Equation	Explanation
$x + 1.5 = 3.25$	Original equation
$x + 1.5 - 1.5 = 3.25 - 1.5$	Subtract 1.5 from both sides.
$x = 1.75$	The solution to this equation is 1.75.

Equation	Explanation
$\frac{1}{2}y = 54$	Original equation
$\frac{1}{2}y \div \frac{1}{2} = 54 \div \frac{1}{2}$	Divide both sides by $\frac{1}{2}$.
$y = 108$	The solution to this equation is 108.

Things to Remember:

Lesson Practice

6.6.04

Name: _____ Date: _____ Period: _____

1. Select *all* the equations that have a solution of $n = 11$.

A. $2n = 22$

B. $23 - n = 12$

C. $4n = 411$

D. $n \div 1 = 11$


E. $n - 7 = 4$

Problems 2–3: Use the hanger diagram if it helps with your thinking.

2. Determine the value of x in the equation

$$x + 1.8 = 5.$$

$$x = 3.2$$



3. Vihaan says the solution to $x + 1.8 = 5$ is $x = 6.8$. Explain how you know this is incorrect.

Responses vary. This is incorrect because $6.8 + 1.8$ would equal 8.6 instead of 5.

Problems 4–9: Solve each equation. Draw a hanger or tape diagram if it helps with your thinking.

4. $4m = 8$

$$m = 2$$

5. $\frac{1}{2}a = \frac{5}{8}$

$$a = 1\frac{1}{4} \text{ (or equivalent)}$$

6. $10d = 32$

$$d = 3.2$$

7. $w + 5.2 = 17$

$$w = 11.8$$

8. $1.5x = 0.9$

$$x = 0.6$$

9. $24.6 = 6.1 + c$

$$c = 18.5$$

Lesson Practice

6.6.04

Name: _____ Date: _____ Period: _____

10. Fill in each blank using the numbers 0 to 9 only once so that x has the same value in each pair of equations.

Responses vary.

$$x = \boxed{1}$$
$$x + \boxed{2} = \boxed{3}$$

$$x = \boxed{4}$$
$$x + \boxed{5} = \boxed{9}$$

Spiral Review

11. Calculate each product.

Expression	Product
$212 \cdot 2$	424
$21.2 \cdot 0.2$	4.24
$21.2 \cdot 0.02$	0.424

12. Kweku and Javier each used a different strategy to determine 25% of 60. Whose strategy is correct? Circle one.

Kweku
 60×25

Javier
 $60 \div 4$

Kweku's

Javier's

Both

Neither

Explain your thinking.

Explanations vary. Javier's strategy is correct because 25% is $\frac{1}{4}$ of a whole. To find 25% of 60, divide it by 4.

Reflection

- Put a heart next to the problem you feel most confident about.
- Use this space to ask a question or share something you're proud of.

Lesson Summary

Writing an equation to match a situation is a helpful tool when trying to determine an unknown value. You can solve the equation using a variety of strategies such as tape diagrams, hangers, or inverse operations.

We can check the solution to an equation by substituting the value of the variable to see if it makes the equation true. Once we have a solution to the equation, it's important to determine the meaning of the solution.

Here is an example.

Situation	Equation	Solution	Solution Check	Solution's Meaning
Adah has \$42 to spend on music downloads. Each download costs \$7. Adah can buy x downloads.	$7x = 42$	$x = 6$	$7 \cdot 6 = 42$	Adah can buy 6 music downloads.

Things to Remember:

Lesson Practice

6.6.05

Name: _____ Date: _____ Period: _____

1. Anika buys 5 notebooks that contain 60 pages each. Select *all* the equations that represent the total number of pages, p .

A. $p = 60 \div 5$ B. $5 + 60 = p$ C. $p = 5 \cdot 60$
 D. $p \div 5 = 60$ E. $5p = 60$

2. Tiara buys a pack of paper with 200 sheets. She divides the sheets of paper equally into 5 binders. Select *all* the equations that represent the number of sheets of paper in each binder, b .

A. $b = 200 \div 5$ B. $200 \div b = 5$ C. $b = 5 \cdot 200$
 D. $b \div 5 = 200$ E. $5b = 200$

Problems 3–4: Here is an equation: $\frac{1}{2} + x = 4$.

3. Write a situation that the equation could represent.

Responses vary. I ate $\frac{1}{2}$ of a cookie after dinner. I ate x cookies before dinner. In total, I have eaten 4 cookies today.

4. Describe the meaning of the x in your situation.

Responses vary. x represents the number of cookies eaten before dinner.

Problems 5–6: A plant in Zahra's garden grows 0.8 inches taller each week. After x weeks, the plant has grown 6 inches.

5. Write an equation that could represent this situation.

$0.8x = 6$ (or equivalent)

6. Describe the meaning of the x in the situation.

x represents the number of weeks it takes the plant to grow 6 inches.

7. Fill in the blanks using the numbers 0 to 9 only once to complete each equation so that the value of x is the same.

Responses vary.

$$\boxed{3} x = \boxed{9}$$

$$x + \boxed{4} = \boxed{7}$$

$$x - \boxed{2} = \boxed{1}$$

Lesson Practice

6.6.05

Name: _____ Date: _____ Period: _____

Spiral Review

8. Select *all* the equations that have a solution of $c = 1.5$.

A. $4c = 41.5$

B. $150 \div c = 100$

C. $13.5 - c = 10$

D. $6c = 9$

E. $0.2c = 0.3$

Problems 9–11: Solve each equation.

9. $6m = 33$

$m = 5.5$

10. $p + 7.04 = 11.8$

$p = 4.76$

11. $n + \frac{3}{5} = \frac{8}{10}$

$n = \frac{2}{10}$ (or equivalent)

12. Compare the information given about triangle C and triangle D .

Triangle C

Base = 12 inches

Height = 8 inches

Triangle D

Base = 15 inches

Height = 6.5 inches

Which triangle has the greater area?

Triangle D

Explain your thinking.

Explanations vary. The area of triangle C is 48 square inches and the area of triangle D is 48.75 square inches.

Reflection

1. Circle a problem you want to talk to a classmate about.
2. Use this space to ask a question or to share something you're proud of.

Lesson Summary

We can use an expression with a variable to represent a situation. Each part in the expression represents a different value in the situation. Here are two examples.

- The cost of 1 pound of grapes is \$2.25. Let p represent pounds of grapes. You can use the expression $2.25p$ to calculate the total cost for any number of pounds of grapes. This expression only has one **term**, $2.25p$.
- A grocery store adds a \$10 fee to the cost of groceries for delivery. Let c represent the cost of groceries. You can use the expression $c + 10$ to calculate the total cost for any cost of groceries. This expression has two terms, c and 10.

Grapes (lb)	Total Cost (\$)
1	2.25
2	4.50
5	11.25
p	$2.25p$

Cost of Groceries	Total Cost (\$)
1	11
2	12
5	15
c	$c + 10$

Things to Remember:

Lesson Practice

6.6.06

Name: _____ Date: _____ Period: _____

Problems 1–3: Oranges cost \$1.25 per pound. How much would it cost to buy:

1. 2 pounds of oranges? 2. 5 pounds of oranges? 3. x pounds of oranges?
\$2.50 **\$6.25** **$1.25x$ dollars**

4. You need red and blue ribbon for a craft project. The instructions say that the red ribbon should be 7 inches longer than the blue ribbon.

Blue Ribbon (in.)	Red Ribbon (in.)
10	17
27	34
x	$x + 7$

Complete the table to show how long the red ribbon should be for different lengths of blue ribbon.

5. 35 riders are on a bus, and n riders get off at the same stop. In this scenario, what does the expression $35 - n$ represent?

$35 - n$ represents the number of riders that are still on the bus after n riders get off at the same stop.

Problems 6–7: The variable s represents the number of students in one class in your school.

6. What does $\frac{1}{2}s$ represent? 7. What does $s + 1$ represent?
 $\frac{1}{2}s$ represents half of the number of students in one class. **$s + 1$ represents all of the students in a class, plus 1 extra student.**

Problems 8–10: Evaluate the expression $3m + 5$ for each value of m .

8. $m = 8$
 $3(8) + 5 = 29$

9. $m = 0.8$
 $3(0.8) + 5 = 7.4$

10. $m = \frac{5}{6}$
 $3\left(\frac{5}{6}\right) + 5 = \frac{15}{2}$

Example

$$m = 7$$

$$3(7) + 5 = 26$$

Lesson Practice

6.6.06

Name: _____ Date: _____ Period: _____

Spiral Review

11. LaShawn's class raised \$500 for a fundraiser. They used 10% of the money to cover the cost of materials, saved 20% for the next fundraising project, and donated the rest. How much money did LaShawn's class donate? Explain your thinking.

\$350. Explanations vary. LaShawn's class used 30% of the money on materials and savings, so they had 70% left for a donation. $500 \cdot 0.70 = 350$

12. A garbage bin can hold 50 gallons of waste.

Complete the table to show what percent of the bin would be filled for different amounts of waste.

Waste (gal)	Percent Filled (%)
5	10
30	60
45	90

13. Choose any value for a .

$a = \square$

Use your value to complete the puzzle.

Responses vary depending on the value of the variable students choose. The expressions for each response are shown.


$3a$	+	4	=	$3a + 4$				$10a + 4$
-				+				-
a		$4a$	+	$4a$	-	$3a$	=	$5a$
-		+		=				=
a		$3a$		$7a + 4$	-	$2a$	=	$5a + 4$
-		=				+		
a	+	$6a$	-	$3a$	=	$4a$		
=		+				=		
0		a		a	+	$6a$	=	$7a$

Reflection

- Put a question mark next to a problem you are feeling unsure of.
- Use this space to ask a question or share something you're proud of.

Lesson Summary

Equivalent expressions are expressions that are equal for every value of a variable, such as $4n + 8$ and $4(n + 2)$. Diagrams that represent these expressions can help us visually decide if the expressions are equivalent.



The diagrams for $4n + 8$ and $4(n + 2)$ both show 4 n -tiles and 8 one-tiles. Therefore, $4n + 8$ and $4(n + 2)$ are equivalent expressions because they are equal for every value of n .



Things to Remember:

Lesson Practice

6.6.07

Name: _____ Date: _____ Period: _____

Problems 1–3: Here are examples of an n -by-1 rectangle.



1. How many border tiles are there in the 4-by-1 rectangle?

14 tiles

2. How many border tiles are in the 6-by-1 rectangle?

18 tiles

3. Diego says $2n + 6$ represents the number of tiles needed for the border of an n -by-1 rectangle. Explain why Diego's strategy is correct.

Explanations vary. Diego's strategy is correct because along the top and bottom of the n -by-1 rectangle, there are two strips of tiles that are n -units long, and there are always 3 extra tiles on the left and right side. I also know this strategy is correct because $2n + 6$ works for the 4-by-1 and 6-by-1 rectangles.

Problems 4–5: Here are five expressions.

$2 + 6n$

$2(n + 3)$

$n + 3$

$n + n + 6$

$(n + 3) + (n + 3)$

4. Write *all* of the expressions that are equivalent to $2n + 6$.

$2(n + 3)$, $n + n + 6$, $(n + 3) + (n + 3)$

5. Choose an expression that is *not* equivalent to $2n + 6$. Explain how you know it is not equivalent.

Responses vary.

- **$2 + 6n$ is not equivalent to $2n + 6$ because $6n$ is not the same as $2n$.**
- **$n + 3$ is not equivalent to $2n + 6$ because there is only a single n instead of 2.**

Problems 6–7: Here is a pattern.


6. Write an expression that describes the number of tiles for any stage, n .

Responses vary.

- **$(n + (n + 1)) \cdot 2$**
- **$4n + 2$**

7. Write an equivalent expression.

Responses vary.



Lesson Practice

6.6.07

Name: _____ Date: _____ Period: _____

Spiral Review

Problems 8–9: Write an equation to represent each situation.


8. Amahle's dog was $5\frac{1}{2}$ inches tall when it was a puppy but is now 14 inches tall. Amahle's dog grew n inches.

$$5\frac{1}{2} + n = 14 \text{ (or equivalent)}$$

9. Apples cost \$1.10 per pound. Darius bought x pounds of apples for a total cost of \$2.75.

$$1.10x = 2.75 \text{ (or equivalent)}$$

Problems 10–11: Here is a tape diagram.



10. Write an equation to represent the tape diagram.

Responses vary.

- $3n = 21$
- $21 \div n = 3$
- $21 \div 3 = n$

11. Determine the value of n .

$$n = 7$$

Problems 12–15: Evaluate each expression for $b = 5$.

12. $3.5b$

$$3.5(5) = 17.5$$

13. $6b + 1$

$$6(5) + 1 = 31$$

14. $\frac{1}{4} + b$

$$\frac{1}{4} + (5) = 5\frac{1}{4} \text{ (or equivalent)}$$

15. $\frac{1}{2}b$

$$\frac{1}{2}(5) = \frac{5}{2} \text{ (or equivalent)}$$


Reflection

1. Circle the problem that was the most challenging for you.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

You can use areas of rectangles to write equivalent expressions. For any rectangle, you can write a *product* expression and a *sum* expression that each represent the area. No matter what value you substitute for the variable, the total area is the same, so the product and sum expressions are equivalent.

Area Model



Product of Two Side Lengths

$$5(2x + 4)$$

$$10x + 20$$

Sum of Two Areas

$$5 \cdot 2x + 5 \cdot 4$$

$$10x + 20$$

Things to Remember:

Lesson Practice

6.6.08

Name: _____ Date: _____ Period: _____

1. Select *all* the expressions that are equivalent to $4b$.

A. $b + b + b + b$

B. $b + 4$

C. $b \cdot b \cdot b \cdot b$

D. $2b + 2b$

E. $4 \cdot b$

2. Select *all* the expressions that represent the area of the rectangle.


A. $t + 5 + 4$

B. $5t + 4t$

C. $9t$

D. $4 \cdot 5 \cdot t$

E. $(5 + 4)t$




3. Zola wrote the total area of the rectangle as $2a + 3a + 4a$.

Amir wrote the total area as $(2 + 3 + 4)a$.

Explain why they are *both* correct.


Responses vary. Zola's expression and Amir's expression are equivalent. Zola added the areas of each small rectangle and Amir added the lengths before multiplying by the width.



4. Write two equivalent expressions that could be used to represent the area of the rectangle.

Expression 1: $4(3a + 2)$

Expression 2: $12a + 8$



Lesson Practice

6.6.08

Name: _____ Date: _____ Period: _____

5. Fill in the blanks using the numbers 0 to 9 only once so that each rectangle has the same area.

Responses vary.



Spiral Review

Problems 6–8: Titus's aunt is 17 years older than he is.

6. How old will his aunt be when Titus is 15 years old?

32 years old

7. How old will his aunt be when Titus is 30 years old?

47 years old

8. How old will his aunt be when Titus is x years old?

$x + 17$ years old (or equivalent)

Problems 9–11: Solve each equation. Show your thinking.

9. $10m = 25$

$m = 2.5$

Strategies vary.

$10m \div 10 = 25 \div 10$

$m = 2.5$

10. $13.65 = h + 4.88$

$8.77 = h$

Strategies vary.

$13.65 - 4.88 = h + 4.88 - 4.88$

$8.77 = h$

11. $k + \frac{1}{4} = 5\frac{1}{8}$

$k = 4\frac{7}{8}$ (or equivalent).

Strategies vary.

$k + \frac{1}{4} - \frac{1}{4} = 5\frac{1}{8} - \frac{1}{4}$

$k = 5\frac{1}{8} - \frac{2}{8}$

$k = 4\frac{7}{8}$

Reflection

- Put a star next to a problem where you revised your thinking.
- Use this space to ask a question or share something you're proud of.

Lesson Summary

The expression $8x + 2$ has two terms, and the term $8x$ has a **coefficient** of 8. The expression $2(x + 1) + 3(2x)$ also has two terms, $2(x + 1)$ and $3(2x)$, but the terms are more complex.

To decide if two expressions are equivalent, you can draw models, substitute values, or rewrite the expressions. If the expressions are equivalent, you can use the distributive property and other operations to rewrite one expression to look like the other.

Here is an example: Determine whether $2(x + 1) + 3(2x)$ is equivalent to $8x + 2$.

$$\begin{aligned}2(x + 1) + 3(2x) &= 2x + 2 + 6x \\ &= 2x + 6x + 2 \\ &= 8x + 2\end{aligned}$$

$2(x + 1) + 3(2x)$ and $8x + 2$ are equivalent expressions because after using the distributive property and adding the **like terms**, the expressions are the same.

Things to Remember:

Lesson Practice

6.6.09

Name: _____ Date: _____ Period: _____

1. Select *all* the expressions that are equivalent to $4x + 8$.

- A. $4(x + 2)$
 B. $(4 + 8)x$
 C. $2(2x + 4)$
 D. $2(2x + 6)$
 E. $4 + 4(x + 1)$

2. Complete the table.

Rectangle	4 x 2 <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td style="width: 40px; height: 20px;"></td><td style="width: 40px; height: 20px;"></td></tr></table>			m 3 5 <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td style="width: 40px; height: 20px;"></td><td style="width: 40px; height: 20px;"></td></tr></table>			$2a$ b 3 <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td style="width: 40px; height: 20px;"></td><td style="width: 40px; height: 20px;"></td></tr></table>		
Product	$2(4 + x)$	$5(m + 3)$	$3(2a + b)$						
Sum	$8 + 2x$	$5m + 15$	$6a + 3b$						

3. Latifa and Joel are trying to rewrite $8y + 24$ as a product expression.

Latifa	Joel
$8(y + 3)$	$2(4y + 12)$

Are Latifa's and Joel's expressions both equivalent to $8y + 24$? Circle one.

Yes No

Explain your thinking.

Explanations vary. Latifa's expression is equivalent because 8 times y is $8y$, and 8 times 3 is 24. Joel's expression is equivalent because 2 times $4y$ is $8y$, and 2 times 12 is 24.

Problems 4–6: Determine whether each pair of expressions are equivalent.

	Expression A	Expression B	Equivalent?
4.	$2(x + 8) + 3$	$2x + 19$	<input checked="" type="radio"/> Yes <input type="radio"/> No
5.	$5 + 2(y + 4)$	$7y + 28$	Yes <input checked="" type="radio"/> No
6.	$3(z + 1) + 3(z + 1)$	$6(z + 1)$	<input checked="" type="radio"/> Yes <input type="radio"/> No

Lesson Practice

6.6.09

Name: _____ Date: _____ Period: _____

7. Complete the table.

Product Expression	Sum Expression
$4(x + 2)$	$4x + 8$
$(6 + 8)d$	$6d + 8d$
$(10 + 7)m$	$10m + 7m$
$3(2b + 5)$	$6b + 15$
$6(u + 2t)$	$6u + 12t$

8. The area of a rectangle is $30 + 12x$.

List three possibilities for the length and the width of the rectangle.

Responses vary.

Length	Width
3	$10 + 4x$
2	$15 + 6x$
6	$5 + 2x$

Spiral Review

Problems 9–11: Solve each equation. Show your thinking.

9. $x + 5 = 11$

$x = 6$. *Strategies vary.*

$x + 5 - 5 = 11 - 5$

$x = 6$

10. $0.6y = 1.8$

$y = 3$. *Strategies vary.*

$0.6y \div 0.6 = 1.8 \div 0.6$

$y = 3$

11. $5w = 17.5$

$w = 3.5$. *Strategies vary.*

$5w \div 5 = 17.5 \div 5$


$w = 3.5$

Reflection

1. What advice would you give to yourself or others when writing equivalent expressions?
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

Exponents are used to represent repeated multiplication. In the expression 2^n , 2 is the **base**, and n is the **exponent**. If n is a positive whole number, it represents how many times 2 should be multiplied to determine the value of the expression.



Here are some examples.

$$2^1 = 2 \qquad 2^3 = 2 \cdot 2 \cdot 2$$

There are several different ways to say " 2^3 ."

- "Two to the power of three"
- "Two raised to the power of three"
- "Two to the third power"
- "Two cubed"

Things to Remember:

Lesson Practice

6.6.10

Name: _____ Date: _____ Period: _____

1. Determine the value of each expression.

Expression	Value
$3 + 3 + 3 + 3$	12
$3 \cdot 3 \cdot 3 \cdot 3$	81
$4(3)$	12
3^4	81

2. Complete the table. The first row has been completed for you.

Expression With Exponent	Expression Without Exponent
3^5	$3 \cdot 3 \cdot 3 \cdot 3 \cdot 3$
2^4	$2 \cdot 2 \cdot 2 \cdot 2$
4^3	$4 \cdot 4 \cdot 4$
5^1	5
$\left(\frac{1}{2}\right)^5$	$\frac{1}{2} \cdot \frac{1}{2} \cdot \frac{1}{2} \cdot \frac{1}{2} \cdot \frac{1}{2}$
$\left(\frac{1}{3}\right)^4$	$\frac{1}{3} \cdot \frac{1}{3} \cdot \frac{1}{3} \cdot \frac{1}{3}$

3. Select *all* the expressions that are equal to 16.

A. 8^2

B. 2^4

C. 2^8

D. 4^2

E. 16^1

4. Circle the two expressions that have the same value.

$6 + 6 + 6$

6^3

3^6

$3 \cdot 6$

Lesson Practice

6.6.10

Name: _____ Date: _____ Period: _____

5. Write the expression that represents each description, then determine its value.

Description	Expression	Value
Three to the third power	3^3	27
Five to the second power	5^2	25
Two to the power of five	2^5	32
Three to the second power	3^2	9

6. Determine a value of a that makes both of these equations true. Explain your thinking.

$$a^2 = 2^a$$

$$a^4 = 4^a$$

Responses vary.

- $a = 4$. Because $4^2 = 16$ and $2^4 = 16$, it means $4^2 = 2^4$. And a^4 and 4^a are both 4^4 if $a = 4$.
- $a = 2$. If $a = 2$, then a^2 and 2^a are both 2^2 . $2^4 = 16$ and $4^2 = 16$, so $2^4 = 4^2$.

Spiral Review

Problems 7–9: Solve each equation.

7. $a - 2.01 = 5.5$
 $a = 7.51$


8. $b + 2.01 = 5.5$
 $b = 3.49$

9. $10c = 13.71$
 $c = 1.371$

10. Write two expressions for the area of the rectangle.

Product: $4(m + 3)$

Sum: $4m + 12$



Reflection

1. Circle the problem you feel least confident about.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

There is a specific *order of operations* we use to evaluate expressions with more than one operation, like $5 \cdot 2^4$ or $(5 \cdot 2)^4$.

With Parentheses

Evaluate the operations in parentheses first:

$$(5 \cdot 2)^4$$

$$(10)^4$$

$$10 \cdot 10 \cdot 10 \cdot 10$$

$$10,000$$

Without Parentheses

Evaluate the term with the exponent first:

$$5 \cdot 2^4$$

$$5 \cdot (2 \cdot 2 \cdot 2 \cdot 2)$$

$$5 \cdot 16$$

$$80$$

Things to Remember:

Lesson Practice

6.6.11

Name: _____ Date: _____ Period: _____

1. Match each expression with the diagram it represents. Evaluate the expression to determine the area of each diagram.

	$4 \cdot 3^2$	$3^2 + 4$	$(3 + 4)^2$

Problems 2–3: Evaluate each expression.

2.

Expression	Value
$5 + 4^2$	21
$(3 + 2)^3$	125
$2^2 \cdot 5$	20
$8 \cdot \left(\frac{1}{2}\right)^2$	2

3.

Expression	Value
$42 - 9 \cdot 2^2$	6
$\frac{12 - 3^2}{6}$	$\frac{1}{2}$
$\frac{3 + (2 + 1)^2}{4}$	3
$\frac{1}{4}(3 - 1)^3$	2

4. What is the value of the expression $\frac{3 + 5^2}{4}$?

A. 16

B. 7

C. 4

D. $\frac{13}{4}$

Lesson Practice

6.6.11

Name: _____ Date: _____ Period: _____

Spiral Review

5. Fill in the blanks using the numbers 0 to 9 only once so that the values of the expressions are in order from least to greatest.

Responses vary.

$4^{\boxed{1}}$	$\boxed{2}^4$	$\boxed{5}^2$	$3^{\boxed{4}}$	$\boxed{6}^3$	$2^{\boxed{8}}$
-----------------	---------------	---------------	-----------------	---------------	-----------------

Least

Greatest

Problems 6–9: Determine the value of each expression.

6. $3(5) = 15$

7. $3(5) + 2 = 17$

8. $3(5 + 2) = 21$

9. $3(2 + 5) = 21$

10. Select *all* the expressions that are equal to 3^4 .

A. $3 \cdot 3 \cdot 3 \cdot 3$

B. 12

C. $3 + 3 + 3 + 3$

D. $9 \cdot 9$

E. 81


Reflection

1. Put a heart next to the problem you feel most confident about.
2. Use this space to ask a question or share something you're proud of.


Lesson Summary

To use the order of operations, *evaluate* the operations in parentheses first. When there are no parentheses, exponents should be evaluated first.

Area is useful for modeling expressions with exponents of 2. Volume is useful for modeling expressions with exponents of 3. When evaluated, these become perfect squares and **perfect cubes**. Here are two examples of expressions evaluated when $x = 2$. Look for the perfect cubes.



$$\begin{aligned} (x + 1)^3 \text{ is} \\ (2 + 1)^3 &= 3^3 \\ &= 27 \end{aligned}$$



$$\begin{aligned} x^3 + 1 \text{ is} \\ 2^3 + 1 &= 8 + 1 \\ &= 9 \end{aligned}$$

If the exponent is larger than 3, substitute the value of the variable and use the order of operations.

For example, when $x = 2$:

$$\begin{aligned} (x + 1)^4 \text{ is} \\ (2 + 1)^4 &= 3^4 \\ &= 81 \end{aligned}$$

$$\begin{aligned} x^5 + 1 \text{ is} \\ 2^5 + 1 &= 32 + 1 \\ &= 33 \end{aligned}$$

Things to Remember:

Lesson Practice

6.6.12

Name: _____ Date: _____ Period: _____

1. Determine the value of each expression when $x = 3$.

Expression	$x^2 + 6$	$4x^2$	2^x	$4 + 2^x$
Value when $x = 3$	15	36	8	12



2. Determine the value of each expression when $x = 2$.

Expression	$x^4 + 5x$	$4x^3 + x - 10$	$1 + 3x^3$	$\left(\frac{1}{3}\right)^x$
Value when $x = 2$	26	24	25	$\frac{1}{9}$

3. Determine the value of $2x^2 - 4x + 5$ when $x = 6$.

$$2(6)^2 - 4(6) + 5 = 53$$

Problems 4–5: Here are two figures.



4. Match each figure with an expression that represents its area. One expression will not have a match.

$x + 5^2$

$(x + 5)^2$

$x^2 + 5^2$

.....

..... **Figure A**

..... **Figure B**

5. Explain why $(x + 5)^2$ and $x^2 + 5^2$ are *not* equivalent.

Responses vary.

- $(x + 5)^2$ and $x^2 + 5^2$ are not equivalent because they represent different diagrams.
- When $x = 1$, $(x + 5)^2$ is $(1 + 5)^2 = 36$ and $x^2 + 5^2$ is $1^2 + 5^2 = 26$.

Lesson Practice

6.6.12

Name: _____ Date: _____ Period: _____

Spiral Review

Problems 6–7: Jalen built a tower out of 10 cubes. Each cube has a side length of 5 inches.



6. Which expression represents the volume of the tower?

- A. $5(10)^3$
- B. $10(5)^3$**
- C. $10 + 5^3$
- D. $5 + 10^3$

7. Calculate the volume of the tower.

1,250 cubic inches

8. For each row, circle the expression with the greater value or circle that they have the same value.

Expression A	Expression B	Same Value
2^3	3^2	They have the same value.
1^{10}	10^1	They have the same value.
3^4	9^2	They have the same value.
$\left(\frac{1}{2}\right)^3$	$\left(\frac{1}{3}\right)^2$	They have the same value.

9. Fill in the blanks using the numbers 1 to 9 only once to create equivalent expressions.

Responses vary.

$$\boxed{9} \cdot \boxed{2}^2$$

$$\left(\boxed{1} + \boxed{5}\right)^2$$

Reflection

- Circle the problem you're most interested in knowing more about.
- Use this space to ask a question or to share something you're proud of.

Lesson Summary

Tables and equations can be used to represent and describe a relationship between two variables or quantities.

- The **dependent variable** is the variable in a relationship that is the effect or result.
- The **independent variable** is the variable in a relationship that is the cause. It is used to calculate the value of the dependent variable.

Let's say a boat can travel 36 miles in 3 hours. How far can the boat travel in 8 hours?

- The dependent variable is the distance traveled, d .
- The independent variable is the amount of time, t .

Table

t (hr)	d (mi)
3	36
1	12
8	96

In 8 hours, the boat can travel 96 miles.

Equation

$$d = 12t$$

In 8 hours, the boat can travel
 $d = 12 \cdot 8 = 96$ miles.

In both strategies, the distance *depends* on how many hours the boat travels.


Things to Remember:

Lesson Practice

6.6.13

Name: _____ Date: _____ Period: _____

1. The number of circles along the bottom, c , is the independent variable in this relationship.



$c = 2$ $c = 4$ $c = 5$

List two to three dependent variables you could count or measure.

Responses vary.

- $w =$ the number of unshaded circles
- $b =$ the number of shaded circles
- $p =$ the perimeter of the rectangle made by the circles
- $t =$ the total number of circles

Problems 2–4: Karima wants to help a community kitchen determine how much broth they need for their famous chicken soup. Each serving of soup uses 2 cups of broth.

2. Complete the table.

Number of Servings of Soup, s	Number of Cups of Broth, b
1	2
2	4
5	10
8	16

3. Which variable is the independent variable, s or b ? Explain your thinking.

s . Explanations vary. The number of servings you want to make tells you how many cups of broth you need. Also, it is on the left side of the table.

4. Karima and her sibling each wrote an equation for the relationship.

Karima: $s = 2b$

Karima's sibling: $b = 2s$

Who is correct? Circle one.

Karima

Karima's sibling

Both

Neither

Explain your reasoning.

Explanations vary. If you substitute any of the rows into the equation it will be a true statement like $10 = 2(5)$.

5. This table shows the number of scooters a factory produces in different amounts of time.

Number of Hours, x	Number of Scooters, y
2	21
4	42
6	63
8	84

Write an equation to represent the relationship between the number of hours, x , and the number of scooters, y , the factory produces.

$y = 10.5x$ (or equivalent)

Lesson Practice

6.6.13

Name: _____ Date: _____ Period: _____


Problems 6–8: Crow has a coupon for \$4 off any item at a store.

- | | | |
|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| <p>6. How much would Crow pay for an item that costs \$10?
\$6</p> | <p>7. How much would Crow pay for an item that costs \$22?
\$18</p> | <p>8. How much would Crow pay for an item that costs d dollars?
$d - 4$ dollars</p> |
|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|

Problems 9–10: Here is a table.

- 9.** Draw a visual pattern that represents this relationship.

Responses vary.



n	a
1	5
2	10
3	15

- 10.** What do the variables n and a represent in your pattern?

Responses vary according to students' patterns.

n represents . . . **the number of dots per arm.** a represents . . . **the total number of dots.**

Spiral Review

- 11.** Determine the value of each expression.

Expression	3^2	2^3	2^5	2^1
Value	9	8	32	2

- 12.** Determine the value of each expression when $x = 4$.

Expression	$(6 - x)^3$	$2(6 - x)^3$	$2^x - 6$	$\left(\frac{1}{x}\right)^3$
Value when $x = 4$	8	16	10	$\frac{1}{64}$

Reflection

- Put a heart next to the problem you found most interesting.
- Use this space to ask a question or share something you're proud of.



Lesson Summary

Like tables and equations, graphs are another way of representing the relationship between two quantities. For example, in this pattern, the independent variable is the width of the figure, w , and the dependent variable is the number of squares, n .

Here are the table and graph of this relationship.

Width of the Figure (units), w	Number of Squares, n
3	5
5	9
7	13

The numbers in each row of the table indicate an *ordered pair* on the coordinate plane. In the first row of the table, w is 3 and n is 5, which is represented by the point $(3, 5)$ on the graph.



While representing a relationship using a graph, we usually use the x -axis for the independent variable.


Things to Remember:

Lesson Practice

6.6.14

Name: _____ Date: _____ Period: _____

Problems 1–3: This graph shows the number of tablespoons of salt, s , needed to make r cups of rice.



1. Complete the table to reflect some of the values on the graph. *Responses vary.*

Rice (cups), r	Salt (tbsp), s
1	$\frac{1}{2}$
4	2
6	3
8	4

2. What does the point (8, 4) mean in this situation?

The point (8, 4) means that to make 8 cups of rice, you will need 4 tablespoons of salt.

3. Which equation represents the relationship between the number of tablespoons of salt, s , and the number of cups of rice, r ?

A. $r = \frac{1}{2}s$

B. $s = 2r$

C. $s = \frac{1}{2}r$


D. $s = \frac{1}{2} + r$

Explain how you know that equation is correct.


Explanations vary. There is $\frac{1}{2}$ tablespoon of salt for every cup of rice, so you multiply the number of cups of rice, r , by $\frac{1}{2}$ to get the number of tablespoons of salt, s .

4. Rebecca rides her bike at a constant rate. The equation $d = 6t$ describes the relationship between the time, t , she rides in hours, and the distance, d , she rides in miles. Select the graph that represents the relationship between the amount of time and the distance she rides.


A.




B.



C.



D.



Lesson Practice

6.6.14

Name: _____ Date: _____ Period: _____

Problems 5–7: The graph represents the amount of time in hours that it takes a ship to travel various distances in miles.

5. Select one point on the graph. Explain what that point means in this situation.


Responses vary. (150, 6) means that for the ship to travel 150 miles, it will take 6 hours.

6. What is the independent variable?

The independent variable is distance traveled.

7. What is the dependent variable?

The dependent variable is the time.




Problems 8–9: Here are the first three steps of a pattern.

8. Draw the fourth step of the pattern.



9. Plot the missing points that represent the third and fourth steps of the pattern.



Spiral Review

Problems 10–13: Determine the value of each expression.

10. $3^3 = 27$

11. $2(3)^3 = 54$

12. $3^3 + 4 = 31$

13. $2 \cdot 3^3 + 4 = 58$

Reflection

- Star a problem that you are still feeling confused about.
- Use this space to ask a question or share something you're proud of.

Lesson Summary


All three representations — tables, equations, and graphs — hold the same mathematical information described in a situation but display it in different ways.

For example, if a car travels 30 miles per hour at a constant speed, you can determine the distance the car traveled in 4 hours using a table, a graph, or an equation.

Table

Time, t (hr)	Distance, d (mi)
1	30
2	60
4	120

Graph



Equation

$$d = 30t$$

$$d = 30(4)$$

$$d = 120$$

In all three representations, we can see that the car traveled 120 miles in 4 hours.

Things to Remember:

Lesson Practice

6.6.15

Name: _____ Date: _____ Period: _____

Problems 1–2: Kris is selling little toy cars for \$1.50 each.

- Write an equation that represents how much money Kris earns, m , for selling any number of toy cars, c .

$$m = 1.50c$$


- Complete the table that represents this situation.

c	m
2	\$3.00
4	\$6.00
11	\$16.50
15	\$22.50

Problems 3–4: This graph represents the distance a car traveled, d , over time, t .

- Create a table that matches the graph.

t	d
1	60
2	120
3	180
4	240
5	300
6	360




- Nathan determined that the equation $d = 60t$ represents this situation. Explain how the parts of his equation relate to the situation.

Explanations vary. d represents the distance the car traveled and t represents how many hours the car traveled. 60 represents the speed of the car.

- A bookstore gives out coupons for \$2 off each book. This graph represents the situation.

Select one point on the graph. Explain what that point means in this situation.

Responses and explanations vary. The meaning of point (3, 6) is that if you buy 3 books, the savings will come to a total of \$6.



Lesson Practice

6.6.15

Name: _____ Date: _____ Period: _____

6. The equation $a = e - 4$ represents the relationship between Amanda's age, a , and Estaban's age, e . Which table represents the same relationship?

A.

a	e
10	14
11	15
12	16

B.

a	e
14	10
15	11
16	12

C.

a	e
10	6
11	7
12	8

D.

a	e
12	3
16	4
20	5

Spiral Review

Problems 7–9: Calculate each percentage.

7. 25% of 40

10

8. 30% of 60

18

9. 45% of 90

40.5

Problems 10–11: Rishi sells lemonade for \$0.35 per cup.

10. If Rishi earned \$9.80, how many cups of lemonade did he sell?

28 cups of lemonade

11. Rishi bought 50 paper cups for \$0.05 each. How much did he spend on the paper cups?

\$2.50

Reflection


1. Circle the problem you are most interested to know more about.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

We can use data in tables, graphs, and equations to help make decisions in real-world situations. When it comes to analyzing subway ticket fares, these representations can help us make informed decisions about what type of transportation ticket to purchase.

Using the graph, we can see that the regular fare ticket is the best choice if we ride 5 times or less and do not qualify for the reduced fare. If we extend each line on the graph, we'll be able to determine when the price of an unlimited 7-day pass will be lower than the regular fare.

We can use these tools to make sure we get the best subway ticket for our needs.



Things to Remember:

Lesson Practice

6.6.16

Name: _____ Date: _____ Period: _____

1. Match each equation to the table it represents.

$p = 2n$	$p = \frac{1}{2}n$	$p = n + 2$
----------	--------------------	-------------

n	p
10	5
20	10
100	50

$p = \frac{1}{2}n$

n	p
10	20
20	40
100	200

$p = 2n$


n	p
10	12
20	22
100	102

$p = n + 2$

Problems 2–4: Here is a graph.

2. Write a situation that could be represented by the graph.

Responses vary. Situations should present a proportional relationship with 1.5 as the factor.



3. Label the axes on the graph to match your situation.

Responses vary. The x-axis is the independent variable and the y-axis is the dependent variable.

4. Complete the table using the points on the graph. Label each column with variables to match the graph.

Responses vary. The first column is the independent variable and the second column is the dependent variable.

<i>Variables vary.</i>	<i>Variables vary.</i>
1	1.5
2	3
3	4.5
4	6
5	7.5

Lesson Practice

6.6.16

Name: _____ Date: _____ Period: _____

Problems 5–8: A biking app says that Riya rides at a speed of 5 miles per hour.

5. At this speed, how far does Riya ride in 1 hour?
5 miles
6. At this speed, how far does Riya ride in 3 hours?
15 miles
7. Write an equation for the relationship between Riya's distance biked, d , and time, t .
 $d = 5t$
8. Riya's speed last week could be represented by the equation $d = 3t$. What can you say about last week's speed compared to this week's speed? Explain your thinking.
Responses vary. Riya's speed last week was slower than her speed this week because 3 and 5 represent her speed and 3 miles per hour is less than 5 miles per hour.

Problems 9–10: A school supply store sells boxes of markers. Each box contains 16 markers.

9. Write an equation to represent the total number of markers, y , given x boxes.
Equation: **$y = 16x$**
10. If $x = 5$ for one day of sales, use your equation to determine the total number of markers the supply store sells. Show your thinking.
80 markers. Work varies.
 $y = 16 \cdot 5$ because $x = 5$. So, $y = 80$.

Spiral Review

11. Select *all* the equations with a solution of $n = 3$.

- A. $10n = 103$ B. $5n = 15$ C. $\frac{1}{4} + n = \frac{13}{4}$
 D. $n \div 2 = 6$ E. $\frac{1}{3}n = 3$

12. Fill in the blanks using the numbers 1 to 9 only once to make each inequality true.

$$\boxed{1}^2 < 2^{\boxed{2}}$$

$$\boxed{9}^2 > 2^{\boxed{6}}$$

$$\boxed{3}^3 < 3^{\boxed{4}}$$

$$\boxed{8}^3 > 3^{\boxed{5}}$$

Reflection


- Circle the problem you think will help you most on the End-of-Unit Assessment.
- Use this space to ask a question or share something you're proud of.

Lesson Summary

Ratios are said to be *equivalent ratios* when you can multiply the numbers in one ratio by the same factor to get the numbers in the other ratio.

For example, 2 cups of white paint mixed with 3 cups of green paint creates the same color as 6 cups of white paint mixed with 9 cups of green paint. You can multiply the number of white cups and green cups in the first ratio by 3 to get the second ratio.

When determining if two ratios are equivalent, it can be helpful to use a table of ratios, like this one:




2 white cups



3 green cups





6 white cups



9 green cups



	White Paint (cups)	Green Paint (cups)	
x3	2	3	x3
	6	9	

Things to Remember:

Lesson Practice

7.2.01

Name: _____ Date: _____ Period: _____

Problems 1–5: The table shows an original recipe for orange-pineapple juice, as well as four other recipes.

Recipe	Orange Juice (cups)	Pineapple Juice (cups)
Original	10	15
Recipe A	4	6
Recipe B	3	2
Recipe C	9	12
Recipe D	6	9

1. Select *all* the recipes that taste the same as the original.

A. Recipe A B. Recipe B

C. Recipe C D. Recipe D

2. Choose one recipe that tastes the same as the original and explain your thinking.

Responses vary. Recipe A uses 1.5 cups of pineapple juice for every cup of orange juice, just like the original.

3. Choose a recipe that does not taste the same as the original. How do the two recipes compare?

Responses vary. Recipe B uses 1.5 cups of orange juice for every cup of pineapple juice, so it would taste much more orangey than the original recipe.

4. How much pineapple juice would you need to mix with 1 cup of orange juice to make a mixture that tastes the same as the original?

1.5 cups

5. Complete the table to create a different recipe that will also taste the same as the original.

Responses vary. Sample shown in table.

Orange Juice (cups)	Pineapple Juice (cups)
12	18

6. Brielle mixed 6 cups of blue paint with 3 cups of white paint to make the perfect color to paint her mural.

Complete the table to show several other ways to make this color.

Blue Paint (cups)	White Paint (cups)
6	3
8	4
12	6
30	15

Lesson Practice

7.2.01

Name: _____ Date: _____ Period: _____

7. Determine whether $\frac{6}{14}$ and $\frac{9}{21}$ are equivalent ratios or not. Explain your thinking.

Yes, they are equivalent. Explanations vary. Dividing each number in the ratio $\frac{6}{14}$ by 2 results in the equivalent ratio $\frac{3}{7}$, and dividing each number in the ratio $\frac{9}{21}$ by 3 also results in $\frac{3}{7}$.

8. Select *all* the values that are *not* equivalent to $\frac{8}{10}$.

- A. $\frac{16}{20}$ B. 0.8 C. $\frac{12}{20}$ D. $\frac{36}{40}$ E. $\frac{20}{25}$

9. Create equivalent ratios. Fill in each blank using the numbers 0 to 9 as many times as you want.

Responses vary.

6 : 2 = 1 8 : 6 = 3 6 : 1 = 2

Spiral Review

10. A grocery store has three types of fish for sale. Carp costs \$5 for 3 pounds, mullet costs \$4 for 2 pounds, and herring costs \$3 for 2 pounds. Which fish costs the least per pound? Circle one.

Carp

Mullet

Herring

Show or explain your thinking.

Explanations vary. $5 \div 3 = 1.66666$, so the carp costs \$1.67 per pound. $4 \div 2 = 2$, so the mullet costs \$2.00 per pound. $3 \div 2 = 1.5$, so the herring costs \$1.50 per pound.

Reflection

1. Put a heart next to a problem you understand well.
2. Use this space to ask a question or share something you're proud of.

Lesson Summary

A **proportional relationship** is a set of equivalent ratios. The values for one quantity are each multiplied by the same number to get the values for the other quantity.

You can see this when moving between the columns of this table that shows the cost of varying amounts of soybeans. You can multiply the pounds of soybeans by 2 to get the cost.

When you multiply one quantity in a proportional relationship by a value, the other quantity will change by the same factor.

You can see this when moving between the rows of the table. When the pounds of soybeans is multiplied by 8, the cost for them is multiplied by the same number.

Soybeans (lb)	Cost (\$)
1	2
2	4
8	16
$\frac{1}{2}$	1
$\frac{1}{4}$	0.50

Diagram annotations: A blue arrow labeled $\times 2$ points from 1 to 2 in the first row. A blue arrow labeled $\times 2$ points from 2 to 4 in the second row. A blue arrow labeled $\times 8$ points from 1 to 8 in the third row. A blue arrow labeled $\times 8$ points from 2 to 16 in the third row.

Things to Remember:

Lesson Practice

7.2.02

Name: _____ Date: _____ Period: _____

Problems 1–4: Complete the tables so that the relationship is proportional.

1.

x	y
30	3
120	12
100	10

2.

x	y
1	1.5
3	4.5
8	12

3.

x	y
15	45
1	3
0	0

4.

x	y
0.2	1
1	5
4	20

5. Entrance to a state park costs \$6 per vehicle, plus \$2 per person. The table shows the entry cost for several recent groups of visitors. Is the relationship between the number of people and the total entrance cost a proportional relationship? Circle one.

Number of People in Vehicle	Total Cost (\$)
2	10
3	12
4	14
10	26

Yes

No

Explain your thinking.

Explanations vary. When I look at the ratio of people in the vehicle to the total entry cost, I can tell these are not equivalent ratios.

6. A store charges \$4.80 for 16 ounces of bubble tea. Complete the table so that it shows a proportional relationship between ounces of tea and cost.

Response shown in table.

Tea (oz)	Cost (\$)
16	4.80
20	6.00
24	7.20

Lesson Practice

7.2.02

Name: _____ Date: _____ Period: _____

7. A bakery uses 8 tablespoons of honey for every 10 cups of flour to make bread dough. Complete the table so that it shows a proportional relationship between the amount of honey and the amount of flour. Show or explain your thinking.

Honey (tbsp)	Flour (cups)
8	10
20	25
13	16.25
10	12.5

Response shown in table. Explanations vary.

$$10 \div 8 = 1.25$$

$$20 \cdot 1.25 = 25$$

$$13 \cdot 1.25 = 16.25$$

$$12.5 \div 1.25 = 10$$

Spiral Review

Problems 8–10: Solve each equation. Show your thinking. *Work varies.*

8. $\frac{1}{2} + x = 2$

$$\frac{1}{2} + x - \frac{1}{2} = 2 - \frac{1}{2}$$
$$x = 1\frac{1}{2}$$

9. $\frac{2}{3}y = 6$

$$\frac{2}{3}y \div \frac{2}{3} = 6 \div \frac{2}{3}$$
$$y = 9$$

10. $3 = \frac{1}{4}b$

$$3 \div \frac{1}{4} = \frac{1}{4}b \div \frac{1}{4}$$
$$3 \cdot 4 = b$$
$$12 = b$$

11. A student makes a scaled copy of a rectangle. The dimensions of the original rectangle are 3.5-by-2.5 meters. Select *all* the possible dimensions of the scaled copy.

- A. 1.75 meters and 1.25 meters
- B. 7 meters and 5 meters
- C. 7 meters and 6 meters
- D. 10 meters and 2.5 meters
- E. 10.5 meters and 7.5 meters

Reflection

- Put a question mark next to a problem you were feeling stuck on.
- Use this space to ask a question or share something you're proud of.